

The Alphatex logo features the brand name in a blue sans-serif font, accompanied by a stylized graphic of a green mesh or netting structure.

Alphatex

Edition V1 2020

HORTICULTURAL CATALOGUE

Horticulture - Market gardening
Greeneries

www.alphatex.eu

Introduction

p. 4

Logistics - France and Export

p. 5-7

Icons

p. 8

Anti-insect netting for structures



p. 9-14

- Drosotis 8/6
- Pollenatis 10/10
- Insectis 16/10
- Thriptis 20/10

Anti-insect netting for fields



p. 15-20

- Biotex 800
- Bionet
- Biotex 500
- Drosotis 8/6

Shade netting



p. 21-30

- Climatex
- Climatex 30
- Alphaombre 35
- Alphaombre 50
- Alphaombre 55
- Alphaombre 60
- Alphaombre 70
- Alphaombre 80
- Alphaombre 85

Windbreak netting



p. 31-40

- Alphavent 30 Crystal
- Alphavent 30 Green/Black
- Alphavent 35 Crystal
- Alphavent 35 Black
- Alphavent 50 Green/Black
- Alphavent 50 Crystal
- Alphavent 55
- Alphavent 65 Green
- Alphavent 65 Black

CONTENTS

Anti-bird netting



p. 41-48

- Arbotex 13
- Arbotex 15
- Arbotex 20

- Arbotex 22
- Arbotex 25 Blue, Green and Black

Harvest netting



p. 49-56

- Recoltex 33
- Recoltex 50
- Recoltex 50 "Trousers»

- Recoltex 64 Black and Green/Black
- Recoltex 95
- Recoltex 95 "Trousers"

Anti-hail netting



p. 57-62

- Anti-hail Black
- Anti-hail Grey

- Anti-hail Crystal
- Alt Carpo

Ombramache netting



p. 63-64

- Ombramache 40 and 60

Mulch fabric



p. 65-66

Privacy netting



p. 67-74

- Alphavue 90LG
- Alphavue 95 Grey, White and Green/Black
- Alphavue 100

Creating Green Spaces/Sport Areas



p. 75-80

Accessories



p. 81-94

Alphatex in a few figures...



More than 20 million € in Revenues (30% in Export Sales)



15000 annual shipments



80 co-workers including :

25 in Trade Division
33 in Production Division



Largest product range
More than 5000 items

6 in Marketing Division
4 QC / R & D Division



More than 2500 customers
(more than 250 worldwide)

6 Purchasing Division / HR
6 Accounting / Administrative Division

Alphatex in few words...

Alphatex, the trademark of the multi-gillnet manufacturer, Multimailles, was created in August 2003. Alphatex has become a key player in the supply of nets in Europe and exports its products to 4 of the 5 continents, accompanying the development of its customers in many countries.

Alphatex was born from the control of net manufacturing for more than 20 years and a long commercial experience ;
the human relationships and the needs of our customers are at the heart of our commercial policy.

In the commercial organization of Alphatex by Multimailles is added 5 major elements to meet the needs of our customers :

1 / The control of our supplies: We have our own machines that work for our needs and in parallel we work with partner suppliers that we train to manufacture according to our technical criteria. We support their development by investing in their production tools. This is made possible by our regular presence in factories.

2 / We have the largest permanent stock of nets in Europe with 3,000 tons (60 million m² of finished and / or semi-finished products), with 3 storage platforms.

3 / A wide and complete range: Each type of trade corresponds to several types of nets (meshes, micro-meshes), with diameters of threads, weights, dimensions and specific colors and finishes.

4 / The confection : A confection service makes it possible to answer quickly to the requests of made-to-measure nets.

5 / Pricing policy: We manage permanent risks linked to the constraints of plastics, derived from petroleum therefore subject to the world price of a barrel and the parity of currencies.

Working with Us
Highest Standards



- An order (for standard products) received before noon is processed the SAME DAY
- We are open all year round – 52 weeks a year

Logistics & Warehouses



Normandy Warehouse :
Cany-Barville (76) 9000m²
of storage area



Headquarters and Warehouse : Saint
Wandrille Rançon (76) Support and
administrative services 6000m² storage




Southern Warehouse :
Nîmes (30) 4000m² of
surface storage



60 million square meters of nets available in our 3 storage platforms



Map of sectors EXPORT



Sales representative +33 6 13 75 47 83
sales1@alphatex.eu

Sales representative +33 6 23 36 00 43
sales2@alphatex.eu

International sales
+33 2 35 95 72 87
info4@alphatex.eu


International sales
+33 2 32 70 90 47
info3@alphatex.eu

Sales representative +33 6 13 75 47 48
sales3@alphatex.eu

International sales
+33 2 35 56 33 55
assistant.zone2@alphatex.eu

International sales
+33 2 35 56 10 06
info6@alphatex.eu

International sales
+33 2 35 56 39 36
info2@alphatex.eu



Sales representative +33 6 11 17 95 89
sales4@alphatex.eu

International sales
+33 2 35 56 10 06
info6@alphatex.eu

International sales
+33 2 35 95 72 87
info4@alphatex.eu

International sales
+33 2 35 56 33 55
assistant.zone2@alphatex.eu

Sales representative +33 6 37 61 26 17
sales6@alphatex.eu

International sales
+33 2 35 56 33 55
assistant.zone2@alphatex.eu

International sales
+33 2 35 56 39 36
info2@alphatex.eu

Sales representative +33 7 81 24 06 78
sales9@alphatex.eu

International sales
+33 7 81 24 06 78
info5@alphatex.eu

Iconography

We created this catalogue as a practical handbook and guide, to facilitate the choice of protection solutions (nets, tarpaulins, shrink-wrap films, and many more). Each of our product possess its own technical characteristics that we transform into easy-to-use pictograms. Please check them below.

Material



Polyethylene
High-Density




Polyamide

Size



Mesh size in mm

Composition




Number of
threads in the
warp and weft

Weight



Material weight
in g/m²

UV Treatment



UV resistance
in kLy

Strength



Breaking
strength in
kg/m²

Windbreak



Percentage
wind protection
provided by the
netting/tarpaulin

Light blocked



% of sun's
rays filtered by
the netting

Mesh




Triangular



Rectangular



Fireproof rating of
non-flammable
materials



Anti-insect netting for structures



p. 9 to 14

Netting is used to protect vegetable crops against airborne pests.

FITTING AND EFFECTIVENESS AGAINST PESTS

Netting is a physical barrier. The netting mesh is studied to provide a balance between effectiveness and ventilation/water permeability.

The netting is generally placed over the crops during seeding or planting, or just before a properly identified at-risk period.

A physical barrier does not guarantee 100% protection against pests, particularly during years with high infestations or during drought, for example, but it limits the scale and speed of infestation.

Our netting manufacturer's guide cannot replace the experience of a crop, tree or plant professional, and they will adapt and compare the use of netting with other suitable measures.

It is not always possible to find manufacturing faults in large pieces of fabric. During weaving or knitting, broken needles or threads unavoidably cause faults which we endeavour to repair immediately. We might miss some faults.



Fabric must be checked and requires maintenance like other materials. We can provide you with a repair kit.

The table below will help you to outline your requirements.

Order	Latin name	Common name	Adult size	Onion, shallot, leek, garlic	Carrot, celery, fennel	Cabbage turnip	Trees	Fields	Shelters and structures
Coleoptera	Crioceris merdigera	Onion beetle	6mm	X				BIOTEX 800	DROSOTIS 8/6
	Crioceris lilii	Lily beetle	7mm	X				BIOTEX 800	DROSOTIS 8/6
	Brachycerus undatus	Onion weevil	10mm	X				BIOTEX 800	DROSOTIS 8/6
	Brachycerus algirus	Garlic weevil	8mm	X				BIOTEX 800	DROSOTIS 8/6
	Phyllotreta	Flea beetle	0.6mm			X		BIOTEX 500	INSECTIS 16/10
Diptera	Ceutorhynchus pleurostigma	Turnip gall weevil	0.4mm			X		THRIPTIS 20/10	THRIPTIS 20/10
	Delia (Phorbia) antiqua	Onion fly	10mm	X				BIOTEX 800	DROSOTIS 8/6
	Psila rosae	Carrot fly	4mm		X			BIOTEX 800	DROSOTIS 8/6
	Napomyza carotae	Carrot miner fly	2mm		X			BIOTEX 800	DROSOTIS 8/6
	Delia radicum	Cabbage fly	6mm			X		BIOTEX 800	DROSOTIS 8/6
	Delia platura	Seedcorn maggot	3mm	X	X	X		BIOTEX 800	DROSOTIS 8/6
	Drosophila Suzukii	Spotted wing drosophila	3mm				X	BIOTEX 800	DROSOTIS 8/6
	Myzus ascalonicus	Shallot aphid	1mm	X				BIOTEX 500	INSECTIS 16/10
	Brevicoryne brassicae	Cabbage aphid	1mm			X		BIOTEX 500	INSECTIS 16/10
	Aphididae	Carrot aphid	1mm		X			BIOTEX 500	INSECTIS 16/10
Homoptera	Trioxa apicalis	Carrot psyllid	1.5mm		X			BIOTEX 500	INSECTIS 16/10
	Thrips tabaci	Tobacco thrips	0.3mm	X				THRIPTIS 20/10	THRIPTIS 20/10
Thysanoptera	Euxoa nigricans	Garden dart	20mm	X				BIOTEX 800	DROSOTIS 8/6
Lepidoptera	Agrotis ipsilon	Black cutworm	15mm	X				BIOTEX 800	DROSOTIS 8/6
	Agrotis segetum	Turnip moth	25mm	X	X			BIOTEX 800	DROSOTIS 8/6
	Acrolepiopsis assectella	Leek moth	12mm	X				BIOTEX 800	DROSOTIS 8/6
	Pieris brassicae	Cabbage butterfly	25mm			X		BIOTEX 800	DROSOTIS 8/6
	Mamestra brassicae	Cabbage moth	20mm			X		BIOTEX 800	DROSOTIS 8/6
Gastropods	Plutella xylostella	Diamondback moth	6mm			X		BIOTEX 800	DROSOTIS 8/6
	Cydia Pomonella	Codling moth	18mm				X	BIOTEX 800	ALT CARPO
	Deroceras reticulatum	Grey garden slug	2mm		X			BIOTEX 800	DROSOTIS 8/6
Hemiptera	Macrosteles fascifrons	Aster leafhopper	3mm		X			BIOTEX 800	DROSOTIS 8/6
	Lygus lineolaris	Tarnished plant bug	6mm		X			BIOTEX 800	DROSOTIS 8/6
	Aleyrodoidea	Whitefly	0.5mm					BIONET	INSECTIS 16/10



DROSOTIS 8/6



Netting specifically developed for drosophila when growing trees, but which can be used as a barrier against other flies.



Reference	Name / Size / Finish / Length of finished roll	Color
5WMR085002	DROSOTIS 8/6 - 600Kly - 1.3m x 300m - Top and bottom reinforcement on 4cm - 1.3ml	Crystal
5WMR085003	DROSOTIS 8/6 - 600Kly - 2m x 200m - Top and bottom reinforcement on 4cm - 2ml	Crystal
5WMR085004	DROSOTIS 8/6 - 600Kly - 2.5m x 200m - Top and bottom reinforcement on 4cm - 2.5ml	Crystal
5WMR085005	DROSOTIS 8/6 - 600Kly - 3m x 200m - Top and bottom reinforcement on 4cm - 3ml	Crystal
5WMR085006	DROSOTIS 8/6 - 600Kly - 4m x 200m - Top and bottom reinforcement on 4cm + middle 3cm - 4ml	Crystal
5WMR085102	DROSOTIS 8/6 - 600Kly - 1.3m x 300m - Top and bottom reinforcement on 4cm - 1.3ml	Green/Black
5WMR085103	DROSOTIS 8/6 - 600Kly - 2m x 200m - Top and bottom reinforcement on 4cm - 2ml	Green/Black
5WMR085104	DROSOTIS 8/6 - 600Kly - 2.5m x 200m - Top and bottom reinforcement on 4cm - 2.5ml	Green/Black
5WMR085105	DROSOTIS 8/6 - 600Kly - 3m x 200m - Top and bottom reinforcement on 4cm - 3ml	Green/Black
5WMR085106	DROSOTIS 8/6 - 600Kly - 4m x 200m - Top and bottom reinforcement on + middle 3cm - 4ml	Green/Black



Drosophila is a genus of radioresistant holometabola insects. They are also known as “fruit flies”.



POLLENATIS 10/10



100% monofilament woven netting to keep pollinating flies inside tunnels.
Physical barrier.
Good ventilation.

Reference	Name / Size / Finish / Length of finished roll	Color
5WMR090001	POLLENATIS 10/10 - 600Kly - 3.2m x 200m - Top and bottom reinforcements on 4cm - 3.2ml	Crystal
5WMR090002	POLLENATIS 10/10 - 600Kly - 2.6m x 200m - Top and bottom reinforcements on 4cm - 2.6ml	Crystal
5WMR090003	POLLENATIS 10/10 - 600Kly - 5m x 200m - Top and bottom reinforcements on 4cm - 2.6ml	Crystal
5WMR090004	POLLENATIS 10/10 - 600Kly - 1.6m x 200m - Top and bottom reinforcements on 4cm - 1.6ml	Crystal
5WMR090005	POLLENATIS 10/10 - 600Kly - 4m x 200m - Top and bottom reinforcements on 4cm - 4ml	Crystal


Accessories on page 81





INSECTIS 16/10

70%
30%
600Kly
110g/m²
Woven monofilament
450µ x 850µ



100% monofilament woven netting.
 Excellent mechanical strength.
 Physical barrier against aphids and whitefly, excluding western flower thrips.

Reference	Name / Size / Finish / Length of finished roll	Color
5WMR110016	INSECTIS 16/10 - 600Kly - 1.6m x 200m - Top and bottom reinforcements on 4cm - 1.6ml	Crystal
5WMR110020	INSECTIS 16/10 - 600Kly - 2m x 200m - Top and bottom reinforcements on 4cm - 2ml	Crystal
5WMR110033	INSECTIS 16/10 - 600Kly - 3.2m x 200m - Top and bottom reinforcements on 4cm - 3.2ml	Crystal
5WMR110040	INSECTIS 16/10 - 600Kly - 4m x 200m - Top and bottom reinforcements on 4cm - 4ml	Crystal



INSECTIS door provided
 High-quality zip, sewn onto a reinforcement strip
 Other sizes available (contact us)



Reference	Name / Size / Finish / Length of finished roll	Color
5WMR110003	Gable for tunnel 20/12 - 5mx10m double zip strip YKK Height 2m x Width 1,6m	Crystal



THRIPTIS 20/10




100% monofilament woven netting.
Excellent mechanical strength.
Physical barrier against all insects including western flower thrips.

Reference	Name / Size / Finish / Length of finished roll	Color
5WMR135016	THRIPTIS 20/10 - 600Kly - 1.6m x 200m - Top and bottom reinforcements on 4cm - 1.6ml	Crystal
5WMR135021	THRIPTIS 20/10 - 600Kly - 2.1m x 200m - Top and bottom reinforcements on 4cm - 2.1ml	Crystal
5WMR135026	THRIPTIS 20/10 - 600Kly - 2.6m x 200m - Top and bottom reinforcements on 4cm - 2.6ml	Crystal
5WMR135031	THRIPTIS 20/10 - 600Kly - 3.1m x 200m - Top and bottom reinforcements on 4cm - 3.1ml	Crystal
5WMR135040	THRIPTIS 20/10 - 600Kly - 4m x 200m - Top and bottom reinforcements on 4cm - 4ml	Crystal

Accessories on page 81





Anti-insect netting for fields




p. 15 to 20

Anti-insect netting : BIOFIL - BIOTEX 500 and 800 - DROSOTIS pages 16 to 19



BIOTEX 800 STOP Mouches



40 g/m² netting in PEHD - 800x1000 µ mesh which guarantees protection against flies, butterflies, locusts, wasps, etc.

It does not block red spider mites, whitefly, flea beetles, aphids or thrips.

High mechanical strength, fitted directly over the crop or onto hoops.

We have developed “special mechanical fitting” 2.10 m x 300 m calendered netting.

Used on all vegetable, ornamental or fruit crops. Limits the impact of wind, hail and surface sealing.


Good ventilation which limits fungal attacks.

The hydrophobic PEHD netting does not swell up with water like PA or PP multi-filament netting, which can increase weight three-fold during rain. Life span 3 seasons minimum (300 KLY).

Reference	Name / Size / Length of finished roll	Color
5SMR036003	BIOTEX 800 - 300Kly - 2.1m x 300m - Machine installation not folded	White
5SMR036004	BIOTEX 800 - 300Kly - 4m x 100m - 2m roll	White
5SMR036006	BIOTEX 800 - 300Kly - 6m x 125m - 1.5m roll	White
5SMR036008	BIOTEX 800 - 300Kly - 8m x 125m - 1.2m roll	White
5SMR036011	BIOTEX 800 - 300Kly - 11m x 125m - 1.4m roll	White
5SMR036012	BIOTEX 800 - 300Kly - 12m x 125m - 1.2m roll	White
5SMR036016	BIOTEX 800 - 300Kly - 16m x 100m - 1.2m roll	White
5SMR036024	BIOTEX 800 - 300Kly - 2.4m x 125m - 1.2m roll	White
5SMR036048	BIOTEX 800 - 300Kly - 4.8m x 125m - 1.2m roll	White



BIOTEX 500 Stop ALTISE



50 g/m² netting in PEHD 500x800 µ mesh which guarantees protection against flies, butterflies, locusts, wasps but also flea beetles and aphids.

It does not block red spider mites, whitefly or thrips.

High mechanical strength, fitted directly over the crop or onto hoops.

We have developed “special mechanical fitting” 2.10 m x 300 m calendered netting.

Used on all vegetable, ornamental or fruit crops. Limits the impact of wind, hail and surface sealing.

Good ventilation which limits fungal attacks.

The hydrophobic PEHD netting does not swell up with water like PA or PP multi-filament netting, which can increase weight three-fold during rain. Life span 5 seasons minimum (500 KLY).

Reference	Name / Size / Length of finished roll	Color
5SMR049003	BIOTEX 500 - 500Kly - 2.1m x 300m - Machine installation not folded	White
5SMR049006	BIOTEX 500 - 500Kly - 6m x 125m - 1.5m roll	White
5SMR049008	BIOTEX 500 - 500Kly - 8m x 125m - 1.5m roll	White
5SMR049012	BIOTEX 500 - 500Kly - 12m x 125m - 1.2m roll	White
5SMR049016	BIOTEX 500 - 500Kly - 16m x 100m - 1.2m roll	White
5SMR049024	BIOTEX 500 - 500Kly - 2.4m x 125m - 1.2m roll	White
5SMR049048	BIOTEX 500 - 500Kly - 4.8m x 125m - 1.2m roll	White



Flea beetles are small insects which feed on various vegetable plants and other species at the end of spring.



BIONET



45%



8%



300Kly



21g/m²



Knitted
multifilament



450μ x 450μ

21 g/m² nylon netting whose mesh size is effective against whitefly.
It does not block red spider mites or thrips.
Netting life span between 1 and 2 seasons depending on intensity of use.



Reference	Name / Finish / Size	Color
On demand	BIONET - 300Kly - 1.7m x 200m	White
On demand	BIONET - 300Kly - 2.3m x 200m	White
On demand	BIONET - 300Kly - 4m x 200m	White

Accessories on page 81





DROSOTIS 8/6



Anti-insect netting against fruit flies.

Reference	Name / Size / Finish / Length of finished roll	Color
5WMR085002	DROSOTIS 8/6 - 600Kly - 1.3m x 300m - Top and bottom reinforcements on 4cm 1.3ml	Crystal
5WMR085003	DROSOTIS 8/6 - 600Kly - 2m x 200m - Top and bottom reinforcements on 4cm 2ml	Crystal
5WMR085004	DROSOTIS 8/6 - 600Kly - 2.5m x 200m - Top and bottom reinforcements on 4cm 2.5ml	Crystal
5WMR085005	DROSOTIS 8/6 - 600Kly - 3m x 200m - Top and bottom reinforcements on 4cm 3ml	Crystal
5WMR085006	DROSOTIS 8/6 - 600Kly - 4m x 200m - Top and bottom reinforcements on 4cm + middle 3cm 4ml	Crystal
5WMR085102	DROSOTIS 8/6 - 600Kly - 1.3m x 300m - Top and bottom reinforcements on 4cm 1.3ml	Green/Black
5WMR085103	DROSOTIS 8/6 - 600Kly - 2m x 200m - Top and bottom reinforcements on 4cm 2ml	Green/Black
5WMR085104	DROSOTIS 8/6 - 600Kly - 2.5m x 200m - Top and bottom reinforcements on 4cm 2.5ml	Green/Black
5WMR085105	DROSOTIS 8/6 - 600Kly - 3m x 200m - Top and bottom reinforcements on 4cm 3ml	Green/Black
5WMR085106	DROSOTIS 8/6 - 600Kly - 4m x 200m - Top and bottom reinforcements on 4cm + middle 3cm 4ml	Green/Black

Accessories on page 81







Shade netting



p. 21 to 30

Shade is a subjective term which covers many uses.

The indicated shade is an average. Shade itself depends directly on light intensity.

The main shaded crops are strawberries, lamb's lettuce and seedlings, radishes, etc.

This section is divided into 2 parts :

Shading on structures
Shading fields

These rolls are unprocessed, but it is possible to sew the nets together to meet your "custom" requirements.

We can also manufacture specific products which are not yet found in the standard range, with different weight/m², mesh size and colours.
Please contact us.



CLIMATEX



85%



8%



600Kly



38g/m²



Knitted
100%
tapes



>800μ

Netting whose main purpose is to foster specific weather conditions.

Intense windbreak effect, increased temperature, no surface sealing - the ideal product for the start and end of season. It works against some pests such as rabbits, pigeons and locusts. Fitted directly over the crop or onto hoops.

Reference	Name / Finish / Length of finished roll	Color
5SPT045002	CLIMATEX 3/17 - 600Kly - 2m x 250m - Top and bottom reinforcements on 5cm - 2ml	Crystal
5SPT045006	CLIMATEX 3/17 - 600Kly - 4m x 250m - Top and bottom reinforcements on 5cm - 2ml	Crystal
5SPT045003	CLIMATEX 3/17 - 600Kly - 6m x 250m - Top and bottom reinforcements on 5cm - 2ml	Crystal
5SPT045004	CLIMATEX 3/17 - 600Kly - 8m x 250m - Top and bottom reinforcements on 5cm - 2ml	Crystal
5SPT045012	CLIMATEX 3/17 - 600Kly - 10.5m x 250m - Top and bottom reinforcements on 5cm - 2ml	Crystal
5SPT045007	CLIMATEX 3/17 - 600Kly - 12m x 100m - Top and bottom reinforcements on 5cm - 2ml	Crystal
5SPT045008	CLIMATEX 3/17 - 600Kly - 12m x 250m - Top and bottom reinforcements on 5cm - 2ml	Crystal
5SPT045014	CLIMATEX 3/17 - 600Kly - 14m x 100m - Top and bottom reinforcements on 5cm - 2ml	Crystal
5SPT045015	CLIMATEX 3/17 - 600Kly - 14m x 250m - Top and bottom reinforcements on 5cm - 2ml	Crystal
5SPT045005	CLIMATEX 3/17 - 600Kly - 16m x 250m - Top and bottom reinforcements on 5cm - 2ml	Crystal
5SPT045024	CLIMATEX 3/17 - 600Kly - 24m x 250m - Top and bottom reinforcements on 5cm - 2ml	Crystal

Accessories on page 81





CLIMATEX 30



30%



600Kly



40g/m²



Knitted
100%
tapes



>800μ



Special shade netting for climbing strawberries.
Light reflection.


Reference	Name / Finish / Length of finished roll	Color
5SPT045102	CLIMATEX 3/17 - 600Kly - 4.2m x 200m - Top and bottom reinforcements on 5cm 2.1ml	White
5SPT045104	CLIMATEX 3/17 - 600Kly - 6.4m x 200m - Top and bottom reinforcements on 5cm 1.6ml	White

Accessories on page 81





ALPHAOMBRE 35



35%



600Kly



85g/m²



Knitted
monofilament
tapes

Shade netting for spring crops, mesclun seedlings, lamb's lettuce, radish.



Reference	Name / Finish / Length of finished roll	Color
5SXR085002	ALPHAOMBRE 35 - 3573 - 600Kly - 2m x 100m - Side reinforcements and buttonholes 1m	Dark Green
5SXR085003	ALPHAOMBRE 35 - 3573 - 600Kly - 3m x 100m - Side reinforcements and buttonholes 1.5m	Dark Green
5SXR085004	ALPHAOMBRE 35 - 3573 - 600Kly - 4m x 100m - Side reinforcements and buttonholes 2m	Dark Green
5SXR085006	ALPHAOMBRE 35 - 3573 - 600Kly - 6m x 100m - Side reinforcements and buttonholes 1.5m	Dark Green

Accessories on page 81





ALPHAOMBRE 50



Shade netting for summer crops - seedlings, lamb's lettuce and vegetables.


Reference	Name / Finish / Length of finished roll	Color
5SPT054002	ALPHAOMBRE 50 - 5052 - 600Kly - 2m x 100m - Side reinforcements and buttonholes 1m	Green/Black
5SPT054004	ALPHAOMBRE 50 - 5052 - 600Kly - 4m x 100m - Side reinforcements and buttonholes 2m	Green/Black
5SPT054006	ALPHAOMBRE 50 - 5052 - 600Kly - 6m x 100m - Side reinforcements and buttonholes 1.5m	Green/Black

Accessories on page 81





ALPHAOMBRE 55



55%



600Kly



150g/m²



Monofil

Shade netting for summer crops - seedlings, lamb's lettuce and vegetables.

Reference	Name / Finish / Length of finished roll	Color
5SMR150114	ALPHAOMBRE 55 - 600Kly - 1m x 100m - Buttonholes on side edges	Green/Black
5SMR150115	ALPHAOMBRE 55 - 600Kly - 1.25m x 100m - Buttonholes on side edges	Green/Black
5SMR150125	ALPHAOMBRE 55 - 600Kly - 1.5m x 100m - Buttonholes on side edges	Green/Black
5SMR150120	ALPHAOMBRE 55 - 600Kly - 2m x 100m - Buttonholes on side edges and every meter	Green/Black
5SMR150122	ALPHAOMBRE 55 - 600Kly - 2m x 200m - Buttonholes on side edges and every meter	Green/Black
5SMR150113	ALPHAOMBRE 55 - 600Kly - 3m x 100m - Buttonholes on side edges and every meter	Green/Black
5SMR150118	ALPHAOMBRE 55 - 600Kly - 3m x 100m - Buttonholes on side edges	Green/Black
5SMR150218	ALPHAOMBRE 55 - 600Kly - 3.6m x 100m - Buttonholes on side edges	Green/Black
5SMR150126	ALPHAOMBRE 55 - 600Kly - 4m x 100m - Buttonholes on side edges	Green/Black
5SMR150128	ALPHAOMBRE 55 - 600Kly - 4m x 100m - No buttonholes	Green/Black
5SMR150129	ALPHAOMBRE 55 - 600Kly - 4m x 100m - Buttonholes on side edges and every meter	Green/Black
5SMR150127	ALPHAOMBRE 55 - 600Kly - 6m x 100m - Buttonholes on side edges and every meter	Green/Black

Accessories on page 81





ALPHAOMBRE 60



60%

600Kly

104g/m²

Knitted
100%
tapes



White shade netting with high percentage of light reflection.


Reference	Name / Finish / Length of finished roll	Color
5SPT104002	ALPHAOMBRE 60 - 6095 - 600Kly - 2m x 100m - Side reinforcements and buttonholes 1m	White
5SPT104003	ALPHAOMBRE 60 - 6095 - 600Kly - 3m x 100m - Side reinforcements and buttonholes 1.5m	White
5SPT104004	ALPHAOMBRE 60 - 6095 - 600Kly - 4m x 100m - Side reinforcements and buttonholes 2m	White
5SPT104006	ALPHAOMBRE 60 - 6095 - 600Kly - 6m x 100m - Side reinforcements and buttonholes 1.5m	White

Accessories on page 81





ALPHAOMBRE 70



70%



600Kly



72g/m²



Knitted
100%
tapes

Specific shade netting adapted to crops requiring a high percentage of protection.

Reference	Name / Finish / Length of finished roll	Color
5SPT068002	ALPHAOMBRE 70 - 7071 - 600Kly - 2m x 100m - Side reinforcements and buttonholes 1m	Green/Black
5SPT068003	ALPHAOMBRE 70 - 7071 - 600Kly - 3m x 100m - Side reinforcements and buttonholes 1.5m	Green/Black
5SPT068004	ALPHAOMBRE 70 - 7071 - 600Kly - 4m x 100m - Side reinforcements and buttonholes 2m	Green/Black
5SPT068006	ALPHAOMBRE 70 - 7071 - 600Kly - 6m x 100m - Side reinforcements and buttonholes 1.5m	Green/Black

Accessories on page 81





ALPHAOMBRE 80



Specific shade netting adapted to crops requiring a high percentage of protection.


Reference	Name / Finish / Length of finished roll	Color
5SPT104102	ALPHAOMBRE 80 - 8091 - 600Kly - 1.5m x 50m - Side reinforcements and buttonholes 1.5m	Green/Black
5SPT104103	ALPHAOMBRE 80 - 8091 - 600Kly - 1.5m x 200m - Side reinforcements and buttonholes 1.5m	Green/Black
5SPT104104	ALPHAOMBRE 80 - 8091 - 600Kly - 1.8m x 50m - Side reinforcements and buttonholes 1.8m	Green/Black
5SPT104105	ALPHAOMBRE 80 - 8091 - 600Kly - 1.8m x 200m - Side reinforcements and buttonholes 1.8m	Green/Black
5SPT104106	ALPHAOMBRE 80 - 8091 - 600Kly - 2m x 50m - Side reinforcements and buttonholes 2m	Green/Black
5SPT104107	ALPHAOMBRE 80 - 8091 - 600Kly - 2m x 200m - Side reinforcements and buttonholes 2m	Green/Black
5SPT104108	ALPHAOMBRE 80 - 8091 - 600Kly - 3m x 100m - Side reinforcements and buttonholes 1.5m	Green/Black
5SPT104109	ALPHAOMBRE 80 - 8091 - 600Kly - 3m x 200m - Side reinforcements and buttonholes 1.5m	Green/Black
5SPT104110	ALPHAOMBRE 80 - 8091 - 600Kly - 4m x 100m - Side reinforcements and buttonholes 2m	Green/Black
5SPT104111	ALPHAOMBRE 80 - 8091 - 600Kly - 4m x 200m - Side reinforcements and buttonholes 2m	Green/Black

Accessories on page 81





ALPHAOMBRE 85



85%



600Kly



145g/m²



Knitted
mixed
monofilament
strip

Specific shade netting adapted to crops requiring a high percentage of protection.

Reference	Name / Finish / Length of finished roll	Color
5SXR145002	ALPHAOMBRE 85 - 8577 - 600Kly - 2m x 100m - Side reinforcements and buttonholes 1m	Dark green
5SXR145003	ALPHAOMBRE 85 - 8577 - 600Kly - 3m x 100m - Side reinforcements and buttonholes 1.5m	Dark green
5SXR145004	ALPHAOMBRE 85 - 8577 - 600Kly - 4m x 100m - Side reinforcements and buttonholes 2m	Dark green
5SXR145006	ALPHAOMBRE 85 - 8577 - 600Kly - 6m x 100m - Side reinforcements and buttonholes 1.5m	Dark green

Accessories on page 81





Windbreak netting



p. 31 to 40

Uses :

On tunnel-type structures, greenhouses or weather shelters on fencing for field crops.

7 types of wind protection with a wide range of length/height combinations.
from 30 to 55% wind protection


We can also manufacture specific products which are not yet found in the standard range, with different weight/m², mesh size and colours.
Please contact us.



Discover our roller kit
to tension windbreak netting
Accessories on page 81



ALPHAVENT 30 Crystal



30%

25%

600Kly

70g/m²

Knitted
micromesh

2 x 3mm

Light and ventilated

- Does not flap against side openings of tunnels
- Its low impact on wind allows improved ventilation in low tunnel models.

Reference	Name / Finish / Length of finished roll	Color
5SMR070113	ALPHAVENT 30 - 3042 - 600Kly - 1.3m x 200m - Lateral reinforcements 1.3m	Crystal
5SMR070102	ALPHAVENT 30 - 3042 - 600Kly - 2m x 200m - Lateral reinforcements 1m	Crystal
5SMR070125	ALPHAVENT 30 - 3042 - 600Kly - 2.5m x 200m - Lateral reinforcements 1.25m	Crystal
5SMR070103	ALPHAVENT 30 - 3042 - 600Kly - 3m x 200m - Lateral reinforcements 1.5m	Crystal
5SMR070104	ALPHAVENT 30 - 3042 - 600Kly - 4m x 200m - Lateral reinforcements 2m	Crystal
5SMR070106	ALPHAVENT 30 - 3042 - 600Kly - 6m x 200m - Lateral reinforcements 1.5m	Crystal



Discover our roller kit
to tension windbreak netting
Accessories on page 81



ALPHAVENT 30 Black/Green



25%


30%

600Kly

70g/m²

Knitted
micromesh

2 x 3mm



Light and ventilated

- Does not flap against side openings of tunnels
- Its low impact on wind allows improved ventilation in low tunnel models.

Reference	Name / Finish / Length of finished roll	Color
5SMR070013	ALPHAVENT 30 - 3041 - 600Kly - 1.3m x 300m - Lateral reinforcements 1.3m	Green/Black
5SMR070016	ALPHAVENT 30 - 3041 - 600Kly - 1.6m x 300m - Lateral reinforcements 1.6m	Green/Black
5SMR070002	ALPHAVENT 30 - 3041 - 600Kly - 2m x 100m - Lateral reinforcements 1m	Green/Black
5SMR070003	ALPHAVENT 30 - 3041 - 600Kly - 3m x 100m - Lateral reinforcements 1.5m	Green/Black
5SMR070004	ALPHAVENT 30 - 3041 - 600Kly - 4m x 100m - Lateral reinforcements 2m	Green/Black
5SMR070006	ALPHAVENT 30 - 3041 - 600Kly - 6m x 100m - Lateral reinforcements 1.5m	Green/Black



Discover our roller kit
to tension windbreak netting
Accessories on page 81



ALPHAVENT 35

Crystal



35%

20%

600Kly

90g/m²

Knitted
micromesh

5,5 x 5,5mm

Netting combining ventilation and strength

- Does not flap against side openings of tunnels
- Weather shelter cover, highly resistant anti-hail netting
- Physical barrier

Reference	Name / Finish / Length of finished roll	Color
5SMR090040	ALPHAVENT 35 - 600Kly - 3m x 500m - Side reinforcements and buttonholes 1.5ml	Crystal
5SMR090041	ALPHAVENT 35 - 600Kly - 4m x 500m - Side reinforcements and buttonholes 2ml	Crystal



Discover our roller kit
to tension windbreak netting
Accessories on page 81



ALPHAVENT 35 Black



35%


35%

600Kly

90g/m²
110g/m²

Knitted
micromesh

5.5 x 5.5mm



Netting combining ventilation and strength

- Does not flap against side openings of tunnels
- Weather shelter cover, highly resistant anti-hail netting
- Physical barrier
- Available in fire-rated version (non-flammable) with M1 rating for partitions in public sales areas.

Reference	Name / Finish / Length of finished roll	Weight	Color
5SMR090059	ALPHAVENT 35 - 600Kly - 3m x 50m - Side reinforcements and buttonholes 1.5ml	90g/m ²	Black
5SMR090060	ALPHAVENT 35 - 600Kly - 3m x 100m - Side reinforcements and buttonholes 1.5ml	90g/m ²	Black
5SMR090061	ALPHAVENT 35 - 600Kly - 4m x 100m - Side reinforcements and buttonholes 2ml	90g/m ²	Black
5SMR090062	ALPHAVENT 35 - 600Kly - 5m x 100m - Side reinforcements and buttonholes 1.25ml	90g/m ²	Black
5SMR110021	ALPHAVENT 35 - 600Kly - 6m x 100m - Side reinforcements and buttonholes 1.5ml	110g/m ²	Black



Discover our roller kit
to tension windbreak netting
Accessories on page 81



ALPHAVENT 50

Crystal and White



50%

30%

600Kly

106g/m²

Knitted
micromesh

2 x 4mm

- The most frequently used and versatile windbreak
- Does not flap against side openings of tunnels
- Windbreak cover
- Weather shelters/Physical barrier against certain insects

Reference	Name / Size / Finish / Length of finished roll	Color
5SMR106702	ALPHAVENT 50 - 5034 - 600Kly - 1.5m x 100m - Side reinforcements and buttonholes 1.5ml	Crystal
5SMR106703	ALPHAVENT 50 - 5034 - 600Kly - 2m x 100m - Side reinforcements and buttonholes 2ml	Crystal
5SMR106704	ALPHAVENT 50 - 5034 - 600Kly - 3m x 100m - Side reinforcements and buttonholes 1.5ml	Crystal

Reference	Name / Size / Finish / Length of finished roll	Color
5SMR106437	ALPHAVENT 50 - 5033 - 600Kly - 3m x 550m - Side reinforcements and buttonholes 1.5ml	White
5SMR106436	ALPHAVENT 50 - 5033 - 600Kly - 3.5m x 500m - Side reinforcements and buttonholes 1.75ml	White



Discover our roller kit
to tension windbreak netting
Accessories on page 81



ALPHAVENT 50 Green/Black




- The most frequently used and versatile windbreak
- Does not flap against side openings of tunnels
- Windbreak cover
- Weather shelters/Physical barrier against certain insects
- Extensive range

Reference	Name / Finish / Length of finished roll	Color
5SMR106003	ALPHAVENT 50 - 5032 - 600Kly - 0.8m x 500m - Side reinforcements and buttonholes 0.8ml	Green/Black
5SMR106515	ALPHAVENT 50 - 5032 - 600Kly - 1.5m x 100m - Side reinforcements and buttonholes 1.5ml	Green/Black
5SMR106029	ALPHAVENT 50 - 5032 - 600Kly - 1m x 500m - Side reinforcements and buttonholes 1ml	Green/Black
5SMR106517	ALPHAVENT 50 - 5032 - 600Kly - 1.5m x 500m - Side reinforcements and buttonholes 1.5ml	Green/Black
5SMR106102	ALPHAVENT 50 - 5032 - 600Kly - 2m x 100m - Side reinforcements and buttonholes 2ml	Green/Black
5SMR106221	ALPHAVENT 50 - 5032 - 600Kly - 2m x 500m - Side reinforcements and buttonholes 2ml	Green/Black
5SMR106225	ALPHAVENT 50 - 5032 - 600Kly - 2.5m x 500m - Side reinforcements and buttonholes 1.25ml	Green/Black
5SMR106334	ALPHAVENT 50 - 5032 - 600Kly - 3m x 100m - Side reinforcements and buttonholes 1.5ml	Green/Black
5SMR106234	ALPHAVENT 50 - 5032 - 600Kly - 3m x 500m - Side reinforcements and buttonholes 1.5ml	Green/Black
5SMR106235	ALPHAVENT 50 - 5032 - 600Kly - 3.5m x 500m - Side reinforcements and buttonholes 1,75m	Green/Black
5SMR106240	ALPHAVENT 50 - 5032 - 600Kly - 4m x 500m - Side reinforcements and buttonholes 2ml	Green/Black
5SMR106250	ALPHAVENT 50 - 5032 - 600Kly - 5m x 500m - Side reinforcements and buttonholes 1.25ml	Green/Black
5SMR106260	ALPHAVENT 50 - 5032 - 600Kly - 6m x 250m - Side reinforcements and buttonholes 1.5ml	Green/Black
5SMR120824	ALPHAVENT 50 - 5032 - 600Kly - 2.4m x 250m - Side reinforcements 2.4ml	Black



ALPHAVENT 55



- Does not flap against side openings of tunnels
- Windbreak cover
- Weather shelters/Physical barrier against certain insects

Reference	Name / Size / Finish / Length of finished roll	Color
5SMR165002	ALPHAVENT 55 - 5532+ - 600Kly - 1m x 100m - Side reinforcements and buttonholes 1m	Green/Black
5SMR165003	ALPHAVENT 55 - 5532+ - 600Kly - 1.25m x 100m - Side reinforcements and buttonholes 1.25m	Green/Black
5SMR165004	ALPHAVENT 55 - 5532+ - 600Kly - 1.5m x 100m - Side reinforcements and buttonholes + middle 1.5m	Green/Black
5SMR165005	ALPHAVENT 55 - 5532+ - 600Kly - 2m x 100m - Side reinforcements and buttonholes + middle 2m	Green/Black
5SMR165007	ALPHAVENT 55 - 5532+ - 600Kly - 3m x 100m - Side reinforcements and buttonholes every meter 1.5m	Green/Black
5SMR165009	ALPHAVENT 55 - 5532+ - 600Kly - 4m x 100m - Side reinforcements and buttonholes every meter 2m	Green/Black
5SMR165011	ALPHAVENT 55 - 5532+ - 600Kly - 6m x 100m - Side reinforcements and buttonholes every meter 1.5m	Green/Black



Discover our roller kit
to tension windbreak netting
Accessories on page 81



ALPHAVENT 65

Dark green




65%

55%

600Kly

150g/m²

Knitted
micromesh



- Windbreak with high wind protection.
- Mainly used to cover openings in farm buildings.
- This product can be found in the “Custom designs” chapter as it is also very popular in green areas and sports fields.

Reference	Name / Size / Finish	Color
5SMT150011	ALPHAVENT 65 - 3m x 100m - No buttonholes	Dark green
5SMT150012	ALPHAVENT 65 - 3.6m x 100m - No buttonholes	Dark green
5SMT150013	ALPHAVENT 65 - 4m x 100m - No buttonholes	Dark green




Discover our roller kit
to tension windbreak netting
Accessories on page 81



ALPHAVENT 65 Black

© ALPHATEX



65%

70%

600Kly

150g/m²

Knitted
micromesh

- Significant shading. Highly-resistant 100% monofilament product.
 - Fitted to fences or structures (weather shelters, greenhouses, tunnels).
 - Building partitions.
 - Option to create customised netting.
- Assembly with seam or flat double stitching (contact us).

Reference	Name / Size / Finish / Length of finished roll	Color
5SMT165029	COVERTEX 65 - 165CD - 600Kly - 2m x 100m - No buttonholes 2ml	Black
5SMT165030	COVERTEX 65 - 165CD - 600Kly - 3m x 100m - No buttonholes 1.5ml	Black
5SMT165035	COVERTEX 65 - 165CD - 600Kly - 3.5m x 100m - No buttonholes 1.75ml	Black
5SMT165040	COVERTEX 65 - 165CD - 600Kly - 4m x 100m - No buttonholes 2ml	Black



Discover our roller kit
to tension windbreak netting
Accessories on page 81



Anti-bird netting



p. 41 to 48

Anti-bird nets are an effective, environmentally-friendly and cheap way to protect crops, small fruits, late harvests, etc.


Our nets provide bird protection for aviaries.

Made of polyethylene with a mesh from 13 mm to 25 mm, our nets let sun and water pass through.

Huge range of standard pieces in small and large sizes.



ARBOTEX 13



320Kly



25g/m²



Knitted



13mm

- Knitted netting in PEHD
- Much longer life span than extruded netting
- Option to create customised undersheets (any length)

Reference	Name / Mesh / Size	Color
5TML013004	HD PE Knitted net 2x250 - ML 13mm - 220°x 2750° ESL - 4m x 50m	Green
5TML013006	HD PE Knitted net 2x250 - ML 13mm - 330°x 2750° ESL - 6m x 50m	Green
5TML013008	HD PE Knitted net 2x250 - ML 13mm - 440°x 2750° ESL - 8m x 50m	Green
5TML013012	HD PE Knitted net 2x250 - ML 13mm - 660°x 2750° ESL - 12m x 50m	Green

Accessories on page 81





ARBOTEX 15




320Kly

45g/m²

Knitted

15mm



- Knitted netting in PEHD
- Much longer life span than extruded netting
- Option to create customised undersheets (any length)


Reference	Name / Mesh / Size	Color
5TML015003	HD PE Knitted net 2x250 - ML 15mm - 235°x 9400° ESL - 5m x 200m	Black
5TML015007	HD PE Knitted net 2x250 - ML 15mm - 470°x 4700° ESL - 10m x 100m	Black
5TML015008	HD PE Knitted net 2x250 - ML 15mm - 235°x 4700° ESL - 5m x 100m	Black
5TML015013	HD PE Knitted net 2x250 - ML 15mm - 470°x 9500° ESL - 10m x 200m	Black

Accessories on page 81





ARBOTEX 20



320Kly



36g/m²



Knitted



20mm

- Knitted netting in PEHD
- Much longer life span than extruded netting
- Option to create customised undersheets (any length)

Reference	Name / Mesh / Size	Color
6TML020105	HD PE Knitted net 2x250 - ML 20mm - 180° x 180° ESL - 5m x 5m	Blue
6TML020106	HD PE Knitted net 2x250 - ML 20mm - 210° x 210° ESL - 6m x 6m	Blue
6TML020108	HD PE Knitted net 2x250 - ML 20mm - 280° x 280° ESL - 8m x 8m	Blue
6TML020112	HD PE Knitted net 2x250 - ML 20mm - 420° x 420° ESL - 12m x 12m	Blue
6TML020115	HD PE Knitted net 2x250 - ML 20mm - 540° x 540° ESL - 15m x 15m	Blue
6TML020120	HD PE Knitted net 2x250 - ML 20mm - 720° x 720° ESL - 20m x 20m	Blue
6TML020101	HD PE Knitted net 2x250 - ML 20mm - 140° x 3250° ESL - 4m x 100m	Blue

Accessories on page 81





ARBOTEX 22



320Kly

22g/m²

Knitted

22mm

- Knitted netting in PEHD
- Much longer life span than extruded netting
- Option to create customised undersheets (any length)


Reference	Name / Mesh / Size	Color
5TML022003	HD PE Knitted net 2x0.27 - ML 22mm - 130° x 3250° ESL - 4m x 100m	Black
5TML022007	HD PE Knitted net 2x0.27 - ML 22mm - 170° x 3250° ESL - 5m x 100m	Black
5TML022001	HD PE Knitted net 2x0.27 - ML 22mm - 195° x 3250° ESL - 6m x 100m	Black
5TML022002	HD PE Knitted net 2x0.27 - ML 22mm - 260° x 3250° ESL - 8m x 100m	Black
5TML022010	HD PE Knitted net 2x0.27 - ML 22mm - 325° x 3250° ESL - 10m x 100m	Black
5TML022008	HD PE Knitted net 2x0.27 - ML 22mm - 385° x 3250° ESL - 12m x 100m	Black
5TML022009	HD PE Knitted net 2x0.27 - ML 22mm - 650° x 3250° ESL - 20m x 100m	Black

Accessories on page 81





ARBOTEX 25
Green



320Kly

11g/m²

Knitted

25mm

- Knitted netting in PEHD
- Much longer life span than extruded netting
- Option to create customised undersheets (any length)

Reference	Name / Mesh / Size	Color
5TML025011	HD PE Knitted net 2x250 - ML 25mm - 60° x 2850° ESL - 2m x 100m	Green
5TML025006	HD PE Knitted net 2x250 - ML 25mm - 115° x 2850° ESL - 4m x 100m	Green
5TML025007	HD PE Knitted net 2x250 - ML 25mm - 230° x 2850° ESL - 8m x 100m	Green
5TML025008	HD PE Knitted net 2x250 - ML 25mm - 345° x 2850° ESL - 12m x 100m	Green
5TML025009	HD PE Knitted net 2x250 - ML 25mm - 460° x 2850° ESL - 16m x 100m	Green
5TML025010	HD PE Knitted net 2x250 - ML 25mm - 575° x 2850° ESL - 20m x 100m	Green

Accessories on page 81





ARBOTEX 25 Black




320Kly

11g/m²

Knitted

25mm



- Knitted netting in PEHD
- Much longer life span than extruded netting
- Option to create customised undersheets (any length)


Reference	Name / Mesh / Size	Color
5TML025013	HD PE Knitted net 2x250 - ML 25mm - 60° x 2850° ESL - 2m x 100m	Black
5TML025001	HD PE Knitted net 2x250 - ML 25mm - 115° x 2850° ESL - 4m x 100m	Black
5TML025002	HD PE Knitted net 2x250 - ML 25mm - 230° x 2850° ESL - 8m x 100m	Black
5TML025003	HD PE Knitted net 2x250 - ML 25mm - 345° x 2850° ESL - 12m x 100m	Black
5TML025203	HD PE Knitted net 2x250 - ML 25mm - 345° x 5700° ESL - 12m x 200m	Black
5TML025004	HD PE Knitted net 2x250 - ML 25mm - 460° x 2850° ESL - 16m x 100m	Black
5TML025005	HD PE Knitted net 2x250 - ML 25mm - 575° x 2850° ESL - 20m x 100m	Black
5TML025012	HD PE Knitted net 2x250 - ML 25mm - 1200° x 5700° ESL - 42m x 200m	Black

Accessories on page 81





ARBOTEX 25
Blue



- Knitted netting in PEHD
- Much longer life span than extruded netting
- Option to create customised undersheets (any length)

Reference	Name / Mesh / Size	Color
5TML025705	HD PE Knitted net 2x0.028 - ML 25mm - 170°x 170° ESL - 6m x 6m	Blue
5TML025715	HD PE Knitted net 2x0.028 - ML 25mm - 450°x 2830° ESL - 16m x 100m	Blue
5TML025716	HD PE Knitted net 2x0.028 - ML 25mm - 680°x 2830° ESL - 24m x 100m	Blue

Accessories on page 81





Harvest netting



p. 49 to 56


Harvest netting is the most common, practical and easiest method to harvest fruits and vegetables:

- olives
- chestnuts
- walnuts and hazelnuts
- tree seeds

We also offer “trousers” shaped harvest nets which can be placed around tree trunks.



RECOLTEX 33



18%

16%

600Kly

33g/m²

Knitted
micromesh

Light harvest net

Reference	Name / Size / Finish / Length of finished roll	Color
5SMR033004	RECOLTEX 33 - 600Kly - 4m x 100m - Side and middle reinforcements 1m	Green/Black
5SMR033006	RECOLTEX 33 - 600Kly - 6m x 100m - Side and middle reinforcements 1.5m	Green/Black

Accessories on page 81





RECOLTEX 50




18%

16%

600Kly

50g/m²

Knitted
micromesh



Versatile harvest net


Reference	Name / Size / Finish / Length of finished roll	Color
5SMR050004	RECOLTEX 50 - 600Kly - 1m x 100m - Side and middle reinforcements 1m	Green/Black
5SMR050005	RECOLTEX 50 - 600Kly - 1.5m x 100m - Side and middle reinforcements 1.5m	Green/Black
5SMR050006	RECOLTEX 50 - 600Kly - 2m x 100m - Side and middle reinforcements 1m	Green/Black
5SMR050007	RECOLTEX 50 - 600Kly - 3m x 100m - Side and middle reinforcements 1.5m	Green/Black
5SMR050001	RECOLTEX 50 - 600Kly - 4m x 100m - Side and middle reinforcements 1m	Green/Black
5SMR050002	RECOLTEX 50 - 600Kly - 5m x 100m - Side and middle reinforcements 1.25m	Green/Black
5SMR050003	RECOLTEX 50 - 600Kly - 6m x 100m - Side and middle reinforcements 1.5m	Green/Black

Accessories on page 81





RECOLTEX 50 "Trousers"



18%



16%



600Kly



50g/m²



Knitted
micromesh

"Trousers" shaped harvest net.
Used to place around trunks.
Reinforced corners without eyelets

Reference	Name / Size / Finish	Color
5SMR050101	RECOLTEX 50 "Trousers" - 600Kly - 10m x 10m - No eyelets	Green/Black
5SMR050122	RECOLTEX 50 "Trousers" - 600Kly - 12m x 12m - No eyelets	Green/Black
5SMR050606	RECOLTEX 50 "Trousers" - 600Kly - 6m x 6m - No eyelets	Green/Black
5SMR050608	RECOLTEX 50 "Trousers" - 600Kly - 6m x 8m - No eyelets	Green/Black
5SMR050808	RECOLTEX 50 "Trousers" - 600Kly - 8m x 8m - No eyelets	Green/Black

Accessories on page 81





RECOLTEX 64




25%

27%

600Kly

64g/m²

Knitted
micromesh



Strong harvest net

This net is also used in other areas (anti-cabbage butterfly, cabbage moth, etc.)


Reference	Name / Size / Finish / Length of finished roll	Color
5SMR064030	RECOLTEX 64 - 600Kly - 3m x 100m - Side and middle reinforcements 1.5m	Black
5SMR064050	RECOLTEX 64 - 600Kly - 5m x 100m - Side and middle reinforcements 1.25m	Black

Accessories on page 81





RECOLTEX 64 Green/Black



25%



27%



600Kly



64g/m²



Knitted
micromesh

Strong harvest net

This net is also used in other areas (anti-cabbage butterfly, cabbage moth, etc.)

Reference	Name / Size / Finish / Length of finished roll	Color
5SMR064230	RECOLTEX 64 - 600Kly - 3m x 100m - Side and middle reinforcements 1.5m	Green/Black
5SMR064250	RECOLTEX 64 - 600Kly - 5m x 100m - Side and middle reinforcements 1.25m	Green/Black

Accessories on page 81





RECOLTEX 95




45%

40%

600Kly

100g/m²

Knitted
micromesh



Very strong harvest net

Reference	Name / Size / Finish / Length of finished roll	Color
5SMR095001	RECOLTEX 95 - 600Kly - 4m x 100m - Side and middle reinforcements 1m	Green
5SMR095003	RECOLTEX 95 - 600Kly - 6m x 100m - Side and middle reinforcements 1.5m	Green
5SMR095008	RECOLTEX 95 - 600Kly - 8m x 100m - Side and middle reinforcements 2m	Green


Accessories on page 81





RECOLTEX 95

Green - "Trousers"



45%

40%

600Kly

100g/m²

Knitted
micromesh

"Trousers" shaped harvest net.
Used to place around trunks.
Reinforced corners with eyelets around the edges

Reference	Name / Size / Finish	Color
5SMR095101	RECOLTEX 95 "Trousers" - 600Kly- 10m x 10m- With eyelets	Green
5SMR095122	RECOLTEX 95 "Trousers" - 600Kly- 12m x 12m- With eyelets	Green
5SMR095606	RECOLTEX 95 "Trousers" - 600Kly- 6m x 6m- With eyelets	Green
5SMR095608	RECOLTEX 95 "Trousers" - 600Kly- 6m x 8m- With eyelets	Green
5SMR095808	RECOLTEX 95 "Trousers" - 600Kly- 8m x 8m- With eyelets	Green

Accessories on page 81





Anti-hail netting



p. 57 to 62

PROTECTION AGAINST HAIL WHEN GROWING TREES

- Classic hanging system
- System with staggered edges and channel
- Crossed system
- Overlapping system

PROTECTION AGAINST CODLING MOTH


- Single rack system with staggered edges.

Accessories on page 81





ANTI-HAIL Black



600Kly

37.5g/m²
45g/m²

Woven
Woven

3 x 7mm
3 x 7mm

Our 3x7 mesh anti-hail netting in ANTI-UV TREATED PEHD, allows the installation of different protection systems:

- Classic hanging system
- System with staggered edges and channel
- Crossed system
- Overlapping system

Reference	Name / Size / Finish	Color
5WMR042002	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 2.5m x 1000m - Flat reinforcement	Black
5WMR042003	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 3m x 1000m - Flat reinforcement	Black
5WMR042004	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 3.2m x 1000m - Flat reinforcement	Black
5WMR042006	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 4.8m x 1000m - Flat reinforcement	Black
5WMR042008	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 5.4m x 1000m - Flat reinforcement	Black

Reference	Name / Size / Finish	Color
5WMR045002	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 2.5m x 1000m - Flat reinforcement	Black
5WMR045003	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 3m x 1000m - Flat reinforcement	Black
5WMR045004	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 3.2m x 1000m - Flat reinforcement	Black
5WMR045006	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 4.8m x 1000m - Flat reinforcement	Black
5WMR045008	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 5.4m x 1000m - Flat reinforcement	Black

Accessories on page 81





ANTI-HAIL Grey




600Kly

37.5g/m²
45g/m²

Woven
Woven

3 x 7mm
3 x 7mm



Our 3x7 mesh anti-hail netting in ANTI-UV TREATED PEHD, allows the installation of different protection systems:

- Classic hanging system
- System with staggered edges and channel
- Crossed system
- Overlapping system

Reference	Name / Size / Finish	Color
5WMR042102	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 2.5m x 1000m - Flat reinforcement	Grey
5WMR042103	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 3m x 1000m - Flat reinforcement	Grey
5WMR042104	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 3.2m x 1000m - Flat reinforcement	Grey
5WMR042106	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 4.8m x 1000m - Flat reinforcement	Grey
5WMR042108	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 5.4m x 1000m - Flat reinforcement	Grey


Reference	Name / Size / Finish	Color
5WMR045102	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 2.5m x 1000m - Flat reinforcement	Grey
5WMR045103	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 3m x 1000m - Flat reinforcement	Grey
5WMR045104	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 3.2m x 1000m - Flat reinforcement	Grey
5WMR045106	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 4.8m x 1000m - Flat reinforcement	Grey
5WMR045108	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 5.4m x 1000m - Flat reinforcement	Grey

Accessories on page 81





ANTI-HAIL Crystal



600Kly

37.5g/m²
45g/m²

Woven
Woven

3 x 7mm
3 x 7mm

Our 3x7 mesh anti-hail netting in ANTI-UV TREATED PEHD, allows the installation of different protection systems:

- Classic hanging system
- System with staggered edges and channel
- Crossed system
- Overlapping system

Reference	Name / Size / Finish	Color
5WMR042202	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 2.5m x 1000m - Flat reinforcement	Crystal
5WMR042203	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 3m x 1000m - Flat reinforcement	Crystal
5WMR042204	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 3.2m x 1000m - Flat reinforcement	Crystal
5WMR042206	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 4.8m x 1000m - Flat reinforcement	Crystal
5WMR042208	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 5.4m x 1000m - Flat reinforcement	Crystal


Reference	Name / Size / Finish	Color
5WMR045202	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 2.5m x 1000m - Flat reinforcement	Crystal
5WMR045203	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 3m x 1000m - Flat reinforcement	Crystal
5WMR045204	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 3.2m x 1000m - Flat reinforcement	Crystal
5WMR045206	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 4.8m x 1000m - Flat reinforcement	Crystal
5WMR045208	ANTI-HAIL - 2.6x3-3/7 - 600Kly - 5.4m x 1000m - Flat reinforcement	Crystal

Accessories on page 81





Alt Carpo




600Kly

45g/m²

Woven

2.2 x 5.5mm



Alt'Carpo 4x4 clear mesh netting in ANTI-UV TREATED PEHD

- SINGLE RACK SYSTEM WITH STAGGERED EDGES.

The single-rack surrounding fitting technique creates a physical barrier against codling moth bites.

Our system can be adapted to your plot configurations.

Reference	Name / Size / Finish / Length of finished roll	Color
5WMR067206	PG Alt'Carpo - 4x4-2.1/4.4 - 600Kly - 7m x 500m - Lateral reinforcement - 3.5ml	Crystal
5WMR067207	PG Alt'Carpo - 4x4-2.1/4.4 - 600Kly - 7.5m x 500m - Lateral reinforcement - 3.75ml	Crystal
5WMR067209	PG Alt'Carpo - 4x4-2.1/4.4 - 600Kly - 7.7m x 500m - Lateral reinforcement - 4ml	Crystal
5WMR067208	PG Alt'Carpo - 4x4-2.1/4.4 - 600Kly - 8m x 500m - Lateral reinforcement - 4ml	Crystal

Accessories on page 81





Alt Carpo

Our system can be adapted to your plot configurations.

Our information sheet with details on your plots will allow us to provide the most appropriate offer.



INFORMATION SHEET

Visit date :

Grower's name :

Address :

.....

.....

Phone :

Fax :

E-mail :

Technician's name :

Name of the plot of land :

Fruits to cover :

.....

Variety :

Type of size :

MAIN FEATURE OF THE PLOT

Height of the current trellising :

Depth of posts in the ground :

Inside diameter post :

Space between posts :

Inside row width :

Number of row :

Total length in linear metres :

Fil de faitage/Center cable height :

Height of posts above ground :

Outside :

.....

Total area in m² :

TYPE OF PROTECTION DESIRED

Superimposed elastic band ☐ Tombant ☐ Direct installation of Alt carpo ☐ Netting with channel ☐

Cross elastic ☐

Net with shift edge ☐

Anchor : Current ☐ Need to be renovate ☐ Type : concrete cone ☐ propellet form ☐

Faitage : Current ☐ Need to be remake ☐ Type : Polyester cable ☐ Acierated ☐ PA 6 ☐

Netting color : Cristal ☐ Black ☐ Grey ☐

www.alphotex.eu

Route du Gite - 76400 Saint Wandrille Roncon
Tél. 02 35 56 33 56 - Fax. 02 32 70 42 69
alphotex@alphotex.eu

Accessories on page 81





Ombramache netting



p. 63 to 64

Shade netting specific to lamb's lettuce.


Manual or mechanical fitting on hoops.

Produced only on pre-season order.

It is also possible to manufacture this product in other widths for other uses (contact us).



OMBRAMACHE 40



45%



40%



600Kly




91g/m²



Woven
monofilament

Manual or mechanical fitting on hoops.
100% monofilament for improved ventilation.
Produced only on pre-season order.

Reference	Name / Size / Finish	Color
5SMT091180	OMBRAMACHE 40 - 1.8m x 300m - Lateral reinforcement	Black
5SMT091210	OMBRAMACHE 40 - 2.1m x 300m - 120 Kly - Lateral reinforcement	Black



OMBRAMACHE 60 special order only



110g/m²

Reference	Name / Size / Finish	Color
6SMT110180	OMBRAMACHE 60 - 1.8m x 300m - Lateral reinforcement	Black



Mulch fabric



p. 65 to 66

The mulch fabric is fitted before planting, it prevents weeds from growing.

It helps plants and shrubs to grow.

The woven mulch fabric is permeable (water and air) and keeps the soil fresh and damp.

Accessories on page 81





FLOORTIS



100%



600Kly



100g/m²
130g/m²



Woven

Our mulch fabric is 100% woven and made of anti-UV treated polypropylene.
Two grammage options available, 100 and 130 g/m².

Reference	Name / Size / Finish	Weight	Color
5WPR100105	Mulch fabric - 600Kly - 1.05m x 100m - Hot cut folded in 1.05m	100g/m ²	Green
5WPR100125	Mulch fabric - 600Kly - 1.25m x 100m - Hot cut folded in 1.25m	100g/m ²	Green
5WPR130125	Mulch fabric - 600Kly - 1.25m x 100m - Hot cut folded in 1.25m	130g/m ²	Green
5WPR130165	Mulch fabric - 600Kly - 1.65m x 100m - Hot cut folded in 1.65m	130g/m ²	Green
5WPR130210	Mulch fabric - 600Kly - 2.1m x 100m - Hot cut folded in 2.1m	130g/m ²	Green
5WPR130325	Mulch fabric - 600Kly - 3.25m x 100m - Hot cut folded in 1.65m	130g/m ²	Green
5WPR130420	Mulch fabric - 600Kly - 4.2m x 100m - Hot cut folded in 4.2m	130g/m ²	Green
5WPR130525	Mulch fabric - 600Kly - 5.25m x 100m - Hot cut folded in 1.3m	130g/m ²	Green

Reference	Name / Size / Finish	Weight	Color
5WPR101125	Mulch fabric - 600Kly - 1.25m x 100m - Hot cut folded in 1.25m	100g/m ²	Black
5WPR131125	Mulch fabric - 600Kly - 1.25m x 100m - Hot cut folded in 1.25m	130g/m ²	Black
5WPR131165	Mulch fabric - 600Kly - 1.65m x 100m - Hot cut folded in 1.65m	130g/m ²	Black
5WPR131210	Mulch fabric - 600Kly - 2.1m x 100m - Hot cut folded in 2.1m	130g/m ²	Black
5WPR131325	Mulch fabric - 600Kly - 3.25m x 100m - Hot cut folded in 1.65m	130g/m ²	Black
5WPR131420	Mulch fabric - 600Kly - 4.2m x 100m - Hot cut folded in 4.2m	130g/m ²	Black
5WPR131525	Mulch fabric - 600Kly - 5.25m x 100m - Hot cut folded in 1.3m	130g/m ²	Black



Privacy netting



p. 67 to 74

As the name indicates, this product is dedicated to partitioning to provide an attractive privacy screen.

100% tapes or monofilament/tapes.

The number after the product name subjectively indicates the concealment from view. Fitted on existing fences using plastic links, staples and clips (see accessories).

We can manufacture exclusive products based on your specifications. Please contact us.

Accessories on page 81





ALPHAVUE 90LG



75%

80%

600Kly

90g/m²

Knitted
tapes

An extensive range to meet the majority of requirements without requiring customisation.

Reference	Name / Size / Finish	Color
5SPT090001	ALPHAVUE 90 LG - 1.5m x 10m - Buttonholes on sides edges	Dark green
5SPT090005	ALPHAVUE 90 LG - 1.5m x 50m - Buttonholes on sides edges	Dark green
5SPT090020	ALPHAVUE 90 LG - 1.5m x 200m - Buttonholes on sides edges	Dark green
5SPT090031	ALPHAVUE 90 LG - 1.8m x 10m - Buttonholes on sides edges	Dark green
5SPT090035	ALPHAVUE 90 LG - 1.8m x 50m - Buttonholes on sides edges	Dark green
5SPT090050	ALPHAVUE 90 LG - 1.8m x 200m - Buttonholes on sides edges	Dark green
5SPT090201	ALPHAVUE 90 LG - 2m x 10m - Buttonholes on sides edges	Dark green
5SPT090205	ALPHAVUE 90 LG - 2m x 50m - Buttonholes on sides edges	Dark green
5SPT090220	ALPHAVUE 90 LG - 2m x 200m - Buttonholes on sides edges	Dark green
5SPT090320	ALPHAVUE 90 LG - 3m x 200m - Buttonholes on sides edges	Dark green
5SPT090420	ALPHAVUE 90 LG - 4m x 200m - Buttonholes on sides edges	Dark green



ALPHAVUE 95 Grey




85%

95%

600Kly

185g/m²

Knitted
tapes



An extensive range to meet the majority of requirements without requiring customisation.

Reference	Name / Size / Finish	Color
5SPT185037	ALPHAVUE 95 - 1m x 25m - Buttonholes on sides edges	Grey
5SPT185038	ALPHAVUE 95 - 1.2m x 25m - Buttonholes on sides edges	Grey
5SPT185039	ALPHAVUE 95 - 1.5m x 25m - Buttonholes on sides edges	Grey
5SPT185040	ALPHAVUE 95 - 1.8m x 25m - Buttonholes on sides edges	Grey
5SPT185041	ALPHAVUE 95 - 1.5m x 50m - Buttonholes on sides edges	Grey
5SPT185042	ALPHAVUE 95 - 1.8m x 50m - Buttonholes on sides edges	Grey
5SPT185045	ALPHAVUE 95 - 2m x 25m - Buttonholes on sides edges	Grey
5SPT185043	ALPHAVUE 95 - 2m x 50m - Buttonholes on sides edges	Dark grey


Accessories on page 81





ALPHAVUE 95

White



85%



95%



600Kly



185g/m²



Knitted
tapes

An extensive range to meet the majority of requirements without requiring customisation.

Reference	Name / Size / Finish	Color
5SPT185215	ALPHAVUE 95 - 1.5m x 200m - No buttonholes	White
5SPT185218	ALPHAVUE 95 - 1.5m x 200m - No buttonholes	White
5SPT185220	ALPHAVUE 95 - 1.5m x 200m - No buttonholes	White

Accessories on page 81





ALPHAVUE 95 Black



85%

95%

600Kly

185g/m²

Knitted
tapes



An extensive range to meet the majority
of requirements without requiring customisation.

Reference	Name / Size / Finish	Color
5SPT185029	ALPHAVUE 95 - 1m x 50m - Buttonholes on sides edges	Black
5SPT185030	ALPHAVUE 95 - 1.2m x 50m - Buttonholes on sides edges	Black
5SPT185031	ALPHAVUE 95 - 1.5m x 50m - Buttonholes on sides edges	Black
5SPT185032	ALPHAVUE 95 - 1.8m x 50m - Buttonholes on sides edges	Black
5SPT185033	ALPHAVUE 95 - 2m x 50m - Buttonholes on sides edges	Black
5SPT185034	ALPHAVUE 95 - 2m x 50m - Buttonholes on sides edges	Black
5SPT185036	ALPHAVUE 95 - 3m x 50m - Buttonholes on sides edges	Black


Accessories on page 81





ALPHAVUE 95

Black/Green



85%



95%



600Kly



185g/m²



Knitted
tapes

An extensive range to meet the majority of requirements without requiring customisation.

Reference	Name / Size / Finish	Color
5SPT185010	ALPHAVUE 95 - 1m x 10m - No buttonholes	Green/Black
5SPT185110	ALPHAVUE 95 - 1m x 50m - Buttonholes on sides edges	Green/Black
5SPT185011	ALPHAVUE 95 - 1.2m x 10m - No buttonholes	Green/Black
5SPT185012	ALPHAVUE 95 - 1.2m x 50m - No buttonholes	Green/Black
5SPT185013	ALPHAVUE 95 - 1.2m x 100m - Buttonholes on sides edges	Green/Black
5SPT185014	ALPHAVUE 95 - 1.5m x 10m - No buttonholes	Green/Black
5SPT185015	ALPHAVUE 95 - 1.5m x 25m - No buttonholes	Green/Black
5SPT185112	ALPHAVUE 95 - 1.5m x 25m - Buttonholes on sides edges	Green/Black
5SPT185028	ALPHAVUE 95 - 1.5m x 50m - No buttonholes	Green/Black
5SPT185113	ALPHAVUE 95 - 1.5m x 50m - Buttonholes on sides edges	Green/Black
5SPT185016	ALPHAVUE 95 - 1.5m x 200m - No buttonholes	Green/Black



ALPHAVUE 95 Black/Green



85%

95%

600Kly

185g/m²

Knitted
tapes


Reference	Name / Size / Finish	Color
5SPT185017	ALPHAVUE 95 - 1.8m x 10m - No buttonholes	Green/Black
5SPT185114	ALPHAVUE 95 - 1.8m x 10m - Buttonholes on sides edges	Green/Black
5SPT185115	ALPHAVUE 95 - 1.8m x 25m - Buttonholes on sides edges	Green/Black
5SPT185116	ALPHAVUE 95 - 1.8m x 50m - Buttonholes on sides edges	Green/Black
5SPT185003	ALPHAVUE 95 - 1.8m x 200m - No buttonholes	Green/Black
5SPT185018	ALPHAVUE 95 - 2m x 10m - No buttonholes	Green/Black
5SPT185118	ALPHAVUE 95 - 2m x 15m - Buttonholes on sides edges	Green/Black
5SPT185119	ALPHAVUE 95 - 2m x 50m - Buttonholes on sides edges	Green/Black
5SPT185120	ALPHAVUE 95 - 2m x 100m - Buttonholes on sides edges	Green/Black
5SPT185020	ALPHAVUE 95 - 2m x 200m - No buttonholes	Green/Black
5SPT185017	ALPHAVUE 95 - 3m x 50m - Buttonholes on sides edges	Green/Black
5SPT185023	ALPHAVUE 95 - 3m x 200m - No buttonholes	Green/Black
5SPT185301	ALPHAVUE 95 - 3.6m x 50m - Buttonholes on sides edges	Green/Black

Accessories on page 81





ALPHAVUE 100 Green



90%



100%



600Kly




300g/m²



Knitted
tapes

Total concealment and silky appearance. Luxury netting.

Reference	Name / Finish / Size	Color
5SPT300000	ALPHAVUE 100 - No buttonholes - 1m x 100m	Green/Black
5SPT300001	ALPHAVUE 100 - No buttonholes - 1.2m x 100m	Green/Black
5SPT300002	ALPHAVUE 100 - No buttonholes - 1.5m x 25m	Green/Black
5SPT300003	ALPHAVUE 100 - No buttonholes - 1.8m x 50m	Green/Black
5SPT300004	ALPHAVUE 100 - No buttonholes - 1.8m x 25m	Green/Black
5SPT300005	ALPHAVUE 100 - No buttonholes - 1.8m x 100m	Green/Black
5SPT300006	ALPHAVUE 100 - No buttonholes - 2m x 25m	Green/Black
5SPT300007	ALPHAVUE 100 - No buttonholes - 2m x 100m	Green/Black
5SPT300010	ALPHAVUE 100 - No buttonholes - 1.5m x 100m	Green/Black
5SPT300012	ALPHAVUE 100 - No buttonholes - 3m x 100m	Green/Black
5SPT300020	ALPHAVUE 100 - No buttonholes - 2m x 100m	Green/Black
5SPT300100	ALPHAVUE 100 - No buttonholes - 1.2m x 25m	Green/Black
5SPT300101	ALPHAVUE 100 - No buttonholes - 1.2m x 25m	Green/Black



Creating Green Spaces/Sport Areas

p. 75 to 80

Standard composite design:

Heavy woven UV treated PEHD strip which is highly wear resistant.

Double machine stitched with thick sewing thread, UV treated.

Fitting of eyelets with internal Ø of 14 mm every 50 cm.

Free or fixed width x free length

Accessories on page 81





ALPHAVENT 65 COVERTEX 150 CD



65%

55%

600Kly

150g/m²

Knitted
micromesh

Use:

- 65% sport windbreak/50% shade - Prevents leaves from getting into tanks
- Protects against flying objects from grinding/used as skip netting
- Building partition/separation

Reference	Name / Finish / Size	Color
5SMT150006	COVERTEX 150 CD - Used as skip netting - Lg x lg tailored	Dark green
5SMT150007	COVERTEX 150 CD - Used as skip netting - 1.5m x lg tailored	Dark green
5SMT150008	COVERTEX 150 CD - Used as skip netting - 2m x lg tailored	Dark green
5SMT150009	COVERTEX 150 CD - Used as skip netting - 3.6m x lg tailored	Dark green
5SMT150010	COVERTEX 150 CD - Used as skip netting - 4m x lg tailored	Dark green
5SMT150017	COVERTEX 150 CD - Used as skip netting - 3m x lg tailored	Dark green
5SMT150018	COVERTEX 150 CD - Used as skip netting - 2m x lg tailored	Black
5SMT150019	COVERTEX 150 CD - Used as skip netting - 3m x lg tailored	Black
5SMT150020	COVERTEX 150 CD - Used as skip netting - 3.6m x lg tailored	Black
5SMT150021	COVERTEX 150 CD - Used as skip netting - Lg x lg tailored	Black



COVEREX 185




75%

70%

600Kly

185g/m²

Woven
monofilament



Use:

- Extreme resistance
- 75% sport windbreak/70% shade (tennis surround)
- Prevents leaves from getting into tanks
- Protects against flying objects from grinding/used as skip netting
- Building partition/separation


Reference	Name / Finish / Size	Color
5SMR185001	COVEREX 185 - Used as skip netting : Lg x lg tailored	Green/Black
5SMR185002	COVEREX 185 - Used as skip netting : 2.5m x lg tailored	Green/Black
5SMR185005	COVEREX 185 - Used as skip netting : 3.6m x lg tailored	Green/Black

Accessories on page 81





ALPHAVUE 95



75%



80%



600Kly




90g/m²



Knitted
tapes

Use:


- Privacy
- Building partition/separation



Reference	Name / Finish / Size	Color
5SPT185009	ALPHAVUE 95 - Privacy netting - Free width x Free lenght	Green/Black
5SPT185123	ALPHAVUE 95 - Privacy netting - 2m x Free lenght	Green/Black
5SPT185124	ALPHAVUE 95 - Privacy netting - Free width x Free lenght	Green/Black
5SPT185125	ALPHAVUE 95 - Privacy netting - 1.5m x Free lenght	Green/Black
5SPT185126	ALPHAVUE 95 - Privacy netting - 1.8m x Free lenght	Green/Black
5SPT185127	ALPHAVUE 95 - Privacy netting - 3m x Free lenght	Green/Black
5SPT185128	ALPHAVUE 95 - Privacy netting - 1.5m x Free lenght	Black
5SPT185129	ALPHAVUE 95 - Privacy netting - 2m x Free lenght	Black
5SPT185130	ALPHAVUE 95 - Privacy netting - Free width x Free lenght	Black
5SPT185140	ALPHAVUE 95 - Privacy netting - Free width x Free lenght	Dark grey
5SPT185141	ALPHAVUE 95 - Privacy netting - 2m x Free lenght	Dark grey
5SPT185150	ALPHAVUE 95 - Privacy netting - Free width x Free lenght	Light grey
5SPT185151	ALPHAVUE 95 - Privacy netting - 2m x Free lenght	Light grey
5SPT185160	ALPHAVUE 95 - Privacy netting - Free width x Free lenght	White
5SPT185161	ALPHAVUE 95 - Privacy netting - 2m x Free lenght	White



ALPHAVUE 100



Use:

- 100% privacy
- Building partition/separation


Reference	Name / Finish / Size	Color
5SPT300110	ALPHAVUE 100 - Privacy netting - 1.5m x Free lenght	Green/Black
5SPT300111	ALPHAVUE 100 - Privacy netting - 2m x Free lenght	Green/Black
5SPT300112	ALPHAVUE 100 - Privacy netting - Free width x Free lenght	Green/Black
5SPT300113	ALPHAVUE 100 - Privacy netting - 1.8m x Free lenght	Green/Black
5SPT300114	ALPHAVUE 100 - Privacy netting - 3m x Free lenght	Green/Black

Accessories on page 81





COVERTEX 200



55%



70%



600Kly



200g/m²



Woven
monofilament

Finished skip net.

- Surrounding PEHD strip

- Metal eyelets every 50 cm - lashed bungee cord Ø 8mm

Reference	Name / Finish / Size	Color
5SMT200718	COVERTEX 200 - Finished skip net - No bungee cord - 3.5m x 5m	Black
5SMT200720	COVERTEX 200 - Finished skip net - No bungee cord - 3.5m x 6m	Black
5SMT200721	COVERTEX 200 - Finished skip net - No bungee cord - 3.5m x 7m	Black
5SMT200726	COVERTEX 200 - Finished skip net - No bungee cord - 3.5m x 8.5m	Black
5SMT200728	COVERTEX 200 - Finished skip net - No bungee cord - 3.5m x 8m	Black

Reference	Name / Finish / Size	Color
5SMT200820	COVERTEX 200 - Finished skip net - With bungee cord - 3.5m x 6m	Black
5SMT200821	COVERTEX 200 - Finished skip net - With bungee cord - 3.5m x 7m	Black
5SMT200822	COVERTEX 200 - Finished skip net - With bungee cord - 3.5m x 7.5m	Black
5SMT200823	COVERTEX 200 - Finished skip net - With bungee cord - 3.5m x 5.5m	Black
5SMT200824	COVERTEX 200 - Finished skip net - With bungee cord - 3.5m x 6.5m	Black
5SMT200825	COVERTEX 200 - Finished skip net - With bungee cord - 3m x 4m	Black



Accessories



p. 81

Fastening accessories:

Fitting nets and tarpaulins on structures and fences.

Fitting windbreaks and privacy netting.

Fastenings for weather shelters.



Reference	Name / Finish / Packaging	Color
5COX003250	UV cable thread reel - HD PE - 3mm diameter - 250 meters	Black
5COX003251	UV cable thread reel - HD PE - 3mm diameter - 250 meters	Green
5COX003252	UV cable thread reel - HD PE - 3mm diameter - 250 meters	Stone
5COX003500	UV cable thread reel - HD PE - 3mm diameter - 500 meters	Black
5COX003501	UV cable thread reel - HD PE - 3mm diameter - 500 meters	Green/Blue
5COX003502	UV cable thread reel - HD PE - 3mm diameter - 500 meters	Dark green
5COX003503	UV cable thread reel - HD PE - 3mm diameter - 500 meters	Green aqua
5COX004100	UV cable thread reel- HD PE - 4mm diameter - 100 meters	Black
5COX004200	UV cable thread reel - HD PE - 4mm diameter - 200 meters	Black
5COX004201	UV cable thread reel - HD PE - 4mm diameter - 200 meters	White
5COX005998	UV cable thread reel - HD PE - 5mm diameter - 500 meters	Grey
5COX005999	UV cable thread reel - HD PE - 5mm diameter - 500 meters	Black
5COX006100	UV cable thread reel - HD PE - 6mm diameter - 100 meters	Black
5COX006200	UV cable thread reel- HD PE - 6mm diameter - 200 meters	Black
5COX006500	UV knitted thread reel - HD PE - 6mm diameter - 500 meters	Red
5COX008100	UV cable thread reel - HD PE - 8mm diameter - 100 meters	Black
5COX009998	UV cable thread reel - HD PE - 5mm diameter - 500 meters	Black
5COX010100	UV cable thread reel - HD PE - 10mm diameter - 100 meters	Black

TENSION THREAD SEWING THREAD

Used for fitting nets and tarpaulins on structures or fences.



Reference	Name / Finish / Packaging	Color
5COX000260	UV Braided reel - HD PE - 3.5mm diameter - 260 meters	White
5COX000280	UV Braided reel - HD PE - 3.5mm diameter - 280 meters/kg	Black
5COX000281	UV Braided reel - HD PE - 3.5mm diameter - 280 meters/kg	Green Aqua
5COX000282	UV Braided reel - HD PE - 3.5mm diameter - 280 meters/kg	Dark green
5COX000283	UV Braided reel - HD PE - 3.5mm diameter - 280 meters/kg	White
5COX000330	UV Braided reel - HD PE - 3mm diameter - 330 meters/kg	Black
5COX000331	UV Braided reel - HD PE - 3mm diameter - 330 meters/kg	Green
5COX000332	UV Braided reel - HD PE - 3mm diameter - 330 meters/kg	White
5COX000333	UV Braided reel - HD PE - 3mm diameter - 330 meters/kg	Green/Blue
5COX000334	UV Braided reel - HD PE - 3mm diameter - 330 meters/kg per 500m	Red
5COX000335	UV Braided reel - HD PE - 3mm diameter - 330 meters/kg	Light green
5COX000336	UV Braided reel - HD PE - 3mm diameter - 330 meters/kg	Grey
5COX004180	UV Braided reel - HD PE - 4mm diameter - 190 meters/kg	Black
5COX004181	UV Braided reel - HD PE - 4mm diameter - 190 meters/kg	Green Aqua
5COX004182	UV Braided reel - HD PE - 4mm diameter - 190 meters/kg	White
5COX004183	UV Braided reel - HD PE - 4mm diameter - 190 meters/kg	Dark green

Ideal for fitting windbreaks, privacy netting, ball netting
The PVC limits wear on the netting and clips.

Reference	Name / Finish / Packaging	Color
5ASE050013	PVC coated steel cable DG 5mm in 50m reel	Dark green
5ASE050014	PVC coated steel cable Black 5mm in 50m reel	Black
5ASE060014	PVC coated steel cable DG 5mm in 60m reel	Dark green
5ASE065015	PVC coated steel cable DG 5mm in 65m reel	Dark green
5ASE065035	PVC coated steel cable TDG 5mm in 65m reel	Dark green Transparent
5ASE080016	PVC coated steel cable DG 5mm in 80m reel	Dark green
5ASE080036	PVC coated steel cable TDG 5mm in 80m reel	Dark green Transparent
5ASE085017	PVC coated steel cable DG 5mm in 85m reel	Dark green
5ASE085018	PVC coated steel cable Black 5mm in 85m reel	Black
5ASE100018	PVC coated steel cable DG 5mm in 100m reel	Dark green
5ASE100019	PVC coated steel cable Black 5mm in 100m reel	Black
5ASE100037	PVC coated steel cable TDG 5mm in 100m reel	Dark green Transparent
5ASE110019	PVC coated steel cable DG 5mm in 110m reel	Dark green
5ASE120020	PVC coated steel cable DG 5mm in 120m reel	Dark green
5ASE135021	PVC coated steel cable DG 5mm in 135m reel	Dark green
5ASE135038	PVC coated steel cable TDG 5mm in 135m reel	Dark green Transparent
5ASE150022	PVC coated steel cable DG 5mm in 150m reel	Dark green
5ASE150023	PVC coated steel cable Black 5mm in 150m reel	Black
5ASE175023	PVC coated steel cable DG 5mm in 175m reel	Dark green
5ASE190008	PVC coated steel cable TR 7mm in 190m reel	Transparent
5ASE200024	PVC coated steel cable DG 5mm in 200 m reel	Dark green
5ASE200025	PVC coated steel cable Black 5mm in 200 m reel	Black
5ASE225025	PVC coated steel cable DG 5mm in 225m reel	Dark green
5ASE250026	PVC coated steel cable DG 5mm in 250m reel	Dark green
5ASE250027	PVC coated steel cable White 5mm in 250m reel	White
5ASE250028	PVC coated steel cable Black 5mm in 250m reel	Black
5ASE250039	PVC coated steel cable TDG 5mm in 250m reel	Dark green Transparent
5ASE300027	PVC coated steel cable DG 5mm in 300 m reel	Dark green
5ASE300028	PVC coated steel cable Black 5mm in 300 m reel	Black
5ASE300040	PVC coated steel cable TDG 5mm in 300 m reel	Dark green Transparent
5ASE350028	PVC coated steel cable DG 5mm in 350 m reel	Dark green
5ASE400029	PVC coated steel cable DG 5mm in 400 m reel	Dark green
5ASE400041	PVC coated steel cable TDG 5mm in 400 m reel	Dark green Transparent
5ASE450030	PVC coated steel cable DG 5mm in 450 m reel	Dark green
5ASE500001	PVC coated galvanised cable White Ø 5 mm sold per 1m	White
5ASE500001	PVC coated galvanised cable White Ø 5 mm sold per 1m	White
5ASE500002	PVC coated steel cable white 5mm in 500m reel	White
5ASE500006	PVC coated steel cable black 5mm in 500m reel	Black
5ASE500007	PVC coated steel cable TR 5mm in 500m reel	Transparent
5ASE500009	PVC coated steel cable TR 7mm in 500m reel	Transparent
5ASE500010	PVC coated steel cable LG 5mm in 500m reel	Green clair
5ASE500011	PVC coated steel cable Grey RAL 7016 5mm in 500m reel	Grey
5ASE500031	PVC coated steel cable DG 5mm in 500m reel	Dark green
5ASE500042	PVC coated steel cable TDG 5mm in 500m reel	Dark green Transparent
5ASE990003	PVC coated steel cable White 5mm in 1000m reel	White
5ASE990005	PVC coated steel cable black 5mm in 1000m reel	Black
5ASE990006	PVC coated steel cable TR 5mm in 1000m reel	Transparent
5ASE990007	PVC coated steel cable TR 6mm in 1000m reel	Transparent
5ASE990011	PVC coated steel cable LG 5mm in 1000m reel	Light green
5ASE990032	PVC coated steel cable DG 5mm in 1000m reel	Dark green
5ASE990043	PVC coated steel cable TDG 5mm in 1000m reel	Dark green Transparent
5ASE993033	PVC coated steel cable DG 5mm in 1800m reel	Dark green
5ASE995012	PVC coated steel cable LG 5mm in 2000m reel	Light green
5ASE995034	PVC coated steel cable DG 5mm in 2000m reel	Dark green



STEEL CABLE
PVC COVER



Stainless steel cable

Reference	Name / Finish / Packaging	Color
5ASI100001	Stainless steel cable 316 - 2mm -100m reel	Stainless steel
5ASI200002	Stainless steel cable 316 - 2mm - 200m reel	Stainless steel

STEEL CABLE
STAINLESS STEEL CABLE
STAPLER

Galvanised Steel Cable



Fitting of anti-hail structure, weather shelters, anti-insect netting

Reference	Name / Finish / Packaging	Color
5ASG100001	Galvanised Steel Cable - 2mm - 100m reel	Galvanised
5ASG200002	Galvanised Steel Cable - 2mm - 200m reel	Galvanised

P7 Stapler and staples

Fitting nets to a wire, sheathed and unsheathed cable



Reference	Name / Finish / Packaging	Color
5ACA008004	Stapler for SR8 Bostitch with P7 loader	Black
5ACA008002	Galvanised metal staples B plain SR8 - Box of 2500 pieces	Metal

Cable clamp

Anti-hail and windbreak



Reference	Name / Finish	Color
5ACGDSEC008	Cable access - Cable clamp - 3mm	Galvanised
5ACGDSEC009	Cable access - Cable clamp - 4/5mm	Galvanised
5ACGDSEC010	Cable access - Cable clamp - 6mm	Galvanised
5ACGDSEC007	Cable clamp - 8mm - Sold in box with 50 pieces	Galvanised

Crimp sleeves

Anti-hail and windbreak



Reference	Name / Finish / Packaging	Color
5ACI100002	Aluminium sleeves for cable from 0.55 à 0.65mm - Sold in bag with 100 pieces	Alu

Multi-purpose pliers: cable cutter

max Ø4 mm and sleeve crimping.

STAPLER
CABLE CLAMP
PLIERS



Reference	Name	Color
5ACDPIN001	Cable cutter and crimping pliers	Black and red



Galvanised turnbuckles

Light shape memory wire,
ideal for weather shelters, anti-hail, aviaries.



Reference	Name / Finish / Packaging	Color
5ACGTEN011	Cable access - Galvanised turnbuckle 1a 1c - 5mm	Galvanised
5ACGTEN012	Cable access - Galvanised turnbuckle 1a 1c - 8mm	Galvanised
5ACGTEN013	Cable access - Galvanised turnbuckle 2a - 6mm	Galvanised
5ACGTEN014	Cable access - Galvanised turnbuckle 2a - 8mm	Galvanised
5ACGTEN015	Cable access - Galvanised turnbuckle 2c - 10mm	Galvanised
5ACGTEN016	Cable access - Galvanised turnbuckle 2c - 8mm	Galvanised
5ACGTEN017	Cable access - Galvanised turnbuckle 1a 1c - 10mm	Galvanised

TURNBUCKLES STRAINERS

Galvanised wire strainers

Tensions wires and cables



Reference	Name / Finish / Packaging	Color
5ACERAI200	Cable access - Galvanised wire tensioner - 2mm	Green
5ACERAI300	Cable access - Galvanised wire tensioner - 3mm	Green
5ACERAI400	Cable access - Galvanised wire tensioner - 4mm	Green
5ACERAI410	Cable access - Galvanised wire tensioner 4B	White
5ACERAI420	Cable access - Galvanised wire tensioner 4N	Black

Fastening clips

Anti-hail and windbreak

Black round Ø40 mm clips to hold small windbreak or light privacy netting: 3 to 4 clips/metre.
bag with 100 units.



Reference	Name / Finish / Packaging	Color
5ACPCLI001	Round cables Ø40mm - Sold in bag with 100 pieces	Black

Alt'Carpo and Windbreak

2-point plate ideal for windbreak and thick privacy netting
(3 to 4 clips/metre) - Bag with 250 units



Reference	Name / Finish / Packaging	Color
5ACPCLI002	2-point plate - Sold in box with 250 pieces	Green

Split rings



Reference	Name / Finish / Packaging	Color
5ASPANO001	Split rings - 1000 per bag	White
5ASPANO003	Split rings - 1000 per bag	Black
5ASPANO005	Split rings - 1000 per bag	Green forest
5ASPANO008	Split rings - 100 per bag	Grey

Fastening kit for light windbreak and privacy netting.



FASTENING

Reference	Name / Finish / Packaging	Color
5ACPKF0001	Fastening kit - Bag with 26 units + 4.2 lm wire	Black
5ACPKF0002	Fastening kit - Bag with 26 units + 4.2 lm wire	Green
5ACPKF0003	Fastening kit - Bag with 26 units + 4.2 lm wire	Dark grey
5ACPKF0004	Fastening kit - Bag with 26 units + 4.2 lm wire	Light grey
5ACPKF0005	Fastening kit - Bag with 26 units + 4.2 lm wire	White



Roller kit for tensioning windbreak netting



Reference	Name / Finish	Color
1KITENR001	Windbreak roller KIT 2lm 2 galvanised ring screws. - H 160 mm - thread H 65 mm - inner ring diameter 45 mm pipe diameter 38 T 2 - length 2000 mm - 1 bolt - 2 cranks (concrete bar)	Galva
1KITENR002	Windbreak roller KIT 2lm 2 galvanised ring screws. - H 160 mm - thread H 65 mm - inner ring diameter 45 mm pipe diameter 38 T 2 - length 3000 mm - 1 bolt - 2 cranks (concrete bar)	Galva

Tension Plates

Anti-hail and Alt'Carpo

Plate to hang elastic or springs.

Used to hold 2 net thicknesses (anti-hail and weather shelters)

Bag with 200 units



Reference	Name	Color
5ACPPLA001	Tension Plates	Black

PLATE



Roll Comb

Reference	Name / Finish / Packaging	Color
5ACPPEI002	Roll Comb 2 - Sold as 250 pieces	Black

Ridge comb

Anti-hail and Alt'Carpo

Strong plate ideal for thick or heavy or exposed windbreak or privacy netting, anti-hail ridges (2 clips/metre)

Bag with 200 units



Reference	Name / Finish / Packaging	Color
5ACPPEI001	Ridge comb - Sold in bag with 200 pieces	Black



Assembly plate

Anti-hail

Plate used to assemble two net pieces (closure for anti-hail and weather shelters) - Bag with 200 units



Reference	Name / Finish / Packaging	Color
5ACPPLA002	Assembly plate - Sold in box of 200 pieces	Black

Black Nina Plate

Anti-hail and Alt'Carpo



Reference	Name / Finish / Packaging	Color
5ACPPRI001	Black Nina Plate - Sold as 250 pieces	Black

2-point plate

Anti-hail and Alt'Carpo



PLATE

Reference	Name / Finish / Packaging	Color
5ACPPLA003	2-point plate - Sold as 500 pieces	Black

Black Riva Plate

Anti-hail



Reference	Name / Finish / Packaging	Color
5ACPRIV001	Black Riva Plate - Sold as 200 pieces	Black



Net 50 cord

Anti-hail and Alt'Carpo



Reference	Name / Finish / Packaging	Color
5ACPTIR001	Net 50 cord - Sold as 250 pieces	Black

Cover

Anti-hail and Alt'Carpo



Reference	Name / Finish / Packaging	Color
5ACPCH010	Cover - Ø10cm - Sold as 500 pieces	Black
5ACPCH012	Cover - Ø12cm - Sold as 300 pieces	Black



Reference	Name / Finish	Color
5ACPCH100	Cover - 100 cm	Black
5ACPCH127	Cover - 127 cm	Black

ACCESSORIES ANTI-HAIL

Post header stainless steel clamp

Anti-hail

Reference	Name / Finish / Packaging	Color
5ACIETR001	Post header stainless steel clamp - Sold in box with 50 pieces	Stainless steel

Galvanised head nail

Windbreak, Anti-hail and Alt'Carpo



Reference	Name / Finish / Packaging	Color
5ACGPOI001	40mm Galvanised head nail - Box of 5kg (+/- 1900 pieces)	Galvanised

Galvanised sling

Windbreak, Anti-hail and Alt'Carpo



Reference	Name / Finish / Packaging	Color
5ACGELI500	Galvanised sling Ø8mm - Loop 6.5mm - Length 5ml	Galvanised

Staples

Windbreak, Anti-hail and Alt'Carpo



Reference	Name / Finish / Packaging	Color
5ACGCRA550	Galvanised staples 40mm - Boxe of 5kg (+/- 354 pieces)	Galvanised

Black protective tube


Anti-hail and Alt'Carpo



Reference	Name / Finish / Packaging	Color
5ACPTIPP001	Black protective tube - Sold in box with 50 pieces	Black

Protective sheath

Anti-hail and Alt'Carpo



Reference	Name / Finish / Packaging	Color
5ACDGA1001	Protective sheath Black - Sold in box with 250 pieces	Black

Galvanised snap hook

Windbreak, Anti-hail and Alt'Carpo



ACCESSORIES
ANTI-HAIL

Reference	Name / Finish / Packaging	Color
5ACAMOU003	Galvanised snap hook 6x60mm - Sold in box with 50 pieces	Galvanised

Reference	Name / Finish	Color
5ACIMOU008	Snap hook Length : 8x80mm - Simple closure at L	Aluminium Blue

C or S staple

Horticulture et Alt'Carpo

Reference	Name / Finish / Packaging	Color
5ACPAGC001	Gancio staple C - Sold as 1000 pieces	Black
5ACPAGS001	Gancio staple S - Sold as 1000 pieces	Black



Olive Comb



Reference	Name / Finish	Color
5ACP009001	Yellow 9-tooth olive comb	Yellow

Wooden handle



Reference	Name / Finish	Color
5ACD040001	40cm wooden handle for olive comb	Wood

ACCESSORIES HARVEST

BUNGEE CORD



Bungee cord

Reference	Name / Finish / Packaging	Color
5COP008070	Bungee cord Ø8mm - With 2 black hooks 0.7ml - Sold/box 200 pieces	Black
5COP008130	Bungee cord Ø8mm - With 2 black hooks 1.3ml - Sold/box 150 pieces	Black
5COP008160	Bungee cord Ø8mm - With 2 black hooks 1.6ml - Sold/box 125 pieces	Black
5COP008170	Bungee cord Ø8mm - With 2 black hooks 1.7ml - Sold/box 125 pieces	Black
5COP008180	Bungee cord Ø8mm - With 2 black hooks 1.8ml - Sold/box 125 pièces	Black
5COP008200	Bungee cord Ø8mm - With 2 black hooks 2ml - Sold/box 100 pieces	Black
5COP018160	Bungee cord Ø8mm - With 1 black hooks/1 crochet Blacks 1.60ml	Black

Reference	Name / Finish / Packaging	Color
5COP006001	Bungee cord Ø6mm - Sold as 100lm reel	White
5COP008001	Bungee cord Ø8mm - Sold as 100lm reel	White

ASSEMBLY

CHAINING



Stitch reinforcement

Enables quick assembly of fabric workpieces under tension without the introduction of undesirable stretching.

For lightweight products, it is essential to apply several stitching on the side relating.

For heavy products from 200g onwards, it is possible to apply just one side stitching and to use a chain of stitching to ensure the assembly of the fabric workpiece to ensure good strength.

Stitching on the edge

It is useful to make stitching on the edge of the fabric to avoid the fabric from stretching on other edges relating to the product. This operation is applied optimally to the side relating for the stitching and to ensure good strength to the fabric workpiece.

Assembly by sewing



Double stitching

This operation enables much reinforcement of the quantity of material for ensuring good strength.

It is the first stitching for initial stitching with the machine, and then the fabric is turned down with a second stitch over again.

This operation is particularly on heavy materials in relation of 200g from 200g onwards for workpieces, gables, openings, hems, etc.

This operation is long related, but it provides an increasing reinforcement.

Roll stitching

It is useful for reinforcing the fabric of the fabric, for example, workpieces and related to good strength.

Depending on the type of material, from 200g to 200g.

ROLL STITCHING



CHAINING



Stitching

It is the first stitching on the fabric, adapted to the workpiece.

From 200g to 200g.

CHAINING



Stitch reinforcement

It is the first stitching on the fabric, adapted to the workpiece.

It is the first stitching on the fabric, adapted to the workpiece.

General Conditions of Sale

Article I - SCOPE

These General Conditions of Sale apply to all sales concluded by Alphatex with trade purchasers, regardless of the clauses that may feature in customers' documents, and particularly its general conditions of purchase, and they relate to the following products:

- Mesh nets made from HDPE, PA, PES, PP.
- Tarpaulins made from HDPE, PVC, PES, etc.
- Fastening accessories.
- Digital printing.

Article II - PRODUCTS

The products delivered do, in principle, comply with the descriptions provided in the catalogues, and comply with the samples forwarded. However, the Supplier reserves the option of modifying the product or of discontinuing marketing it, whether for safety-related reasons, manufacturing technical reasons, or for the purpose of improving the product, or due to changes in relevant standards in force. Should an order in progress for a given product be modified as a result of these factors, the Supplier's sole obligations shall consist of delivering the product ordered according to the new manufacturing practices or, failing that, a product from a superior range.

Article III - ACCEPTANCE OF THE ORDER AND PRICES

Orders taken by the Supplier's employee or any other person from the company empowered for that purpose shall only be final once an order form has been received that complies with the quotation, of which a single, dated copy, signed by the person empowered by the Purchaser, will have to be presented to the Supplier. The products are supplied at the prices referred to in the joint price list and, where applicable, in the sales proposal sent to the customer. These prices are firm and cannot be revised during the period for which they are valid, which is 30 days unless the Supplier agrees otherwise beforehand.

Article IV - TERMS OF PAYMENT

The price is payable in cash, with a 1.5% discount upon receipt of the invoice (excluding special conditions), either via a Draft accepted within 30 days of the date of issue of the invoice, or via a transfer. Bills of exchange must be returned within 8 days. Should this deadline not be met, the Supplier shall be entitled to demand immediate payment of all invoices not yet due, including those outstanding, and suspend all orders in progress or in the delivery phase, without prejudice to our rights for damages where applicable. In the case of non-payment of invoices in accordance with the contractual conditions, in compliance with the stipulations hereinabove or with the conditions negotiated, the sums owed shall bear interest and shall automatically be increased 10 points above the official discount rate of the BDF (Bank of France) without any formalities in terms of providing prior formal notice, and without this clause prejudicing the payability of the debt. Furthermore, any late payment shall automatically lead to the Purchaser paying compensation under the penalty clause, to the sum of 15% of the amount of the unpaid invoice, which shall be recovered by the Supplier's disputes services, in accordance with Articles 1152 and 1126 of the Civil Code. The return costs for dishonoured bills shall be borne by the drawee.

Article V - DISCOUNTS, REBATES AND REDUCTIONS

In the case of quantitative discounts and reductions, the Purchaser will be able to benefit from discounts, rebates and reductions in exchange for taking part in a marketing or sales campaign on behalf of the Supplier.

Article VI - DELIVERY AND CARRIAGE COSTS

The delivery timeframe is provided as an indication only and it is approximate. This timeframe does not constitute a deadline, and the Supplier may not have its liability invoked in relation to the Purchaser should there be late delivery no longer than one week late. The delivery and presentation of the products may be carried out at any other location designated by the Purchaser, subject to the proviso that one week's prior notice has been provided, and that there is a minimum timeframe of 72 hours, with the costs being borne solely by the Purchaser. In the case of delivery to another location designated by the Purchaser, it shall provide the Supplier with precise information about the people empowered (and for whom it is responsible) who shall carry out acceptance procedures on the products ordered. In the case of special requirements by the Purchaser concerning the packaging conditions, and specific packaging (particularly metal racks which constitute returnable packaging and remain the Supplier's inalienable property) or in the case of transporting ordered products accepted in writing by the Supplier, the related costs shall form the

subject of specific additional invoicing. The Purchaser is obliged to check the apparent condition of the products at the time of delivery.

In the absence of reservations expressly stated by the Purchaser at the time of delivery, the products delivered by the Supplier shall be deemed to comply with the order in terms of both quantity and quality.

The related transfer of risks of loss and deterioration to the Purchaser shall occur upon leaving the Vendor's warehouses.

It is that party's responsibility to check the state of the packages delivered, to state the usual reservations in the event of any dispute on the carrier's delivery slip, and to confirm them to the latter via a LETTER with acknowledgement of receipt within a legal deadline of 48 hours, as well as to inform the Supplier of this in writing within the same timeframe...

No claim may be accepted in the event of the Purchaser's failure to fulfil these formalities.

As soon as possible, and at its own expense, the Supplier shall replace those products delivered for which a failure to comply has been duly proven by the Purchaser.

CARRIAGE COSTS

The prices are drawn up on an "ex warehouse" basis (our warehouses). Carriage is additional to this.

Article VII - TRANSFER OF OWNERSHIP – TRANSFER OF RISKS – RETENTION OF OWNERSHIP

Transfer of ownership over the Supplier's products to the Purchaser shall only be carried out upon full payment of the agreed price, with this applying regardless of the delivery date for the aforementioned products. It is nevertheless expressly stated that the Purchaser shall be responsible for the goods placed in its hands upon their actual physical presentation. In the event of the Purchaser failing to pay some or all of the order price, the Supplier shall retain right of ownership over the products sold until full payment is made, and this enables it to retake possession of the aforementioned products. Any deposit paid by the Purchaser shall be retained by the Supplier as lump-sum compensation, without prejudice to any other proceedings that it may be entitled to initiate as a consequence therefore in relation to the Purchaser.

Article VIII - THE SUPPLIER'S RESPONSIBILITIES – GUARANTEES

The products delivered by the Supplier shall benefit from a guarantee with a period that matches the needs specified by the Purchaser, and for which it has stipulated the terms via confirmation of its order form. In accordance with legal provisions, the Supplier shall guarantee the Purchaser against any hidden defect due to a material defect, or a design or manufacturing fault adversely affecting the products delivered and which makes them unfit for use. Excluded from this guarantee are instances of misuse, negligence, or faulty maintenance on the part of the Purchaser, as too are normal wear and tear and Force Majeure (Act of God). In order to avail itself of its rights, the Purchaser shall inform the Supplier in writing of the existence of the defects within six months of them being discovered, failing which all other actions relating to them shall be forfeited.

The Supplier shall either replace the products or parts under guarantee which are deemed faulty, or have them replaced. This guarantee only covers the products "on the ground" and under no circumstances does it cover labour costs related to removing them and putting them back in position (excluding special agreements). Replacing the faulty products or parts will not have the effect of extending the guarantee period set hereinabove.

Article IX - ELECTION OF DOMICILE AND JURISDICTION

In the event of a dispute, the Commercial Court of Rouen shall be the only one that shall have jurisdiction. Any order shall automatically entail the Purchaser's compliance with the Supplier's General Conditions of Sale, notwithstanding any stipulations to the contrary featured in its own general conditions.


ARTICLE X - APPLICABLE LAW

All the clauses featured in these General Conditions of Sale, as well as all the purchase and sale transactions which are referred to therein, shall be subject to French law.

Article XI - INDUSTRIAL AND COMMERCIAL PROPERTY CLAUSE

All of the Supplier's documents are protected by papers filed with the INPI (French National Institute of Industrial Property) and the WIPO, as well as by the laws in force concerning industrial and commercial property.

Any full or partial reproduction using any process whatsoever shall be liable to proceedings instituted with the competent Courts.



Le Gîte
76490 Saint-Wandrille Rançon

Tél : + 33 (0) 2 35 56 33 56
Fax : +33 (0) 2 32 70 42 69
Email : alphatex@alphatex.eu