

HORTICULTURE
VEGETABLE GROWING

ARBORICULTURE

WINE GROWING

ANIMALS

GREEN SPACES



AlphaTMtex



PRO-AGRO TEXTILE
WWW.ALPHATEX.EU

The logo for Alphatex features a stylized 'A' symbol on the left, followed by the word 'Alphatex' in a sans-serif font. The 'Alphatex' text is split into 'Alpha' in black and 'tex' in green. A small 'TM' trademark symbol is positioned to the upper right of the 'x'.

ZAC de Saint-Jean-de-la-Neuille
869 Rue Maurice Allais
76210 Bolbec, France
tél. +33 (0)2 35 56 33 56
fax. +33 (0)2 32 70 42 69
alphatex@alphatex.eu
www.alphatex.eu

| | |
|---------------------------------|----------|
| Presentation | 4 |
| Sales force | 6 |
| Customized netting | 8 |

HORTICULTURE / VEGETABLE GROWING.....10-59

- Pest protection
- Protection against climatic hazards
- Weed protection
- Tarpaulins

ARBORICULTURE.....60-81

- Pest protection
- Protection against climatic hazards
- Harvest netting

WINE GROWING.....82-95

- Grape Protect : protection against hail
- Gel Protect : protection against frost

ANIMALS.....100-129

- Aviary netting
- Pisciculture netting
- Anti-birds nets and spikes
- Anti-cats protection
- Heliculture netting
- Amphibians netting
- Nets for macro-insects and game

GREEN SPACES.....130-163

- Privacy nets
- Windbreak nets
- Shade sails
- Skip nets
- Landscape fabrics
- Protective tarpaulins
- Backstop nets & others sport nets

| | |
|----------------------------|------------|
| General terms | 164 |
|----------------------------|------------|

Alphatex, a manufacturer of nets, tarpaulins and accessories, is a leading supplier of these products in Europe. Customer support and care are the heart of our product and service offering.

Alphatex is born 25 years ago and gained a great expertise in the design, manufacture and import of these products. The company has commercial experience in the construction, pest control, shrink wraps, horticultural and arboricultural sectors.

Alphatex is a global leading company in the netting sector, specially in the French and European market thanks to its ability to adapt and develop its products ranges to serve a wide variety of purposes.

Alphatex keeps on developing its international leadership by selling its products on 4 of the 5 continents.

In 2025, Alphatex inaugurated its new premises. It is a strategic change, marking a new era of growth, proximity and efficiency. This building has been made to reflect its values and meet the challenges of tomorrow. It is :

- Equipped with two 500kWh photovoltaic power stations and ten electric charging stations, which are powered by these panels. This embodies our commitment for a clean mobility and energy production.
- Surrounded by 200 trees, beehives and shelters for amphibians, recreating a genuine living ecosystem.
- BREEAM certified with an «Excellent» rating, highlighting its energy efficiency and environmental friendliness.

To keep on going toward the right direction, our entire sales team now drives hybrid cars running on E85 fuel, which has a significantly reduced our carbon footprint.

Finally, we have also become members of the CPA (Plasticulture and Agro-Environment Committee), an organisation that promotes an ethical and responsible use of plastics in agriculture.

AlphatexTM

WWW.ALPHATEX.EU



A new building combining modernity and efficiency



Member of CPA
Plasticulture and Agro-Environment
Committee



Hybrid vehicles with E85 fuel

KEY FIGURES

Company created
in 1996



Total workforce
120 people



More than
4,500 customers



6,000 References
in stock



30,000 sqm
of storage



60 millions sqm
of stock



30 millions €
of sales
turnover



35% of turnover
achieved with
international sales



OUR ASSETS

THE CONTROL OF OUR SUPPLIES

We have our own machines that work for our needs and, in parallel, we work with partner suppliers we have trained to manufacture our products according to our technical criteria.

We support their development by investing in their tools and production equipment. This is made possible by our regular presence in the factories.

A PERMANENT STOCK

We have the largest stock of nets in Europe with 3,000 tons, i.e. 60 millions sqm of finished and/or semi-finished products.

A WIDE AND COMPLETE RANGE

Each market has several types of nets, with specific wire diameters, weights, dimensions, colors and finishes.

THE MANUFACTURING

A manufacturing service allows us to respond quickly to requests for custom-made nets.



France

The Alphatex Sales Team operates throughout France, providing individual solutions at best prices. Our male and female team members are most of all technicians who value the sense of closeness and availability. These professionals listen intently to the needs of their clients. They are distinguished by the accuracy of the technical solutions they propose, field-presence and monitoring projects until their completion.

We provide a designated account manager for each client and for each project.



8 area sales



8 sales representatives



15 customer support advisors



YOU ARE WELCOME TO CONTACT US

Our Customer Service Department will deal with any enquiry and appoint a sales representative for a relevant sector to contact you.

sc@alphatex.eu
+33 (0)2 35 56 33 56

Opening hours
Monday to friday
8h30 - 17h30

Find us on social networks and our blog



Alphatex™ BLOG

International



Our Sales Teams are also active internationally. With presence in over 50 countries, our sales representatives are fully aware of the specific nature of each of the markets we operate on, both in relation to cultivation, agricultural practices as well as our products' resistance to differing effects of UV light.

Our advisors are fluent in multiple languages and are available to our clients for any and all project analyses.

10 area sales 

10 sales representatives 

15 customers support advisors 

CONTACT US

Our customer service responds to your requests and will redirect you to the sales representatives in your area if necessary.

Supported languages : 

sc@alphatex.eu

+33 (0)2 35 56 33 56

Opening hours
Monday to friday
8h30 - 17h30

Find us on social networks and our blog



Alphatex™ BLOG

Customized netting

Every field has specific needs. That's why at Alphatex, we offer custom-made nets that are perfectly suited to the needs of your business. Whether you need larger nets, or special sizes, we adjust our products to give you the best results. We guarantee robust, durable and high-quality solutions, whether you need to protect your crops from pests, wind and any kind of weather, provide shade, etc.

When you choose our custom-made nets, you benefit from 30 years of experience!

CONNECTING THROUGH OVERLOCK STITCH

This is a quick connection of micro-mesh nets made to create customised sheets (used e.g. for wind or sun protection). In the case of light products, it is necessary to apply overlock stitch on the side reinforcement. For heavy products (from 150 g up), nets can be installed outside these tapes, because the amount of the material is sufficient to ensure proper resistance. **Overlock stitch on the edges** : The purpose is to strengthen the mounting or allow better identification of edges in large nets. This is a method which we regularly apply in our large nets.



CONNECTING BY SEWING

Double flat stitch :

It can be applied in micro-mesh nets, where the quantity of material is important for ensuring good resistance.

The net is first folded over itself to be stitched with two needles, and thus created fold is then folded over and stitched again. This method is applied only on woven nets of at least 16/10 (INSECTIS 110g/sqm), which are intended for cages, endwalls, openings in structures, etc. Although time consuming, this method ensures waterproofness and durability.

NETTING WEIGHTS

Especially useful with separating or wind-protection netting, e.g. in order to allow the passage of people or vehicles. Depending on the netting used: from 200g/m to 800g/m.



LOOPS

Zip fastener, velcro, meshes, adjusted to the needs and method of use. Please, contact us for more details.

INSTALLING REINFORCEMENT TAPES

We only use heavy woven HDPE reinforcement tapes, which are subjected to UV processing in order to obtain optimal durability over time.

We apply them around the edges to ensure the resistance of metal loops or as reinforcement for zip or velcro fasteners to allow space for cable ducts, etc.



The mandatory information to provide for your orders

To ensure that your orders arrive on time and avoid them being returned to our warehouse, please provide the following information when placing your order.

For parcels weighing less than 30kg

Any parcel weighing less than 30kg will be shipped in a cardboard box using express carriers. To facilitate delivery, please provide us with the information listed below.



- Postal address
- Name
- Telephone number
- E-mail address
- Portal code if necessary

For parcels weighing more than 30kg

Any parcel weighing more than 30 kg and up to 150 kg will be shipped on a pallet by the carrier DB Schenker.

To facilitate delivery, please provide us with the information listed below.



- Postal address
- Name
- Telephone number
- E-mail address
- If necessary, the tailgate
- Specify delivery conditions (if narrow street, dead-end street...)

Additional information

If a safety protocol must be followed when unloading the goods, please let us know so that our driver can be equipped accordingly.



HORTICULTURE / VEGETABLE GROWING

- **Pest protection**
 - For open field crops
 - For greenhouses
 - Against large insects, game...
- **Protections against climatic hazards**
- **Weed protection**
- **Tarpaulins**
- **Accessories**
- **Reference numbers**



Biotis 450 Stop Flea beetle



Biotex 800 Stop fly




INNOVATION

Alphatex™

«Special mechanical installation»
calandre netting, dimensions :
2.10m x 300m

FINE MESH NETS FOR OPEN FIELD CROPS

END OF PRODUCTION




Biotis 450 Stop Flea beetle



Biotex 500



Biotex 800 Stop fly

Insectis 16/10
Potato plants

Our specialist fine mesh protective netting systems for field crops are designed to stop flies, flea beetles and a lot more. These netting systems are very sturdy and can be placed directly on the crops or arches, thanks to their light weights.

We recommend using them for all garden, ornamental and fruit crops. The netting's robustness reduces the effects of wind, hail, and reduces flutter. With its excellent air permeability, the netting does not increase the risks of fungal attacks.

The HDPE hydrophobic netting does not soak through — unlike the multi-fibre PA or PP netting, which can highly increase its weight during rainfall.

Insectis 16/10 is recommended for potato plants.



VIDEO
BIOTIS 450 presentation



VIDEO - BIOTIS 450
Feedback

| Product | Mesh | Constr. | UV Treat. | Color | Weight | Width | Length | Packaging |
|-------------------------------------|-----------------------------|--------------------|-----------|---------|-----------|------------------------|--------|-------------------------|
| Biotis 450 Stop Flea beetle | Rectangular 435µ x 670µ | Woven | 300 KLY | Crystal | 50 g/sqm | 13.2 - 16 m | 100 m | 2.2 m Rolls |
| | | | | | | 2.2 - 4.4 - 6.8 - 11 m | 125 m | |
| | | | | | | 2.1 m | 300 m | Machine pose - Unfolded |
| Biotex 500 | Rectangular 500µ x 800µ | Knitted | 300 KLY | White | 48 g/sqm | 2.1 m | 300 m | Machine pose - Unfolded |
| | | | | | | 2.4 - 4.8 - 12 m | 125 m | 1.2 m Rolls |
| | | | | | | 6 - 8 m | 125 m | 1.5 m Rolls |
| | | | | | | 16 m | 100 m | 1.2 m Rolls |
| Biotex 800 Stop fly | Rectangular 800µ x 1000µ | Knitted | 300 KLY | White | 40 g/sqm | 2.1 m | 300 m | Machine pose - Unfolded |
| | | | | | | 4 m | 100 m | 2 m Rolls |
| | | | | | | 16 m | 100 m | 1.5 m Rolls |
| | | | | | | 6 m | 125 m | 1.5 m Rolls |
| | | | | | | 11 m | 125 m | 1.4 m Rolls |
| 2.4 - 4.8 - 8 - 12 m | 125 m | 1.2 m Rolls | | | | | | |
| Insectis 16/10 For potato plants | Rectangular 450µ x 850µ | Monofilament woven | 600 KLY | Crystal | 110 g/sqm | 1.6 - 2 - 3.2 - 4 m | 200 m | Unfolded |

Manufacturer's advice

CEPP

Everything you need to know about CEPP

Certificate of Saving on Plant Protection Products in France

THE AIM OF THE CEPP IS TO LIMIT THE USE OF PLANT PROTECTION PRODUCTS.

CEPP stands for Certificate of Savings in Plant Protection Products. The aim of this programme is to encourage greater use of substitutes for pesticides and chemicals through the implementation of standardised measures. The level of obligation is calculated based on sales of plant protection products in previous years.

ALPHATEX PRESENTATION

Alphatex has been manufacturing nets for horticulture, market gardening and arboriculture for 30 years. As a specialist and partner to specialist distributors, we can supply you with a range of nets that will enable you to obtain certificates.

These products are : **BIOTIS 450**, **BIOTEX 500**, **CLIMATEX**, **DROSOTIS 8/6** and **ALT'CARPO**.

BIOTIS 450 is a highly effective insect net for turnip, radish, black radish and cabbage crops. It repels small insects, including the tiny Phyllotreta flea beetle, which measures 0.45mm. BIOTEX 500 is also an insect net, but it is mainly designed to repel all types of flies. CLIMATEX, on the other hand, is a climate net. Ideal for the beginning and end of the season.

DROSOTIS 8/6 crystal is an anti-moth net, as its name suggests. ALT'CARPO net has been designed to repel codling moths.

WHO IS CONCERNED ?

The entities concerned by the CEPP are persons (known as obligated parties) who sell plant protection products for agricultural purposes.

HOW TO DO IT ?

To declare the actions completed, you will need to go to your personalised space. In this space, you can simulate actions to estimate the number of certificates generated, declare the actions completed, or consult the status of the certifications obtained.

HOW CEPP WORKS ?

Agricultural distributors selling plant protection products are now required to take action to comply with the CEPP.

There are 120 such actions, which are defined as follow :

- the nature of the action
- documents justifying the action to be taken, which must be submitted
- documents to be archived and kept available for inspection by the relevant authorities
- the annual number of CEPPs
- the number of years during which the share entitles the holder to receive certificates

To report the actions you have completed, you will need to go to your personalised space. You will find several other features in your space (see How to do it ?).

But, how does it work in practice ?

As mentioned above, the turnover generated by the sale of plant protection products in previous years determines the level of obligation.

The more products you sell, the more certificates you will need to collect. Each action taken will earn you a certain number of certificates. This number will depend on the product sold and the quantity sold.

To simplify :

- Phytopharmaceutical products are recorded in NODU (Number of Dose Units)
- Eco-friendly products are recorded in CEPP (Certificates of Savings in Plant Protection Products)

The number of CEPPs obtained (which results from the actions taken) must represent 15% of the NODUs determined.

FOR EXAMPLE

Here, we present a simplified example to help you understand how CEPPs work.

If you sell an average of 1,000 litres of plant protection products, this would correspond to 10 NODU.

To compensate the sale of these 10 NODUs, you will need to obtain 15% of this value in CEPP.

In other words, to comply with the new legislation, you will need to collect 1.5 CEPP (15% of 10) through standardised actions.

Alphatex products eligible for the CEPP



BIOTIS 450

Anti-insect net equivalent to 0,00008 CEPP / sqm




BIOTEX 500

Anti-insect net equivalent to 0,00008 CEPP / sqm



CLIMATEX

Climate net equivalent to 0,00008 CEPP / sqm



DROSOTIS 8/6

Anti-drosophila net equivalent to 0,00016 CEPP / sqm



ALT'CARPO

Anti-codling net equivalent to 0,0007 CEPP / m




Drosotis 8/6



Pollenatis 10/10




Insectis 16/10




Thriptis 20/10

INSECTS PROTECTION NETS FOR GREENHOUSES



Drosotis 8/6



Pollenatis 10/10



Insectis 16/10



Thriptis 20/10

Our nets are monofilament woven insect protection for crops grown inside greenhouses.

We recommend the use of these nets on all vegetable, ornamental, and fruit crops grown in greenhouses.



Our HDPE nets are water-repellent, so their weight does not vary due to water, unlike PP, PA, PLA nets, etc. In addition, a UV stabiliser has been added to the material to extend its lifespan.

| Product | Mesh | Constr. | UV Treat. | Color | Width | Length | Finishes | Weight |
|---------------------|--|----------------------------|-----------|-------------------------------|-----------------------------------|--------|--|-----------|
| Drosotis 8/6 | Rectangular 1180 μ x 1750 μ | Monofi- lament woven | 600 KLY | Green/ Black | 1.3 m | 200 m | Top and bottom reinforcements on 4cm | 90 g/sqm |
| | | | | Green/ Black or Crystal | 2 - 2.5 - 3 m | 200 m | | |
| | | | | Crystal | 1.3 m | 300 m | | |
| | | | | Green/ Black or Crystal | 4 m | 200 m | Top and bottom reinforcements 4cm + middle 3cm | |
| Pollenatis 10/10 | Rectangular 850 μ x 850 μ | Monofi- lament woven | 600 KLY | Crystal | 1.6 - 2.6 - 3.2 - 4 - 5.2 m | 200 m | Top and bottom reinforcements on 4cm | 90 g/sqm |
| Insectis 16/10 | Rectangular 450 μ x 850 μ | Monofi- lament woven | 600 KLY | Crystal | 1.6 - 2 - 3.2 - 4 m | 200 m | Top and bottom reinforcements on 4cm | 110 g/sqm |
| Thriptis 20/10 | Rectangular 350 μ x 850 μ | Mono- filamen woven | 600 KLY | Crystal | 1.6 - 2.1 - 2.6 - 3.1 - 4 m | 200 m | Top and bottom reinforce- ments on 4cm | 130 g/sqm |

Accessories on page 43



Reference numbers p. 57

MANUFACTURED DOORS FOR GREENHOUSES

| Product | Mesh | Constr. | UV Treat. | Color | Width | Length | Finishes |
|----------------------------------|-----------------------|--------------------|-----------|---------|-------|--------|-------------------------------|
| Zip door for greenhouse 20/12 | Rect. 450 x 850 μ | Monofilament woven | 600 KLY | Crystal | 2.8 m | 2.6 m | Reinforcements and double zip |
| Zip door for greenhouse 20/12 | Rect. 450 x 850 μ | Monofilament woven | 600 KLY | Crystal | 1.8 m | 2 m | Reinforcements and double zip |
| Zip door for greenhouse 20/12 | Rect. 450 x 850 μ | Monofilament woven | 600 KLY | Crystal | 1.6 m | 2 m | Reinforcements et double zip |
| Insectis zip door for greenhouse | Rect. 450 x 850 μ | Monofilament woven | 600 KLY | Crystal | 1.8 m | 1.8 m | Square door |



Manufacturer's advice



Which net for which insects ?

Alphatex offers you an effective and economical solution for fighting insects. Our nets are suitable for all types of crops, but each product is designed to fight different types of insects. In order to select a product that suits your needs, please see the table below.

| Insect | Adult size | Onion, shallot, leek, garlic | Carrot, celery, fennel | Cabbage, turnip, radish | Tomato, Cucumber | Red berries | Fields crops | Under-cover crops and structures |
|------------------------|------------|------------------------------|------------------------|-------------------------|------------------|-------------|-------------------------|----------------------------------|
| Whitefly | 0.5mm | | | | ● | | BIOTIS 450 | INSECTIS 16/10 |
| Rapeseed flea beetle | 0.65mm | | | | | | BIOTIS 450 | INSECTIS 16/10 |
| Algerian brachycerus | 8mm | ● | | | | | BIOTEX 800 | DROSOTIS 8/6 |
| Garlic brachycerus | 10mm | ● | | | | | BIOTEX 800 | DROSOTIS 8/6 |
| Cabbage weevil | 0.8mm | | | ● | | | BIOTIS 450 | THRIPTIS 20/10 |
| Aster leafhopper | 3mm | | ● | | | | BIOTEX 800 | DROSOTIS 8/6 |
| Onion leaf beetle | 6mm | ● | | | | | BIOTEX 800 | DROSOTIS 8/6 |
| Lilioceris lili beetle | 7mm | ● | | | | | BIOTEX 800 | DROSOTIS 8/6 |
| Fruit fly | 3mm | | | | | ● | BIOTEX 800 | DROSOTIS 8/6 |
| Carrot leaf miner | 2mm | | ● | | | | BIOTEX 800 | DROSOTIS 8/6 |
| Tomato leaf miner | 8mm | | ● | | | | BIOTEX 800 | DROSOTIS 8/6 |
| Onion fly | 10mm | ● | | | ● | | BIOTEX 800 | DROSOTIS 8/6 |
| Carrot fly | 4mm | | ● | | | | BIOTEX 800 | DROSOTIS 8/6 |
| Seedling fly | 3mm | ● | ● | ● | | | BIOTEX 800 | DROSOTIS 8/6 |
| Cabbage fly | 6mm | | | ● | | | BIOTEX 800 | DROSOTIS 8/6 |
| Harvest moth | 25mm | ● | ● | | | | BIOTEX 800 | DROSOTIS 8/6 |
| Cabbage moth | 20mm | | | ● | | | BIOTEX 800 | DROSOTIS 8/6 |
| Agrotis ipsilon moth | 15mm | ● | | ● | | | BIOTEX 800 | DROSOTIS 8/6 |
| Blackish moth | 20mm | ● | | | | | BIOTEX 800 | DROSOTIS 8/6 |
| Flea beetle | 0.48mm | | | ● | | | BIOTIS 450 | INSECTIS 16/10 |
| Psylla | 1.5mm | | ● | | | | BIOTIS 450 | INSECTIS 16/10 |
| Ashen aphid | 1mm | | | ● | | | BIOTIS 450 / BIOTEX 500 | INSECTIS 16/10 |
| Shallot aphid | 1mm | ● | | ● | | | BIOTIS 450 / BIOTEX 500 | INSECTIS 16/10 |
| Carrot aphid | 1mm | | ● | | | | BIOTIS 450 / BIOTEX 500 | INSECTIS 16/10 |
| Tarnished bug | 6mm | | ● | | | | BIOTEX 800 | DROSOTIS 8/6 |
| Cabbage butterfly | 25mm | | ● | ● | | | BIOTEX 800 | DROSOTIS 8/6 |
| Diamondback moth | 6mm | | | ● | | | BIOTEX 800 | DROSOTIS 8/6 |
| Leek moth | 12mm | ● | | | | | BIOTEX 800 | DROSOTIS 8/6 |
| Tobacco thrips | 0.3mm | ● | | | | | THRIPTIS 20/10 | DROSOTIS 8/6 |
| Strawberry leaffroller | 18mm | | | | ● | | BIOTEX 800 | DROSOTIS 8/6 |



Climatex

CLIMATE NET



Climatex

Climatex is a climate net designed to recreate ideal conditions for each crop at the beginning and end of the season. Compared to frost protection fleece, Climatex :

- ✦ Provides effective protection against frost as well.
- ✦ Prevents the appearance of a warm and humid microclimate during the day, thanks to its good ventilation and hydrophobic HDPE.
- ✦ Has a longer lifespan thanks to its UV treatment.
- ✦ Is the heaviest and most tightly woven net on the market (42g/m²).



| Product | Mesh | Constr. | UV Treat. | Color | Width | Length | Finishes | Weight |
|----------|------------------|------------------------|-----------|---------|--|--------|---|----------|
| Climatex | Triang. >900μ | Knitted 100% strips | 600 KLY | Crystal | 12 -14 - 16 - 18 - 24 - 32 m | 100 m | Top and bottom reinforcements on 5cm | 42 g/sqm |
| | | | | | 26 m | 150 m | | |
| | | | | | 15 - 28 m | 200 m | | |
| | | | | | 2 - 4 - 6 - 6.5 - 8 - 10.5 - 12 - 14 m | 250 m | | |



VIDEO - Presentation and
installation tutorial

MANUFACTURER'S ADVICE

The main advantage of Climatex

With a weight of 42 g/m², Climatex is the heaviest climate protection net on the market. But what does that mean? Its greater weight makes it more resistant and gives it a longer lifespan. Moreover, it is still light enough for plants to lift the net as they grow.

Would you like to know more about it ?

So take a look now at our double-page spread dedicated to Climatex, right after this.

Accessories on page 43



Manufacturer's advice

Focus on Climatex



Our Climatex net aims to recreate the ideal conditions for your crops. It is mainly used when frost appears, in order to conserve heat below. This is an excellent product for accelerating plant growth. Climatex also prevents buds from drying out during frost. The strip deflects the wind, preventing drying out as well and wind damage.



WHAT ARE THE CHARACTERISTICS OF CLIMATEX ?

Climatex is the ideal netting for the beginning and end of the season. It helps to anticipate the onset of frost by retaining heat.

- ✦ Made from **100% HDPE**, it is reusable and recyclable.
- ✦ Its weight and quality are **above average**.

CLIMATEX, THE HEAVIEST NET ON THE MARKET

It weighs 42 g/sqm for a reason !



STRONG WINDBREAK EFFECT

Climatex is made with strips that deflects the wind, thereby limit the effect of wind buffeting.



PLANTS DO NOT GROW THROUGH THE NET

It prevents some insects from getting under the net thanks to its tight mesh, but it also allows seedlings to grow by lifting the net.



DOES NOT INCREASE THE RISK OF DISEASE


Made with HDPE, Climatex is hydrophobic and does not release moisture while drying. This means it does not increase the risk of fungal diseases.

HOW TO PROPERLY INSTALL THE CLIMATEX?

When choosing the size of your net, remember to choose one that is slightly larger than the area you want to cover. This will give you enough slack to bury the sides and allow your plants to lift the net as they grow. It is important to follow these steps because this net is made with triangular meshes and needs to be stretched to reach the specified dimensions.


Warning : if you want to cut the net, you must stretch it beforehand, otherwise the dimensions will no longer be accurate.

For example, if you are using a 16m x 100m net:




Step 1 : Mark the ground

To ensure compliance with the length and width indicated on the label.



Step 2 : Unroll lengthwise

Do not exceed the 100 m previously marked.



Step 3 : Unroll widthwise

Gradually secure the net every 2 metres, while stretching it over 16 metres.



VIDEO - Installation tutorial



To learn more about our Climatex net, our sales teams are available to discuss it with you.



Alphavent 30




Alphavent 35

WINDBREAK NETTING

30% - 35%



Alphavent 30



Alphavent 35

Our windbreak nets are designed to be mounted on structures such as greenhouses, green-houses, climate sheds or on the fences of field crops.

Nets with 20-35% of wind protection are light and airy solutions, providing improved ventilation in low tunnel models. These netting systems are often used in order to prevent impacts on the side wings of greenhouses.


We can also manufacture specific products which are not found in our standard offer, with various mesh sizes, colors and weight/m². Please, contact us for more details.

Alphavent 35 is available in a fire-treated version for outdoor applications or for public utility facilities.



| Product | Windbreak effect | Mesh | Constr. | UV Treat. | Color | Width | Length | Weight | Finishes | Packaging |
|--------------|------------------|-----------------------|---------|-----------|------------------------|---------|-------------|-------------|--|--------------|
| Alphavent 30 | 30% | Rectang. 2x3 mm | Knitted | 600 KLY | Crystal | 2 m | 200 m | 70 g/sqm | Lateral reinforcements | 1 m Rolls |
| | | | | | | 2.5 m | | | | 1.25 m Rolls |
| | | | | | | 3 - 6 m | | | | 1.5 m Rolls |
| | | | | | | 4 m | | | | 2 m Rolls |
| | | | | | Green/Black or Crystal | 1.3 m | 300 m | 1.3 m Rolls | | |
| | | | | | | 1.6 m | 100 m | | | 1.6 m Rolls |
| | | | | | Green/Black | 2 m | | 1 m Rolls | | |
| | | | | | | 3 m | | 1.5 m Rolls | | |
| | | | | | | 4 m | | 2 m Rolls | | |
| | | | | | | 6 m | 1.5 m Rolls | | | |
| Alphavent 35 | 35% | Rectang. 5.5 x 5.5 mm | Knitted | 600 KLY | Crystal | 3 m | 500 m | 90 g/sqm | Lateral reinforcements and buttonholes | 1.5 m Rolls |
| | | | | | | 4 m | | | | 2 m Rolls |
| | | | | | | 5 m | | | | 1.25 m Rolls |
| | | | | | Black | 3 m | 100 m | | | 1.5 m Rolls |
| | | | | | | 4 m | | | | 2 m Rolls |
| | | | | | | 5 m | | | | 1.25 m Rolls |
| | | | | | | 6 m | | | | 1.5 m Rolls |

Accessories on page 43





Alphavent 50




Alphavent 55




Alphavent 65

WINDBREAK NETTING


50% - 65%



Alphasent 50



Alphasent 55



Alphasent 65

Our 50%-65% windbreak netting range stops more wind, while still ensuring a good ventilation and durability combination. These nets are highly popular among our customers. It can also be used as a climate shielding, hail barrier, physical barrier against some insects, etc.



| Product | Windbreak | Mesh | Constr. | UV Treat. | Color | Width | Length | Weight | Finishes | Packaging | |
|--------------|--------------|-------------------------|---------|-----------|---------------|-----------|--------|-----------|--|--------------|--------------|
| Alphasent 50 | 50% | Rectang. 2x4 mm | Knitted | 600 KLY | Crystal | 1.5 - 3 m | 100 m | 100 g/sqm | Lateral reinforcements and buttonholes | 1.5 m Rolls | |
| | | | | | | 2 m | | | | 2 m Rolls | |
| | | | | | | White | 3 m | | | 500 m | 1.5 m Rolls |
| | | | | | | | 3.5 m | | | | 1.75 m Rolls |
| | | | | | Green / Black | 1.5 - 3 m | 100 m | | | 1.5 m Rolls | |
| | | | | | | 2 - 4 m | | | | 2 m Rolls | |
| | | | | | | 3.5 m | | | | 1.75 m Rolls | |
| | | | | | | 500 m | 6 m | | | 250 m | 1.5 m Rolls |
| | | | | | | | 0.8 m | | | 1 m Rolls | 0.8 m Rolls |
| | | | | | | | 1 m | | | | |
| | | | | | Black | 1.5 - 3 m | 500 m | | | 1.5 m Rolls | |
| | | | | | | 2 - 4 m | | | | 2 m Rolls | |
| 2.5 - 5 m | 1.25 m Rolls | | | | | | | | | | |
| Alphasent 55 | 55% | Rectang. 2x3 mm | Knitted | 600 KLY | Green / Black | 2.4 m | 250 m | 165 g/sqm | Lateral reinforcements | 2.4 m Rolls | |
| | | | | | | 100 m | 1 m | | | 1 m Rolls | |
| | | | | | | | 1.25 m | | | 1.25 m Rolls | |
| | | | | | | | 1.5 m | | | 1.5 m Rolls | |
| | | | | | | | 2 m | | | 2 m Rolls | |
| | | | | | | | 3 m | | | 1.5 m Rolls | |
| | | | | | | | 4 m | | | 2 m Rolls | |
| 6 m | 1.5 m Rolls | | | | | | | | | | |
| Alphasent 65 | 65% | Triang. 5.5 x 5.5 mm | Knitted | 600 KLY | Dark Green | 3 m | 100 m | 150 g/sqm | Without buttonholes | 1.5 m Rolls | |
| | | | | | | 3.6 m | | | | 1.8 m Rolls | |
| | | | | | | 4 m | | | | 2 m Rolls | |

Manufacturer's advice

Windbreak netting installation



GENERAL INFORMATION

The effective surface area of a windbreak net is approximately 10 times its height. This means that a 4-metre-high net will protect a 40-metre-long plot of land.

ALL THE STEPS INVOLVED IN INSTALLING A WINDBREAK NET FOR A WEATHER SHELTER ON A FENCE

As a net manufacturer, Alphatex has also acquired expertise in installation, enabling us to provide you with the best advice. Creating a weather shelter using fencing is an effective way to quickly protect yourself from the wind. To do this, you will need the following accessories :

- | | | | |
|----|--|----|---------------------|
| 1. | 6-metre high posts, 15/17 diameter with tapered ends | 6. | Protective sleeves |
| 2. | Screw-in anchors | 7. | Windbreak net |
| 3. | Slings with a diameter of 6mm and a length of 5m | 8. | DELTEX cable 4x2 mm |
| 4. | 6 mm cable clamps | 9. | 40 mm clamp |
| 5. | Coil tubes | | |


STEP 1 : ESTABLISHMENT OF THE STRUCTURE

First, the structure must be erected using 6-metre posts. Ideally, at least 1.5 metres should be buried in the ground to be firmly anchored in the ground. The posts should be spaced two metres apart, regardless of their height.

Please note that the posts must be smooth and free of knots to prevent abrasion on the net. In addition, a knot that is too deep can weaken the post depending on where it is located, and the post may split in case of strong wind.

Next, you need to install 'chairs' at each end of the structure, or at long intervals: every 100 metres; in order to reinforce the structure. Otherwise, with the tension of the net, the posts at the ends would be under too much strain and would lean towards the centre.

This operation is carried out using a stake, slings and screw anchors, as shown in the diagram below.




STEP 2 : INSTALLATION OF PIPES AND DUCTS

For this second step, you will need to fit a black PVC protective sleeve onto each pole, using flat-headed nails every 60 cm on both sides of the sleeve, as well as roll-up tubes at each end.

What is the protective sleeve for? The sleeve acts as a bumper to prevent the net from rubbing against the wood (mechanical protection).


Alphatex offers a roller kit that allows you to adjust the tension of the net (for nets up to two metres high). The tubes allow you to stretch nets up to two metres. In the diagram below, two must be installed at each end to obtain a 4-metre windbreak. The net roller mandrel will then be inserted into it.



STEP 3 : INSTALLATION OF THE WINDBREAK NET

This step involves installing the net on the structure. To do this, you need to :

1. Thread the DELTEX 4x2 cables through each buttonhole in the net.
2. Suspend the net from each post head using clamps installed on the post heads.
3. Tension the cables independently of the net by attaching them to the two end posts with a TIRVIT.
4. Place the net in the winding tube and apply tension by turning the tube.
5. Secure the cables with a cable tie at each intersection of the posts.





Alphaombre 20




Alphaombre 45




Alphaombre 55


20-55% SHADE NETS MADE WITH STRIPS




Alphaombre 20
Snow White Ultimate



Alphaombre 40
Snow White Ultimate




Alphaombre 45



Alphaombre 55
Strips

Strip shade nets can be used on structures. This kind of netting is lighter than monofilament nets. They also offer a wide range of light protection (from 20 to 85%).



Alphaombre 55
Monofilaments

| Product | Shade perc. | UV Treat. | Constr. | Color | Weight | Width | Length | Finishes | Packaging |
|--------------------------------------|-------------|-----------|----------------------------------|-------------|-----------|-----------------|--------|--|-------------------------------------|
| Alphaombre 20 Snow White Ultimate | 18% | 600 KLY | Knitted 100% strips | White | 40 g/sqm | 4.2 - 6.4 m | 200 m | Top and bottom reinforcements 5 cm | Folded roll with Ø50 mm PVC mandrel |
| Alphaombre 40 Snow White Ultimate | 38% | 600 KLY | Knitted strips | White | 104 g/sqm | 2 m | 100 m | Reinforcements and buttonholes on side | 1 m Rolls |
| | | | | | | 4 m | | | 2 m Rolls |
| | | | | | | 3 - 6 m | | | 1.5 m Rolls |
| Alphaombre 45 | 46% | 600 KLY | Knitted monofilaments and strips | Green/Black | 85 g/sqm | 2 - 3 - 4 - 6 m | 100 m | Reinforcements and buttonholes on side | |
| Alphaombre 55 | 55% | 600 KLY | Knitted 100% strips | Green/Black | 54 g/sqm | 2 - 4 m | 100 m | Reinforcements and buttonholes on side | 2 m Rolls |
| | | | | | | 6 m | | | 1.5 m Rolls |
| | | | Monofilaments | | 150 g/sqm | 1 m | 100 m | Side buttonholes | 1 m Rolls |
| | | | | | | 1.25 m | | | 1.25 m Rolls |
| | | | | | | 2 - 4 m | | | 2 m Rolls |
| | | | | | | 1.5 - 3 - 6 m | | | 1.5 m Rolls |
| | | | | | | 3.6 m | | | 1.80 m Rolls |
| | | | | | | 2 m | | | 200 m |

Accessories on page 43





Alphaombre 60




Alphaombre 80

60-85% SHADE NETS MADE WITH STRIPS


END OF PRODUCTION




Alphaombre 60



Alphaombre 75



Alphaombre 80



Alphaombre 85




| Product | Shade perc. | UV Treat. | Constr. | Color | Weight | Width | Length | Finishes | Packaging |
|---|-------------|-----------|----------------------------------|-------------|-----------|---------|-------------|--|-------------|
| Alphaombre 60 | 62% | 600 KLY | Knitted 100% strips | Green/Black | 72 g/sqm | 2 m | 100 m | Reinforcements and buttonholes on side | 1 m Rolls |
| | | | | | | 4 m | | | 2 m Rolls |
| | | | | | | 3 - 6 m | | | 1.5 m Rolls |
| Alphaombre 75 | 76% | 600 KLY | Knitted 100% strips | Green/Black | 54 g/sqm | 2 m | 100 m | Reinforcements and buttonholes on side | 1 m Rolls |
| | | | | | | 4 m | | | 2 m Rolls |
| | | | | | | 6 m | | | 1.5 m Rolls |
| Alphaombre 80 | 80% | 600 KLY | Knitted 100% strips | Green/Black | 104 g/sqm | 1.5m | 50 - 200 m | Reinforcements and buttonholes on side | 1.5 m Rolls |
| | | | | | | 1.8 m | 50 - 200 m | | 1.8 m Rolls |
| | | | | | | 2 m | 50 - 200 m | | 2 m Rolls |
| | | | | | | 3 m | 100 - 200 m | | 1.5 m Rolls |
| | | | | | | 4 m | 100 m | | 2 m Rolls |
| Alphaombre 85 <small>END OF PRODUCTION</small> | 85% | 600 KLY | Knitted strips and monofilaments | Dark green | 145 g/sqm | 2 m | 100 m | Reinforcements and buttonholes on side | 1 m Rolls |
| | | | | | | 4 m | | | 2 m Rolls |
| | | | | | | 3 - 6 m | | | 1.5 m Rolls |

UPDATE ON OUR ALPHAOMBRE RANGE

Our R&D and quality control departments have invested in new tools for measuring shade percentages, and they have studied the entire Alphaombre range in order to provide you with accurate values.

Aware of the importance of protection suited to the type of crop, we have taken these measures to give professionals the best products.

Accessories on page 43





Ombramache 40




Ombramache 60




Ombrex 55

SHADE NETS FOR LAMB'S LETTUCE PRODUCTION



TO ORDER

Omboramache 60



END OF PRODUCTION

Ombrex 55

Alphatex has designed a specific range for its customers who need to install nets (manually or mechanically) on garden hoops and tunnels. Omboramache nets are made of monofilament and have a better resistance to roll up and unroll, which increases their lifespan, compared to strip nets. Their quality/price ratio is better as well. We recommend these nets to grow lamb's lettuce and young shoots. Moreover, our monofilament or strip nets provide a high percentage of shade while maintaining effective ventilation for crops.



| Product | Shade perc. | UV Treat. | Constr. | Color | Weight | Width | Length | Finishes | Packaging |
|-----------------|-------------|-----------|-----------------------|-------------|-----------|---------------|--------|---------------------|-------------------------------------|
| Omboramache 60* | 60% | 320 KLY | Knitted monofilaments | Black | 110 g/sqm | 1.80 - 2.10 m | 300 m | Side reinforcements | Folded roll with Ø50 mm PVC mandrel |
| Ombrex 55 | 55% | 320 KLY | 100% strips | Green/Black | 100 g/sqm | 1.6 m | 300 m | Side reinforcements | Folded roll with Ø50 mm PVC mandrel |

*only on demand



Manufacturer's advice

Which shade net to choose ?



To choose the right shade mesh, you first need to know the characteristics that differentiate the different products in our range.

Construction: monofilament or strips

- Monofilament nets are heavier and recommended for use on outdoor structures.
- Strip nets are lighter and are recommended for indoor use, for shading in greenhouses, or directly on crops (depending on the weight of the net, which has to be lighter than 45 g/m²).

MANUFACTURER'S ADVICE

Whether for use in open fields or on structures, Alphatex offers shade nets in monofilament or strip form. Here is a quick reminder of the differences between these two types of product :

MONOFILAMENT

| | |
|---------------------|-------|
| Weight | ● ● ● |
| Ventilation | ● ● ● |
| Mechanical strength | ● ● ● |
| Outdoor use | ● ● ● |
| Indoor use | ● ● |
| Shading capacity | ● |

STRIPS

| | |
|---------------------|-------|
| Weight | ● |
| Ventilation | ● |
| Mechanical strength | ● |
| Outdoor use | ● ● |
| Indoor use | ● ● ● |
| Shading capacity | ● ● ● |



Color : light or dark


- White nets are particularly used in red fruit crops. Thanks to their white color, light is diffused evenly over the plantations, which improves their development and the red color of fruits.
- Green and black netting provides more shade and is used for crops that need more of it.



ALPHAOMBRE 20
18% shading




ALPHAOMBRE 40
38% shading




ALPHAOMBRE 45
46% shading



ALPHAOMBRE 55
55% shading



ALPHAOMBRE 60
62% shading



ALPHAOMBRE 75
76% shading




ALPHAOMBRE 80
80% shading




ALPHAOMBRE 85
85% shading

All nets provide shade !


In addition to our range specifically designed for shading, all our nets can be used to protect crops from the sun. Find a list of our products and their respective shading rates here.




DROSOTIS CRYSTAL
10% shading



DROSOTIS GREEN/BLACK
43% shading



INSECTIS
16% shading




POLLENATIS
12% shading




THRIPTIS
18% shading




ALPHAVENT 30 CRYSTAL
8% shading




ALPHAVENT 30 GREEN/BLACK
24% shading




ALPHAVENT 35 CRYSTAL
10% shading




ALPHAVENT 35 BLACK
35% shading




ALPHAVENT 50 CRYSTAL
9% shading




ALPHAVENT 50 BLACK
40% shading



ALPHAVENT 50 GREEN/BLACK
42% shading



ALPHAVENT 55
41% shading




ALPHAVENT 65 GREEN
65% shading



ALPHAVENT 65 BLACK
65% shading



COVERTEX 150 CD
52% shading



COVERTEX 165 CD
68% shading



COVERTEX 200
73% shading

To find out more about installing shade netting on greenhouses, ask your sales representative **for our installation instructions.**





Floortis 100




Floortis 130


LANDSCAPE FABRICS



Floortis 90 ; 100 ; 130



Floortis 90 ; 130



Floortis 90 ; 100 ; 130

Our 100% woven polypropylene mulch fabrics are made with a UV protection for a longer lifespan. The fabric is installed on the ground before planting to prevent weeds from growing. It also helps plants and shrubs to grow. The mulch fabric is permeable to water and air and keeps the soil cool and moist.



| Product | UV Treat. | Weight | Constr. | Color | Width | Length | Finishes | Packaging |
|--------------|-----------|-----------|---------|-----------------------|---|----------------|--|--------------------------------------|
| Floortis 90 | 600 KLY | 90 g/sqm | Woven | Green/Black | 1.05 - 1.25 1.65 - 2.10 3.30 - 4.20 5.25 m | 100 m | Green stripes every 25 cm (lengthwise) | Folded rolls with mandrel |
| | | | | White | 1.25 - 1.65 - 2.10 - 5.25 m | | | |
| Floortis 100 | 600 KLY | 100 g/sqm | Woven | Green | 1.05 - 1.25 m | 5 - 10 - 100 m | | Folded rolls with Ø50 mm PVC mandrel |
| | | | | Black | 1.25 - 1.65 m | 5 - 10 - 100 m | | |
| Floortis 130 | 600 KLY | 130 g/sqm | Woven | Green, Black or White | 1.25 - 1.65 - 2.1 m | 5 - 10 - 100 m | | |
| | | | | Green or Black | 3.3 - 4.2 - 5.25 m | 100 m | | |
| | | | | Black | 3.25 m | 5 - 10 - 100 m | 1.65 m Rolls | |


OUR ACCESSORIES

We offer two particularly useful accessories to install landscape fabrics: staples and a thermal perforator. The serrated steel staples, with bevelled ends, are easy to put into the ground and will remain in place for a long time.

The **staples**, made of serrated steel with bevelled ends, enable quick, secure and durable installation of mulching fabric.



The **thermal perforator** is very useful when planting. It allows you to drill holes easily and very quickly.



Proof that grass does not grow underneath!






Couvratis 250



650g/m² PVC Tarpaulin

TARPAULINS



Couvratis 100



Couvratis 150



Couvratis 250



Tarpaulin 650 g/m²



Tarpaulin 650 g/m²



Tarpaulin 900 g/m²

Our catalogue includes both light HDPE and heavy PVC tarpaulins.

Lightweight tarpaulins, from the Couvratis range, are used for short-term needs. They are more economical than heavy tarpaulins.

Our 650 g/m² and 900 g/m² protective PVC tarpaulins are well-known for their adaptability, durability and resistance. They can be used to protect equipment, cover agricultural tunnels or even cover skips. They are made to measure according to your plans and specifications, with welded hems and eyelets.



| Product | Material | Weight | UV Treat. | Width* | Length* | Color | Finishes |
|--------------------------------|---------------------------|-----------|-----------|----------|-----------------|--|--|
| Couvratis 100 | Woven HDPE coated with PE | 100 g/sqm | 120 KLY | 2 m | 3 m | Green, Grey | Reinforced hem and eyelets every metre |
| | | | | 3 m | 4 m | | |
| | | | | | 5 m | | |
| Couvratis 150 | Woven HDPE coated with PE | 150 g/sqm | 120 KLY | 4 m | 5 m | Green, Grey | Reinforced hem and eyelets every metre |
| | | | | | 6 m | | |
| | | | | 5 m | 6 m | | |
| Couvratis 250 | Woven HDPE coated with PE | 250 g/sqm | 120 KLY | 6 m | 8 m | Blue, Green, Grey, White | Reinforced hem and eyelets every metre |
| | | | | 8 m | 10 m | | |
| | | | | | 10 m | | |
| Tarpaulin 650 g/m ² | PVC-coated polyester | 650 g/sqm | 300 KLY | Flexible | Made-to-measure | Blue, Yellow, Black, Green, White, Ivory, Grey, Red, Dark grey, Sand | Welded hems and eyelets |
| Tarpaulin 900 g/m ² | PVC-coated polyester | 900 g/sqm | 600 KLY | Flexible | Made-to-measure | Blue, Yellow, Black, Green, White, Grey, Red | Welded hems and eyelets |

Manufacturer's advice

UV protection treatment




All Alphatex netting are made to ensure resistance to regular exposure to UV radiation. More information in this regard can be found on each of our product under « UV treatment ». This criteria is measured with Kilo Langlay (KLY), a unit to express the maximum level of exposure which our netting can withstand.

UV TREATMENT

The main material used in our netting is high-density polyethylene. This component has many advantageous properties, such as flexibility and mechanical resistance. However, it also comes with a flaw : polyethylene is not particularly resistant to UV light. UV radiation dries the mats, making them brittle.

That is why our manufacturing process includes additives which increase polyethylene's resistance to UV light.

The more additives we use, the higher its resistance. However, it also increases its weight and price.



Global UV exposure (in Kly)

WHAT IS KLY ?

Langley (Ly) is a unit of radiation energy per surface unit equal to one gram of calories per square centimetre. It is mainly used to measure sun radiation on the surface of the Earth.

LIFESPAN OF UV TREATMENT

In France, UV protection treatments are calculated on an annual basis of 80KLY, corresponding to exposure in the Paris region. The amount of additive we incorporate allows our nets to withstand between 300 and 800KLY.

To know how much time the UV treatment will last, you only have to divide : UV treatment / UV exposure of your country.

This allows us to estimate the lifespan of our products in seasons: a 600KLY-treated net can be reused for 5-6 seasons in France (this also depends on the length of the season, installation, friction, etc.).

Our accessories



C OR S CLASP

C or S Gancio clasp.
Sold by 1000 pieces.

Dimension

8x80mm



STAPLES FOR LANDSCAPE FABRICS

Beveled and notched staples for mulching fabric.
Box of 100 pieces.

Dimension

20 x 20 x 20 cm

Diameter

4 mm



SR8 STAPLES

SR8 galvanised metal staples, B nu.
Box of 2,500 pieces.



P7 STAPLER

Bostitch SR8 stapler with P7 magazine - Installation of wire mesh, wired or unwired.



SPLIT RING

Broken rings used to attach nets to wire or cable.
Colors : Grey, Black, White, Green.

Dimension

21x41mm



TENSION CABLED WIRE

Used for installing nets and tarpaulins on structures or fences.
Material : HDPE cable

Diameter

3 - 4 - 5 - 6 - 8 - 10 mm

Reel length

100 - 200 - 250 - 500 m

Colors

Black - Green - Stone - Green/Blue -
Dark green - Aqua green - White - Grey
- Red



CORD REEL

Used for installing nets and tarpaulins on structures or fences.
Material : braided HDPE

Diameter

3 - 3.5 - 4 mm

Coil length

100 - 200 - 250 - 500 m

Colors

Black - Green - Green/Blue - Dark green - Aqua green - White - Grey - Red



PVC COATED CABLE

Used for installing nets and tarpaulins on structures or fences.
Material : Galvanised steel and PVC.

Diameter

5 - 6 - 7 mm

Coil length

50 m à 200 m ou à la coupe

Colors

Dark green - Transparent dark green - Black - Light green - White - Grey - Transparent



STAINLESS CABLE

Used for installing nets and tarpaulins on structures or fences.
Material : 7x7 galvanised steel.

Diameter

2 mm

Coil length

100 - 200 m



STAINLESS STEEL CABLE

Used for installing nets and tarpaulins on structures and fences.

Material : 7x7 stainless steel

Diameter

2 mm

Coil length

100 - 200 m



2-POINT CLAMP

2-point bracket, ideal for thick windbreaks and privacy screens.
Bag of 250 pieces.



MOUNTING CLAMPS

Fixing clip for small lightweight windbreaks or privacy screens.

Bag of 150 pieces.



STAPLE

Used to secure nets and cables to wooden posts.
5kg box (\approx 354 pcs).



ROLLER KIT

Windbreak kit.
2 galvanised ring bolts, height 160 mm - thread 65 mm - inner ring diameter 45 mm - tube diameter 38 mm, thickness 2 mm - Supplied with a bolt and 2 cranks (concrete round bar)

Height
2 - 3 m



LOCKING SLEEVES

Aluminium sleeve for cables measuring 0.55 to 0.65 mm. For hail guards and windbreaks.
Bag of 100 pieces.



ALL-PURPOSE PLIERS

Maximum cutting diameter \varnothing 4 mm and crimping of sleeves (maximum \varnothing 2.5 mm).



GALVENISED STIFFENER

Ensures tension in wires and cables.
Material : Galvanised steel

Diameter
2 - 3 - 4 mm

Colors
Green - White - Black



BUNGEE CORD

For attaching nets.
Colors : White, Black.

Diameter
6 - 8 mm

Length
100 m



BUNGEE CORD WITH SNAP HOOKS

For attaching nets.

Diameter

8 mm

Length

0.70 - 1.30 - 1.60 - 1.70 - 1.80 - 2 m



CABLE CLAMP

For hail protection and windbreaks.

Box of 50 pieces.

Material : Galvanised steel.

Diameter

3 - 4 - 5 - 6 - 8 mm



GALVANISED TURNBUCKLE

To properly tension your nets.

Diameter

5 - 6 - 8 - 10 mm

Type

1 ring/1 hook - 2 rings -
2 hooks



RAPID BLOCKER

For tensioning and securing the cable. Double-channel self-locking mechanism.

Dimensions

1.50 to 2.50 mm

| Products | Length | Width | Color | Reference | | |
|---|---------------------|-------------|-------------|------------|-------------|-------------|
| BIOTIS 450 STOP FLEA BEETLES | 100 m | 13.20 m | Crystal | 5WMR043013 | | |
| | | 16 m | | 5WMR043016 | | |
| | 125 m | 2.20 m | | 5WMR043002 | | |
| | | 4.40 m | | 5WMR043004 | | |
| | | 6 m | | 5WMR043006 | | |
| | | 8.80 m | | 5WMR043008 | | |
| | | 11 m | | 5WMR043011 | | |
| | 300 m | 2.10 m | | 5WMR043003 | | |
| | BIOTEX 500 | 100 m | | 16 m | White | 5SMR049003* |
| | | 125 m | | 2.40 m | | 5SMR049006* |
| 4.80 m | | | 5SMR049008* | | | |
| 6 m | | | 5SMR049012* | | | |
| 8 m | | | 5SMR049016* | | | |
| 12 m | | | 5SMR049024* | | | |
| 300 m | | 2.10 m | 5SMR049048* | | | |
| BIOTEX 800 STOP FLY | | 100 m | 4 m | White | | 5SMR036004 |
| | 16 m | | 5SMR036016 | | | |
| | 125 m | 2.40 m | 5SMR036024 | | | |
| | | 4.80 m | 5SMR036048 | | | |
| | | 6 m | 5SMR036006 | | | |
| | | 8 m | 5SMR036008 | | | |
| | | 11 m | 5SMR036011* | | | |
| | | 12 m | 5SMR036012 | | | |
| | 300 m | 2.10 m | 5SMR036002* | | | |
| | DROSOTIS 8/6 | 200 m | 1.30 m | | Green/Black | 5WMR085102 |
| 2 m | | | Crystal | 5WMR085103 | | |
| 2.50 m | | | Green/Black | 5WMR085104 | | |
| | | | Crystal | 5WMR085004 | | |
| 3 m | | | Green/Black | 5WMR085105 | | |
| | | | Crystal | 5WMR085005 | | |
| 4 m | | Green/Black | 5WMR085106 | | | |
| | | Crystal | 5WMR085006 | | | |
| 300 m | | 1.30 m | Crystal | 5WMR085002 | | |
| POLLENATIS 10/10 | 200 m | 1.60 m | Crystal | 5WMR090004 | | |
| | | 2.60 m | | 5WMR090002 | | |
| | | 3.20 m | | 5WMR090001 | | |
| | | 4 m | | 5WMR090005 | | |
| | | 5.20 m | | 5WMR090003 | | |

| Products | Length | Width | Color | Reference | |
|-----------------------|--------|-------------------|--------------|------------------------------|------|
| INSECTIS 16/10 | 200 m | 1.60 m | Crystal | 5WMR110016 | |
| | | 2 m | | 5WMR110020 | |
| | | 3.20 m | | 5WMR110032 (machine pose) | |
| | | 4 m | | 5WMR110033 (folded) | |
| | | | | 5WMR110040 | |
| THRIPTIS 20/10 | 200 m | 1.60 m | Crystal | 5WMR135016 | |
| | | 2.10 m | | 5WMR135021 | |
| | | 2.60 m | | 5WMR135026 | |
| | | 3.10 m | | 5WMR135031 | |
| | | 4 m | | 5WMR135040 | |
| CLIMATEX | 100 m | 12 m | Crystal | 5SPT1045007 | |
| | | 14 m | | 5SPT1045014 | |
| | | 16 m | | 5SPT1045005 | |
| | | 18 m | | 5SPT045018 | |
| | | 24 m | | 5SPT1045024 | |
| | | 32 m | | 5SPT1045032* | |
| | 150 m | 26 m | | 5SPT045026 | |
| | 200 m | 15 m | | 5SPT045017 | |
| | | 28 m | | 5SPT045028 | |
| | 250 m | 2 m | | 5SPT1045002 | |
| | | 4 m | | 5SPT1045006 | |
| | | 6 m | | 5SPT1045003 | |
| | | 6.50 m | | 5SPT045009 | |
| | | 8 m | | 5SPT1045004 | |
| | | 10.50 m | | 5SPT1045012 | |
| | | 12 m | | 5SPT1045008 | |
| | | 14 m | | 5SPT1045015 | |
| | | CLIMAFROST | | 100 m | 12 m |
| 16 m | | | 5SPT1036005* | | |
| ALPHAVENT 30 | 100 m | 2 m | Green/Black | 5SMR070002 | |
| | | 3 m | | 5SMR070003 | |
| | | 4 m | | 5SMR070004 | |
| | | 6 m | | 5SMR070006 | |
| | 200 m | 2 m | Crystal | 5SMR0700102 | |
| | | 2.50 m | | 5SMR070125 | |
| | | 3 m | | 5SMR0700103 | |
| | | 4 m | | 5SMR070104 | |
| | 300 m | 1.30 m | Green/Black | 5SMR070013 | |
| | | | Crystal | 5SMR070113 | |
| | | 1.60 m | Green/Black | 5SMR070016 | |

*Subject to availability

| Products | Length | Width | Color | Reference | |
|---------------------|-------------|---------------------|-------------|--|------------|
| ALPHAVENT 35 | 100 m | 3 m | Black | 5SMR090060 | |
| | | 4 m | | 5SMR090061 | |
| | | 5 m | | 5SMR090062 | |
| | | 6 m | | 5SMR090021* | |
| | 500 m | 3 m | Crystal | 5SMR090040 | |
| | | 4 m | | 5SMR090041 | |
| | | 5 m | | 5SMR090036* | |
| | | | | 5SMR090042* (top & bottom buttonhole) | |
| ALPHAVENT 50 | 100 m | 1.50 m | Green/Black | 5SMR106515 | |
| | | | Crystal | 5SMR106702 | |
| | | 2 m | Green/Black | 5SMR106102 | |
| | | | Crystal | 5SMR106703 | |
| | | 3 m | Green/Black | 5SMR106334 | |
| | | | Crystal | 5SMR106704 | |
| | 250 m | 3.50 m | Green/Black | 5SMR106235* | |
| | | 4 m | | 5SMR106239 | |
| | | 2.40 m | Black | 5SMR106824 | |
| | | 6 m | Green/Black | 5SMR106260 | |
| | 500 m | 0.80 m | Green/Black | 5SMR106003 | |
| | | 1 m | | 5SMR106029 | |
| | | 1.50 m | | 5SMR106517 | |
| | | 2 m | | 5SMR106221 | |
| | | 2.50 m | | 5SMR106225 | |
| | | 3 m | | 5SMR106234 | |
| | | 5 m | 3 m | White | 5SMR106435 |
| | | | 3.50 m | | 5SMR106437 |
| | | | 4 m | Green/Black | 5SMR106436 |
| | | | 5 m | | 5SMR106240 |
| ALPHAVENT 55 | 100 m | 1 m | Green/Black | 5SMR165002 | |
| | | 1.25 m | | 5SMR165003 | |
| | | 1.50 m | | 5SMR165004 | |
| | | 2 m | | 5SMR165005 | |
| | | 3 m | | 5SMR165007 | |
| | | 4 m | | 5SMR165009 | |
| | | 6 m | | 5SMR165011 | |
| | | ALPHAVENT 65 | | 100 m | 3 m |
| 3.60 m | 5SMT150012* | | | | |
| 4 m | 5SMT150013* | | | | |

*Subject to availability

| Products | Length | Width | Color | Reference |
|--|----------------------------------|-------------|-------------|-----------------------------------|
| COVERTEX 150 CD | 4 m | 3 m | Black | 5SMT150725* |
| | | | Dark green | 5SMT150830* |
| | 5 m | 3.50 m | Black | 5SMT150718* (with bungee cord) |
| | | | | 5SMT150719* |
| | 5.50 m | | Dark green | 5SMT150818* |
| | | | | 5SMT150819* |
| | 6 m | | Black | 5SMT150720* |
| | | | | Dark green |
| | 6.50 m | | Black | 5SMT150724* |
| | | | | Dark green |
| | 7 m | | Black | 5SMT150721* |
| | | | | Dark green |
| | 7.50 m | Black | 5SMT150722* | |
| | | | Dark green | 5SMT150822* |
| 8 m | Black | 5SMT150728* | | |
| | | Dark green | 5SMT150828* | |
| COVERTEX 200 | 4 m | 3 m | Black | 5SMT200825 (with bungee cord) |
| | 5 m | 3.50 m | | 5SMT200718* |
| | | | | 5SMT200818 (with bungee cord) |
| | 5.50 m | | | 5SMT200823 (with bungee cord) |
| | | | | 5SMT200720* |
| | 6 m | | | 5SMT200820 (with bungee cord) |
| | | | | 5SMT200824 (with bungee cord) |
| | 6.50 m | | | 5SMT200721* |
| | | | | 5SMT200821 (with bungee cord) |
| | 7 m | | | 5SMT200822 (with bungee cord) |
| 5SMT200728* | | | | |
| 7.50 m | 5SMT200828 (with bungee cord) | | | |
| | 5SMT200826 (with bungee cord) | | | |
| 8 m | 8.50 m | | | |
| | | | | |
| COVERTIS | 4 m | 3 m | Black | 5WMR170730 |
| | 5.50 m | 3.50 m | | 5WMR170719 |
| | | | | 5WMR170720 |
| | 6 m | | | 5WMR170721 |
| | | | | 5WMR170722 |
| | 6.50 m | | | 5WMR170723 |
| 7.50 m | | | | |
| ALPHAOMBRE 20 Snow White Ultimate | 200 m | 4.20 m | White | 5SPT045102 |
| | | 6.40 m | | 5SPT045104 |

*Subject to availability

| Products | Length | Width | Color | Reference |
|--|------------------------|------------|-------------|--|
| ALPHAOMBRE 40 Snow White Ultimate | 100 m | 2 m | White | 5SPT104002 |
| | | 3 m | | 5SPT104003 |
| | | 4 m | | 5SPT104004 |
| | | 6 m | | 5SPT104006 |
| ALPHAOMBRE 45 | 100 m | 2 m | Dark green | 5SXR085002* |
| | | 3 m | | 5SXR085003* |
| | | 4 m | | 5SXR085004* |
| | | 6 m | | 5SXR085006* |
| ALPHAOMBRE 55 | 100 m | 1 m | Green/Black | 5SMR150114 |
| | | 1.25 m | | 5SMR150115 |
| | | 1.50 m | | 5SMR150125 |
| | | 2 m | | 5SMR150120 |
| | | 2 m | | 5SPT054002 (Strips) |
| | | 3 m | | 5SMR150113 |
| | | 3 m | | 5SMR150118 (Buttonhole every meter) |
| | | 3.60 m | | 5SMR150218 |
| | | 4 m | | 5SMR150126 |
| | | 4 m | | 5SPT054004 (Strips) |
| | 6 m | 5SMR150127 | | |
| 6 m | 5SPT054006 (Strips) | | | |
| 200 m | 2 m | 5SMR150122 | | |
| ALPHAOMBRE 60 | 100 m | 2 m | Green/Black | 5SPT068002 |
| | | 3 m | | 5SPT068003 |
| | | 4 m | | 5SPT068004 |
| | | 6 m | | 5SPT068006 |
| ALPHAOMBRE 75 | 100 m | 2 m | Green/Black | 5SPT054102 |
| | | 4 m | | 5SPT054104 |
| | | 6 m | | 5SPT054106 |

*Subject to availability

| Products | Length | Width | Color | Reference |
|----------------------|----------------------|--------|-------------|----------------|
| ALPHAOMBRE 80 | 50 m | 1.50 m | Green/Black | 5SPT104102 |
| | | 1.80 m | | 5SPT104104 |
| | | 2 m | | 5SPT104106 |
| | 100 m | 3 m | | 5SPT104108 |
| | | 4 m | | 5SPT104110 |
| | | 200 m | | 1.50 m |
| | 1.80 m | | | 5SPT104105 |
| | 2 m | | | 5SPT104107 |
| | 3 m | | | 5SPT104109 |
| | ALPHAOMBRE 85 | 100 m | | 2 m |
| 3 m | | | 5SXR145003* | |
| 4 m | | | 5SXR145004* | |
| 6 m | | | 5SXR145006* | |
| OMBRAMACHE 60 | 300 m | 1.80 m | Black | 5SMT110180** |
| | | 2.10 m | | 5SMT110106** |
| OMBREX 55 | 300 m | 1.60 m | Green/Black | 5SPT100160* |
| FLOORTIS 90 | 100 m | 1.05 m | Green | 5WPR090105 |
| | | | Black | 5WPR091105 |
| | | 1.25 m | Green | 5WPR090125 |
| | | | Black | 5WPR091125 |
| | | | White | 5WPR092125 |
| | | 1.65 m | Green | 5WPR090165 |
| | | | White | 5WPR092165 |
| | | 2.10 m | Green | 5WPR090210 |
| | | | Black | 5WPR091210 |
| | | | White | 5WPR092210 |
| | | 3.30 m | Green | 5WPR090330 |
| | | | Black | 5WPR091330 |
| | | 4.20 m | Green | 5WPR090420 |
| | | | Black | 5WPR091420 |
| | | 5.25 m | Green | 5WPR090525 |
| | | | Black | 5WPR091525 |
| White | 5WPR092525 | | | |
| FLOORTIS 100 | 5 m | 1.05 m | Green | 5WPR100105_05* |
| | | 1.25 m | | 5WPR100125_05* |
| | | Black | | 5WPR101125_05* |
| | 10 m | 1.05 m | Green | 5WPR100105_10* |
| | | 1.25 m | | 5WPR100125_10* |
| | | Black | | 5WPR101125_10* |
| | 100 m | 1.05 m | Green | 5WPR100105* |
| | | | | 5WPR100106* |
| | | | | 5WPR100125* |
| | | 1.25 m | Green | 5WPR100126* |
| 5WPR101125* | | | | |
| 1.65 m | | Black | 5WPR101126* | |
| | | | 5WPR101165* | |
| 5WPR101166* | | | | |

*Subject to availability
**On request only

| Products | Length | Width | Color | Reference | |
|---------------------|--------|--------|------------|----------------|----------------|
| FLOORTIS 130 | 5 m | 1.25 m | Green | 5WPR130125_05* | |
| | | | Black | 5WPR131125_05* | |
| | | | White | 5WPR132125_05* | |
| | | 1.65 m | Black | 5WPR131165_05* | |
| | | | White | 5WPR132165_05* | |
| | | | 2.10 m | Green | 5WPR130210_05* |
| | | Black | | 5WPR131210_05* | |
| | | White | | 5WPR132210_05* | |
| | | 3.25 m | Black | 5WPR131325_05* | |
| | | | 1.25 m | Green | 5WPR130125_10* |
| | | | | Black | 5WPR131125_10* |
| | | White | | 5WPR132125_10* | |
| | 10 m | 1.65 m | Green | 5WPR130165_10* | |
| | | | Black | 5WPR131165_10* | |
| | | | White | 5WPR132165_10* | |
| | | 2.10 m | Green | 5WPR130210_10* | |
| | | | Black | 5WPR131210_10* | |
| | | | White | 5WPR132210_10* | |
| | | 3.25 m | Black | 5WPR131325_10 | |
| | | 100 m | 1.25 m | Green | 5WPR130125* |
| | | | | | 5WPR130126 |
| | Black | | | 5WPR131125 | |
| | | | | 5WPR131126 | |
| | White | | | 5WPR132125* | |
| | | | | 5WPR132126 | |
| | 1.65 m | | Green | 5WPR130165 | |
| | | | | 5WPR130165_05* | |
| | | | Black | 5WPR130166 | |
| | | | | 5WPR131165 | |
| | | | White | 5WPR131166 | |
| | | | | 5WPR132165 | |
| | 2.10 m | | Green | 5WPR130210 | |
| | | | | 5WPR130211* | |
| | | | Black | 5WPR131210 | |
| | | | | 5WPR131211 | |
| | | | White | 5WPR132210 | |
| 5WPR132211 | | | | | |
| 3.25 m | Black | | 5WPR131325 | | |
| | | | 5WPR131326 | | |

| Products | Length | Width | Color | Reference |
|----------------------|--------|-------|------------|------------|
| COUVRATIS 100 | 2 m | 3 m | Green | 5ETP100403 |
| | | | White | 5ETP100103 |
| | 3 m | 4 m | Green | 5ETP100406 |
| | | | White | 5ETP100106 |
| | | 5 m | Green | 5ETP100409 |
| | | | White | 5ETP100109 |
| | 4 m | 5 m | Green | 5ETP100415 |
| | | | White | 5ETP100115 |
| | | 6 m | Green | 5ETP100418 |
| | | | White | 5ETP100118 |
| | | 8 m | Green | 5ETP100421 |
| | | | White | 5ETP100121 |
| | 5 m | 6 m | Green | 5ETP100424 |
| | | | White | 5ETP100124 |
| | 6 m | 8 m | Green | 5ETP100430 |
| | | | White | 5ETP100130 |
| | | 10 m | Green | 5ETP100433 |
| | | | White | 5ETP100133 |
| | 8 m | 10 m | Green | 5ETP100436 |
| | | | White | 5ETP100136 |
| 12 m | | Green | 5ETP100439 | |
| | | White | 5ETP100139 | |
| 10 m | 12 m | Green | 5ETP100445 | |
| | | White | 5ETP100145 | |
| COUVRATIS 150 | 2 m | 3 m | Green | 5ETP150403 |
| | | | White | 5ETP150103 |
| | 3 m | 4 m | Green | 5ETP150406 |
| | | | White | 5ETP150106 |
| | | 5 m | Green | 5ETP150409 |
| | | | White | 5ETP150109 |
| | | 6 m | Green | 5ETP150412 |
| | | | White | 5ETP150112 |
| | 4 m | 5 m | Green | 5ETP150415 |
| | | | White | 5ETP150115 |
| | | 6 m | Green | 5ETP150418 |
| | | | White | 5ETP150118 |
| | | 8 m | Green | 5ETP150421 |
| | | | White | 5ETP150121 |
| | 5 m | 6 m | Green | 5ETP150424 |
| | | | White | 5ETP150124 |
| | | 8 m | Green | 5ETP150427 |
| | | | White | 5ETP150127 |
| | 6 m | 8 m | Green | 5ETP150430 |
| | | | White | 5ETP150130 |
| 10 m | | Green | 5ETP150433 | |
| | | White | 5ETP150133 | |
| 8 m | 10 m | Green | 5ETP150436 | |
| | | White | 5ETP150136 | |
| | 12 m | Green | 5ETP150439 | |
| | | White | 5ETP150139 | |
| | 15 m | Green | 5ETP150442 | |
| | | White | 5ETP150142 | |

| Products | Length | Width | Color | Reference |
|----------------------|--------|-------|-------|------------|
| COUVRATIS 150 | 10 m | 12 m | Green | 5ETP150445 |
| | | | White | 5ETP150145 |
| | | 15 m | Green | 5ETP150445 |
| | | | White | 5ETP150148 |
| COUVRATIS 250 | 4 m | 6 m | White | 5ETP250118 |
| | | | Blue | 5ETP250218 |
| | | | Grey | 5ETP250318 |
| | | | Green | 5ETP250418 |
| | 6 m | 8 m | White | 5ETP250130 |
| | | | Blue | 5ETP250230 |
| | | | Grey | 5ETP250330 |
| | | | Green | 5ETP250430 |
| | | 10 m | White | 5ETP250133 |
| | | | Blue | 5ETP250233 |
| | | | Grey | 5ETP250333 |
| | | | Green | 5ETP250433 |
| | 8 m | 10 m | White | 5ETP250136 |
| | | | Blue | 5ETP250236 |
| | | | Grey | 5ETP250336 |
| | | | Green | 5ETP250436 |
| | | 12 m | White | 5ETP250139 |
| | | | Blue | 5ETP250239 |
| | | | Grey | 5ETP250339 |
| | | | Green | 5ETP250439 |
| | 10 m | 12 m | White | 5ETP250145 |
| | | | Blue | 5ETP250245 |
| | | | Grey | 5ETP250345 |
| | | | Green | 5ETP250445 |
| | | 15 m | White | 5ETP250148 |
| | | | Blue | 5ETP250248 |
| | | | Grey | 5ETP250348 |
| | | | Green | 5ETP250448 |
| | | 20 m | White | 5ETP250151 |
| | | | Blue | 5ETP250251 |
| | | | Grey | 5ETP250351 |
| | | | Green | 5ETP250451 |
| | 12 m | 15 m | White | 5ETP250154 |
| | | | Blue | 5ETP250254 |
| | | | Grey | 5ETP250354 |
| | | | Green | 5ETP250454 |
| | 15 m | 20 m | White | 5ETP250157 |
| | | | Blue | 5ETP250257 |
| | | | Grey | 5ETP250357 |
| | | | Green | 5ETP250457 |

| Products | Length | Width | Color | Reference |
|--------------------------------------|-----------------|-----------------|-----------|------------|
| 650 G/M² TARPAULIN | Made-to-measure | Made-to-measure | Sand | 5ETE650080 |
| | | | Yellow | 5ETE650070 |
| | | | Black | 5ETE650060 |
| | | | Dark grey | 5ETE650055 |
| | | | Grey | 5ETE650050 |
| | | | Red | 5ETE650040 |
| | | | Crystal | 5ETE650030 |
| | | | Green | 5ETE650020 |
| 900 G/M² TARPAULIN | Made-to-measure | Made-to-measure | White | 5ETE650010 |
| | | | Grey | 5ETE900050 |
| | | | Red | 5ETE900040 |
| | | | Crystal | 5ETE900030 |
| | | | Green | 5ETE900020 |
| White | 5ETE900010 | | | |

| Products | Characteristics | Reference |
|--------------------------------|--|-------------|
| P7 BOSTITCH STAPLER | Sold individually | 5ACA008004 |
| SR8 STAPLE | Box of 2,500 pieces | 5ACG008001 |
| | | 5ACG008002 |
| MULCH FABRIC STAPLES | Dimensions: 20 x 20 x 20cm Bag of 100 pieces | 5ACG042020 |
| STAPLE C | Bag of 100 pieces | 5ACPAGC001 |
| STAPLE S | Box of 100 pieces | 5ACPAGS001 |
| SPLIT RING | White Bag of 1,000 pcs | 5ASPANO001 |
| | Black Bag of 1,000 pcs | 5ASPANO003 |
| | Green Bag of 1,000 pcs | 5ASPANO005 |
| | Grey Bag of 100 pcs | 5ASPANO008 |
| PVC COATED STEEL CABLE | Black - 10 m | 5ASE010001 |
| | Black - 20 m | 5ASE020001 |
| | Black - 30 m | 5ASE030001 |
| | Black - 40 m | 5ASE040001 |
| | Black - 50 m | 5ASE050014 |
| | Black - 65 m | 5ASE065001 |
| | Black - 85 m | 5ASE085018 |
| | Black - 100 m | 5ASE100019 |
| | Black - 150 m | 5ASE150023 |
| | Black - 200 m | 5ASE200025 |
| | Black - 250 m | 5ASE250028 |
| | Black - 300 m | 5ASE300028 |
| | Black - 500 m | 5ASE500006 |
| | Black - 1 000 m | 5ASE9900005 |
| | Transparent dark green - 80 m | 5ASE080036 |
| | Transparent dark green - 300 m | 5ASE300040 |
| Transparent dark green - 400 m | 5ASE400041 | |

| Products | Characteristics | Reference |
|--|--|------------|
| PVC COATED STEEL CABLE | Transparent dark green - 1 000 m | 5ASE990043 |
| | White - 250 m | 5ASE250027 |
| | White - 500 m | 5ASE500002 |
| | White - 1 000 m | 5ASE990003 |
| | Grey - 500 m | 5ASE500011 |
| | Transparent - 190 m | 5ASE190008 |
| | Transparent - 500 m | 5ASE500007 |
| | Transparent - 1 000 m | 5ASE990006 |
| GALVANISED STEEL CABLE | 100 m - 2 mm | 5ASG10001 |
| | 200 m - 2 mm | 5ASG20001 |
| STAINLESS STEEL CABLE | 100 m - 2 mm | 5ASI10001 |
| 2-POINT CLIP | Bag of 250 pieces | 5ACPCLI002 |
| ROUND CLIPS | Bag of 100 pieces | 5ACPCLI001 |
| HARPOON CLAMP | 50 mm - Bag of 345 pieces | 5ACGCRA550 |
| HDPE TENSION CABLED WIRE | | |
| HDPE TENSION WIRE BRAIDED | | |
| ROLLER KIT | 2 m | 1KITENR002 |
| | 3 m | 1KITENR003 |
| FIXING KIT (Bag of 26 plastic pellets + 4.20 ml of thread) | Black | 5ACPKF0101 |
| | Green | 5ACPKF0102 |
| | Dark grey | 5ACPKF0103 |
| | Light grey | 5ACPKF0104 |
| SLEEVES | White - Bag of 100 pieces | 5ACPK0005 |
| TUNNEL SPROCKETS (5 m x 10 m) | H. 1.80 m x l. 1.80 m (square door) | 5WMR110001 |
| | H. 2.60 m x l. 2.80 m (double straight zip) | 5WMR110006 |
| | H. 2 m x l. 2.80 m (double straight zip) | 5WMR110004 |
| | H. 2 m x l. 1.60 m (double straight zip) | 5WMR110003 |
| MULTI-PURPOSE PLIERS | Individually | 5ACDPIN001 |
| GALVANISED WIRE TENSIONER | Green - 2 mm | 5ACERAI200 |
| | Green - 3 mm | 5ACERAI300 |
| | Green - 4 mm | 5ACERAI400 |
| | Black - 4 mm | 5ACERAI420 |
| | White - 4 mm | 5ACERAI410 |

| Products | Characteristics | Reference |
|---|-------------------------|------------|
| BLACK BUNGEE CORD + BLACK SNAPHOOK | 8 mm - 0.50 m - 250 pcs | 5COP008050 |
| | 8 mm - 0.70 m - 250 pcs | 5COP008070 |
| | 8 mm - 1.15 m - 250 pcs | 5COP008115 |
| | 8 mm - 1.20 m - 250 pcs | 5COP008120 |
| | 8 mm - 1.30 m - 150 pcs | 5COP008130 |
| | 8 mm - 1.40 m - 250 pcs | 5COP008140 |
| | 8 mm - 1.45 m - 250 pcs | 5COP008145 |
| | 8 mm - 1.60 m - 200 pcs | 5COP008161 |
| | 8 mm - 1.70 m - 125 pcs | 5COP008170 |
| | 8 mm - 1.80 m - 125 pcs | 5COP008180 |
| | 8 mm - 2 m - 100 pcs | 5COP008200 |
| BUNGEE CORD REEL | White - Ø5 mm - 100 m | 5COP005001 |
| | White - Ø6 mm - 100 m | 5COP006001 |
| | White - Ø8 mm - 100 m | 5COP008001 |
| | White - Ø9 mm - 100 m | 5COP009001 |
| | Black - Ø6 mm - 100 m | 5COP006003 |
| | Black - Ø8 mm - 100 m | 5COP008004 |
| | Green - Ø6 mm - 100 m | 5COP006005 |
| | Green - Ø8 mm - 100 m | 5COP008005 |
| | Red - Ø6 mm - 100 m | 5COP006006 |
| CABLE CLAMP | Ø8 mm - 50 pcs | 5ACGSEC007 |
| GALVANISED TURNBUCKLE | 1 ring / 1 hook - 5 mm | 5ACGTEN011 |
| | 1 ring / 1 hook - 10 mm | 5ACGTEN017 |
| | 1 ring / 1 hook - 10 mm | 5ACGTEN015 |
| | 1 ring / 1 hook - 8 mm | 5ACGTEN016 |
| | 1 ring / 1 ring - 8 mm | 5ACGTEN014 |
| RAPID BLOCKER | Bag of 5 pieces | 5ACDTEN001 |



Biotis 450 and Biotex 500 applied to turnip crops



Windbreak applied to a greenhouse



ARBORICULTURE

- **Pest protection**
 - Insect protection
 - Bird protection
- **Protection against climatic hazards**
- **Harvest netting**
- **Accessories**
- **Reference numbers**



Drosotis 8/6




Alt'Carpo


INSECT NETS



Drosotis 8/6



Alt'Carpo



Alt'Tordeuse

NEW

Alphatex offers a complete range of insect protection products for arboricultural needs. Our manufacturing team can produce single-plot protection nets or single-row protection nets on request.



Our nets provide effective protection against fruit flies and codling moths, as well as strawberry leaf rollers thanks to our new Alt'Tordeuse net!

| Products | Mesh | UV Treat. | Constr. | Color | Weight | Width | Length | Finishes | Packaging |
|--------------|----------------------------------|-----------|-----------------------|-------------------------------|-------------|------------|--------|---|--|
| Drosotis 8/6 | Rectang. 1180µ x 1750µ | 600 KLY | Monofilament woven | Green/ Black ou Crystal | 90 g/sqm | 2 m | 200 m | 4 cm top and bottom rein- forcements | 2 m Rolls |
| | | | | | | 2.5 m | | | 2.5 m Rolls |
| | | | | | | 3 m | | | 3 m Rolls |
| | | | | | | 1.3 m | 300 m | 1.3 m Rolls | |
| | | | | | | 4 m | 200 m | 4 cm top and bottom rein- forcements + 3 cm middle | 2 m rolls (crystal) ou 4 m rolls (green/ black) |
| Alt'Carpo | Rectang. 2.2 mm x 5.5 mm | 500 KLY | Monofilament woven | Crystal | 67 g/sqm | 3 m | 500 m | 4 cm top and bottom rein- forcements | 1.5 m Rolls |
| | | | | | | 4.2 m | | | 2.1m Rolls |
| | | | | | | 5.2 m | | | 2.6 m Rolls |
| | | | | | | 7 m | | | 3.5 m Rolls |
| | | | | | | 7.5 - 7.7m | | | 3.75 m Rolls |
| | | | | | | 8 m | | | 4 m Rolls |
| Alt'Tordeuse | Rectang. 3.38 mm x 2.16 mm | 500 KLY | Monofilament woven | Crystal | 67 g/sqm | 7.5 m | 500 m | Side reinfor- cements | 3.75 m Rolls |
| | | | | | | 8 m | | | 4 m Rolls |

MANUFACTURER'S ADVICE

Which net for which insects ?

Alphatex offers you an effective and economical solution for controlling insects. Our nets are suitable for all types of crops, but each product is designed to combat different types of insects. Consult our table to choose your product.

| Insect | Adult size | Fruit tree | Suitable net |
|--------------|------------|------------|--------------|
| Codling moth | 18 mm | ● | Alt'Carpo |
| Leafroller | 22 mm | ● | Alt'Tordeuse |
| Drosophila | 3 mm | ● | Drosotis 8/6 |





Arbotex 13



Arbotex 15



Arbotex 20




Arbotex 22



Arbotex 25

BIRD NETS



Arbotex 13



Arbotex 15



Arbotex 20



Arbotex 22



Arbotex 25

Bird nets are effective, environmentally friendly and inexpensive way to protect crops, small fruits, late harvests, etc. from the birds damages. Our nets can also be used to protect poultry farms in aviaries.

Made from high-density knitted polyethylene with mesh sizes ranging from 13 mm to 25 mm, our nets allow sunlight and water to pass through. We offer a wide range of standard nets in small and large sizes, and the can also be made-to-measure.



| Product | Mesh | Constr. | UV Treat. | Color | Weight | Width | Length |
|------------|-------|----------------|-----------|----------------|----------|--------------------------------|--------|
| Arbotex 13 | 13 mm | Knitted 2x250 | 320 KLY | Green | 25 g/sqm | 4 m | 50 m |
| | | | | | | 6 m | |
| | | | | | | 8 m | |
| | | | | | | 12 m | |
| Arbotex 15 | 15 mm | Knitted 2x0.30 | 320 KLY | Black | 45 g/sqm | 5 - 10 m | 5 m |
| | | | | | | 10 - 20 m | 10 m |
| | | | | | | 5 - 10 m | 100 m |
| | | | | | | 5 - 10 m | 200 m |
| Arbotex 20 | 20 mm | Knitted 2x250 | 320 KLY | Black | 36 g/sqm | 5 m | 5 m |
| | | | | | | 6 m | 6 m |
| | | | | | | 8 m | 8 m |
| | | | | | | 12 m | 12 m |
| | | | | | | 15 m | 15 m |
| | | | | | | 20 m | 20 m |
| | | | | | | 4 m | 100 m |
| Arbotex 22 | 22 mm | Knitted 2x028 | 320 KLY | Blue | 22 g/sqm | 3 - 5 - 10 m | 5 m |
| | | | | | | 10 - 20 m | 10 m |
| | | | | | | 4 - 5 - 6 - 8 - 10 - 12 - 20 m | 100 m |
| Arbotex 25 | 25 mm | Knitted 2x250 | 320 KLY | Black or green | 11 g/sqm | 2 - 4 - 8 - 12 - 16 - 20 m | 100 m |
| | | | | Black | | 12 m | 200 m |




Anti-hail



Anti-hail

ANTI-HAIL

END OF PRODUCTION



Anti-hail

Our special 3x7mm mesh hail nets are the best guarantee for a secure harvest thanks to their protection against hail. Our products can be installed using various protection systems: classic drop-down, offset edges with gutter, cross system, superimposed, etc.



| Product | Mesh | Constr. | UV Treat. | Color | Weight | Width | Length | Finishes | Packaging |
|----------|----------------------------|----------------------------|-----------|-------------------------------|---------------------|------------------------------|--------|--------------------------|----------------|
| Hail net | Rectang. 3 mm x 7 mm | Monofi- lament woven | 500 KLY | Black, grey, or crystal | 45 g/m ² | 2.5 - 2.7 - 3 3.2 - 4.8 m | 1000 m | Edge reinfor- cements | Unfolded rolls |

Accessories on page 73





Alphavent 30



Alphavent 35

WINDBREAK NETS



**FIND ALL OUR
WINDBREAK NETS ON
PAGES 24 TO 29**





Recoltex 33



Recoltex 50



Recoltex 50 pants



Recoltex 64



Recoltex 95




Recoltex 95 pants


HARVEST NETS




Recoltex 33



Recoltex 50
Recoltex 50 pants



Recoltex 64



Recoltex 95
Recoltex 95 pants

Harvest nets are the most common, practical and easiest way to harvest fruit and vegetables: olives, chestnuts, walnuts and forest seeds. We offer regular harvest nets, but also in a 'trouser' shape, which makes them easy to install thanks to its opening at one end. With this feature, you will be able to slide the net around the tree trunk.



| Product | Weight | Constr. | UV Treat. | Color | Width | Length | Finishes | Packaging |
|----------------------|-----------|---------|-----------|-------------|---------------|--------|-----------------------------------|--------------|
| Recoltex 33 | 33 g/sqm | Knitted | 600 KLY | Green/Black | 4 m | 100 m | Lateral and middle reinforcements | 1 m Rolls |
| | | | | | 6 m | | | 1.5 m Rolls |
| Recoltex 50 | 50 g/sqm | Knitted | 600 KLY | Green/Black | 1 - 2 - 4 m | 100 m | Lateral and middle reinforcements | 1m Rolls |
| | | | | | 1.5 - 3 - 6 m | | | 1.5 m Rolls |
| | | | | | 5 m | | | 1.25 m Rolls |
| Recoltex 50 pantalon | 50 g/sqm | Knitted | 600 KLY | Green/Black | 10 m | 10 m | With eyelets | Bale |
| | | | | | 12 m | 12 m | | |
| | | | | | 6 m | 6 m | | |
| | | | | | 6 - 8 m | 8 m | | |
| Recoltex 64 | 64 g/sqm | Knitted | 600 KLY | Black | 3 m | 100 m | Lateral and middle reinforcements | 1.5 m Rolls |
| | | | | | 5 m | | | 1.25 m Rolls |
| Recoltex 95 | 100 g/sqm | Knitted | 600 KLY | Green | 4 m | 100 m | Lateral and middle reinforcements | 1 m Rolls |
| | | | | | 6 m | | | 1.5 m Rolls |
| | | | | | 8 m | | | 2 m Rolls |
| Recoltex 95 pantalon | 100 g/sqm | Knitted | 600 KLY | Green | 10 m | 10 m | With eyelets | Bale |
| | | | | | 12 m | 12 m | | |
| | | | | | 6 m | 6 m | With eyelets | |
| | | | | | 6 - 8 m | 8 m | | |

Accessories on page 73



Manufacturer's advice

Harvest nets



Alphatex offers a wide range of harvesting nets. Suitable for every farm's budget, our nets are manufactured in different weights and mesh sizes. These differences do not affect the quality of the harvest, but rather the lifespan of the net and how easy it is to install.

WHAT ARE THE ADVANTAGES OF HARVEST NETTING?

The harvesting net for fruit trees, walnut trees, olive trees, and even chestnut trees is an indispensable tool for easily gathering fruit. Its advantages are as follows :

- Very easy to install (especially the trouser-shaped net)
- Significantly speeds up harvesting
- The mesh size allows small fruits to be harvested (olives, walnuts, hazelnuts, chestnuts, etc.)
- Lightweight and easy to handle
- Low maintenance
- Reinforced corners and reinforced stitching around the edges for greater strength
- Highly resistant mesh
- Can be used for several years
- Excellent value for money, this solution quickly pays for itself

TROUSER-SHAPED HARVESTING NET

Thanks to the slit running from the edge to the centre of the net, our trouser nets can be placed all around trees. This makes them easier to install and prevents any losses that might occur with a more traditional installation.

We have designed our 95 trouser harvesting net with eyelets around the edge. These eyelets allow you to thread a rope or bungee cord through to pull the edges of the net together once harvesting is complete. This option also saves time and makes the process more convenient.



ACCESSORIES

In addition to our range of nets, we also sell accessories for smooth and efficient harvesting.

Find these accessories (comb, handle, bungee cord, cable, etc. on p83).



Our accessories

Reference numbers p. 81 - 82



P7 STAPLER

Bostitch SR8 stapler with P7 magazine - Installation of wire mesh, wired or unwired.



SR8 STAPLES

SR8 galvanised metal staples, B nu. Box of 2,500 pieces.



HDPE CABLED TENSION WIRE

Used for installing nets and tarpaulins on structures or fences. Material : HDPE

| | |
|-------------|---|
| Diameter | 3 - 4 - 5 - 6 - 8 - 10 mm |
| Reel length | 100 - 200 - 250 - 500 m |
| Colors | Black - Green - Stone - Green/Blue - Dark green - Aqua green - White - Grey - Red |



HDPE BRAIDED TENSION WIRE

Used for installing nets and tarpaulins on structures or fences. Material : braided HDPE

| | |
|-------------|---|
| Diameter | 3 - 3.5 - 4 mm |
| Reel length | 100 - 200 - 250 - 500 m |
| Colors | Black - Green - Green/Blue - Dark green - Aqua green - White - Grey - Red |



PVC COATED STEEL CABLE

Used for installing tarpaulin nets on structures or fences. Material : Galvanised steel and PVC.

| | |
|-------------|--|
| Diameter | 5 - 6 - 7 mm |
| Reel length | 50 m à 200 m or by weight |
| Colors | Dark green - Transparent dark green - Black - Light green - White - Grey - Transparent |



GALVANISED STEEL CABLE

Used for installing nets and tarpaulins on structures or fences. Material : 7x7 galvanised steel.

| | |
|-------------|-------------|
| Diameter | 2 mm |
| Reel length | 100 - 200 m |



STAINLESS STEEL CABLE

Used for installing nets and tarpaulins on structures and fences.

Material: 7x7 stainless steel

Diameter

2 mm

Reel length

100 - 200 m



COVER

Black cap used to attach Anti-hail and Alt'Carpo nets.

Diameter 10 cm or 12 cm.



ROUND CLIPS

Fixing clip for small lightweight windbreaks or privacy screens.

Bag of 150 pieces.



GALVANISED HEAD NAIL

Galvanised head nail.

Sold in boxes of 5 kg.

Approximately 1,900 pieces.



SLING


Used for windbreaks, hail protection and Alt'Carpo.

Dimensions

Length 5 m / Loop 6.50 m

Diameter

8 mm



POST HEADER STAINLESS STEEL CLAMP

Accessory for Anti-hail

Sold in boxes of 50 pieces.



PROTECTIVE SHEATH

For Anti-hail and Alt'Carpo.
Sold in bags of 250 pieces.



ROLLER KIT

Windbreak kit.
2 high galvanised ring bolts. 160 mm - Thread 65 mm - Inner ring diameter 45 mm - Tube diameter 38 mm, thickness 2 mm - Supplied with a bolt and 2 cranks (concrete round bar)

Height
2 - 3 m



SLEEVES

Aluminium sleeve for 0.55 to 0.65 mm cable - For hail guards and windbreaks.
Sold in bags of 100 pieces.



WOODEN HANDLE

Wooden handle for olive comb.
Sold separately.
Dimensions : 40 cm.



OLIVE COMB

9-tooth plastic comb.
Colour : yellow.
Sold separately.



STEEL CARABINER

Zinc-plated steel carabiner.
Sold in boxes of 50 pieces.
Dimensions : 6 x 60 mm.



RIDGE COMB

Resistant plate for thick, heavy or exposed windbreaks and privacy screens. Ridge cap for hail protection.

(2 clips/metre). Can also be used to connect two Grape Protect nets.



ALL-PURPOSE PLIERS

Maximum cutting diameter $\varnothing 4$ mm and crimping of sleeves.



2-POINT PLATE

Plate for installing hail protection nets, windbreaks or Alt'Carpo.

Use 3 to 4 clips per metre.

Bag of 500 pieces.



NINA PLATE

Plate for attaching hail protection nets and Alt'Carpo.

Sold in bags of 250 pieces.



RIVA PLATE

Plate for attaching hail protection nets and Alt'Carpo.

Sold in bags of 200 pieces.



WIRE STRAINERS

Ensures tension in wires and cables.

Material : Galvanised steel

Diameter

2 - 3 mm

Colors

Green - White - Black



BUNGEE CORD

For attaching nets.

Diameter

6 - 8 mm

Reel length

100 m

Colors

White - Black



BUNGEE CORD WITH SNAP HOOKS

For attaching nets or tensioning the Gel Protect net.

Diameter

8 mm

Reel length

0.70 - 1.30 - 1.60 - 1.70 - 1.80 - 2 m



CABLE CLAMP

For hail protection and windbreaks. Sold in boxes of 50 pieces. Material : Galvanised steel.

Diameter

3 - 4/5 - 6 - 8 mm



GALVANISED TURNBUCKLES

Tendeur galvanisé.

Diameter

5 - 6 - 8 - 10 mm

Type

1 anneau/1 crochet - 2 anneaux - 2 crochets



TIRANTE NET

Accessory for folding nets. Sold in bags of 250 pieces.



PROTECTIVE TUBE

For Anti-hail and Alt'Carpo. Sold in bags of 50 pieces.

| Products | Length | Width | Color | Reference |
|---------------------|--------|-------------|-------------|-------------|
| DROSOTIS 8/6 | 200 m | 2 m | Green/Black | 5WMR085103 |
| | | | Crystal | 5WMR085003 |
| | | 2.50 m | Green/Black | 5WMR085104 |
| | | | Crystal | 5WMR085004 |
| | | 3 m | Green/Black | 5WMR085105 |
| | | | Crystal | 5WMR085005 |
| | 4 m | Green/Black | 5WMR085106 | |
| | | Crystal | 5WMR085006 | |
| 300 m | 1.30 m | Green/Black | 5WMR085102 | |
| | | Crystal | 5WMR085002 | |
| ALT'CARPO | 500 m | 3 m | Crystal | 5WMR062203 |
| | | 4.20 m | | 5WMR062204 |
| | | 5.20 m | | 5WMR062205 |
| | | 7 m | | 5WMR062206 |
| | | 7.50 m | | 5WMR062207 |
| | | 7.70 m | | 5WMR062209 |
| | | 8 m | | 5WMR062208 |
| ALT'TORDEUSE | 500 m | 7.50 m | Crystal | 5WMR067310 |
| | | 8 m | | 5WMR067312 |
| ARBOTEX 13 | 50 m | 4 m | Green | 5TML013004 |
| | | 6 m | | 5TML013006 |
| | | 8 m | | 5TML013008 |
| | | 12 m | | 5TML013012 |
| ARBOTEX 15 | 5 m | 5 m | Black | 5TML015001 |
| | 10 m | 5 m | | 5TML015002 |
| | | 10 m | | 5TML015005 |
| | 20 m | 10 m | | 5TML015006 |
| | 100 m | 5 m | | 5TML015008 |
| | | 10 m | | 5TML015007 |
| | 200 m | 5 m | | 5TML015003* |
| | | 10 m | 5TML015013 | |
| ARBOTEX 20 | 5m | 5m | Blue | 5TML020105 |
| | 6m | 6m | | 5TML020106 |
| | 8m | 8m | | 5TML020108 |
| | 12m | 12m | | 5TML020112 |
| | 15m | 15m | | 5TML020115 |
| | 20m | 20m | | 5TML020120 |
| | 100m | 4m | | 5TML020101 |
| ARBOTEX 22 | 3m | 5m | Blue | 5TML022035 |
| | 5m | | | 5TML022013 |
| | 10m | | | 5TML022006 |
| | 10m | 10m | | 5TML022004 |
| | | | | 5TML022005 |
| | 100m | 4m | | 5TML022003 |
| | | 5m | | 5TML022007 |
| | | 6m | | 5TML022001 |
| | | 8m | | 5TML022002 |
| | | 10m | | 5TML022010 |
| | | 12m | | 5TML022008 |
| | | 20m | | 5TML022009 |

*Subject to availability

| Products | Length | Width | Color | Reference | |
|-------------------------|-------------|------------------|-------------|-------------|------------|
| ARBOTEX 25 | 100m | 2m | Black | 5TML025013 | |
| | | | Green | 5TML025011 | |
| | | 4m | Black | 5TML025001 | |
| | | | Green | 5TML025006 | |
| | | 8m | Black | 5TML025002 | |
| | | | Green | 5TML025007 | |
| | | 12m | Black | 5TML025003 | |
| | | | Green | 5TML025008 | |
| | | 16m | Black | 5TML025004 | |
| | | | Green | 5TML025009 | |
| | | 20m | Black | 5TML025005 | |
| | | | Green | 5TML025010 | |
| | | 200m | 12m | Black | 5TML025203 |
| | | ANTI-HAIL | 1000m | 2.50m | Black |
| | 5WMR045002* | | | | |
| Crystal | 5WMR042202* | | | | |
| | 5WMR045202* | | | | |
| 2.70m | Grey | | | 5WMR042102* | |
| | | | | 5WMR045102* | |
| | | | | 5WMR042109* | |
| | | | | 5WMR042103* | |
| 3m | Crystal | | | 5WMR045103* | |
| | | | | 5WMR042203* | |
| | | | | 5WMR045203* | |
| | Black | | | 5WMR045003* | |
| 3.20m | Crystal | | | 5WMR042204* | |
| | | | | 5WMR045204* | |
| 4.80m | Black | | | 5WMR042106* | |
| | Crystal | | | 5WMR042206* | |
| RECOLTEX 33 | 100m | 4m | Green/Black | 5SMR033004 | |
| | | 6m | | 5SMR033006 | |
| RECOLTEX 50 | 100m | 1m | Green/Black | 5SMR050004 | |
| | | 1.50m | | 5SMR050005 | |
| | | 2m | | 5SMR050006 | |
| | | 3m | | 5SMR050007 | |
| | | 4m | | 5SMR050001 | |
| | | 5m | | 5SMR050002 | |
| | | 6m | | 5SMR050003 | |
| RECOLTEX 50 PANT | 6m | 6m | Green/Black | 5SMR050606 | |
| | 8m | 6m | | 5SMR050608 | |
| | | 8m | | 5SMR050808 | |
| | 10m | 10m | | 5SMR050101 | |
| 12m | 12m | 5SMR050122 | | | |
| RECOLTEX 64 | 100m | 3m | Black | 5SMR064030 | |
| | | | Green/Black | 5SMR064230 | |
| | | 5m | Black | 5SMR064050 | |
| | | | Green/Black | 5SMR064250 | |

*Subject to availability

| Products | Length | Width | Color | Reference |
|--------------------------|---|-------|-------|------------|
| RECOLTEX 95 | 100m | 4m | Green | 5SMR095001 |
| | | 6m | | 5SMR095003 |
| | | 8m | | 5SMR095008 |
| RECOLTEX 95 PANT | 6m | 6m | Green | 5SMR095606 |
| | 8m | 6m | | 5SMR095618 |
| | | 8m | | 5SMR095808 |
| | 10m | 10m | | 5SMR095101 |
| | 12m | 12m | | 5SMR095122 |
| ALPHAVENT 20 - 65 | See references in the 'Horticulture' section, p. 48–49. | | | |

| Products | Characteristics | Reference |
|--|---|------------|
| P7 STAPLER | Sold individually | 5ACA008004 |
| SR8 STAPLE | Boite de 2 500 pièces | 5ACG008001 |
| HDPE CABLED TENSION WIRE | | |
| HDPE BRAIDED TENSION WIRE | | |
| PVC COATED STEEL CABLE | From 10 to 2,000 ml Different colors available | 5ASE0... |
| GALVANISED STEEL CABLE | 100 m - Ø2 mm | 5ASG10001 |
| | 200 m - Ø2 mm | 5ASG20001 |
| STAINLESS STEEL CABLE | 100 m - Ø2 mm | 5ASI10001 |
| COVER | 100 cm | 5ACPCH100 |
| | 127 cm | 5ACPCH127 |
| ROUND CLIPS | Bag of 100 pieces | 5ACPLI001 |
| GALVANISED HEAD NAIL | | 5ACGPOI001 |
| SLING | | 5ACGELI500 |
| POST HEADER STAINLESS STEEL CLAMP | | 5ACIETR001 |
| PROTECTIVE SHEATH | 160 mm - 50 m reel | 5ACPGAIO50 |
| ROLLER KIT | 2 m | 1KITENR002 |
| | 3 m | 1KITENR003 |
| SLEEVE | Bag of 100 pieces | 1ACPK0005 |
| WOODEN HANDLE | | 5ACD040001 |
| OLIVE COMB | | 5ACP009001 |
| ZINC-PLATED SNAP HOOK | | 5ACAMOU003 |
| ROLLS COMB | 200 pieces | 5ACPPEI001 |
| ALL-PURPOSE PLIERS | Sold individually | 5ACDPIN001 |
| 2-POINT PLATE | Box of 500 pieces | |
| NINA PLATE | | 5ACPPRI001 |
| RIVA PLATE | | 5ACPRIV001 |
| WIRE STRAINERS | Green - 2 mm | 5ACERAI200 |
| | Green - 3 mm | 5ACERAI300 |
| | Green - 4 mm | 5ACERAI400 |
| | Black - 4 mm | 5ACERAI420 |
| | White - 4 mm | 5ACERAI410 |

| Products | Characteristics | Reference |
|-----------------------------------|------------------------------------|------------|
| BUNGEE CORD | White - Ø5 mm - 100 ml | 5COP005001 |
| | White - Ø6 mm - 100 ml | 5COP006001 |
| | White - Ø8 mm - 100 ml | 5COP008001 |
| | White - Ø9 mm - 100 ml | 5COP009001 |
| | Black - Ø6 mm - 100 ml | 5COP006003 |
| | Black - Ø8 mm - 100 ml | 5COP008004 |
| | Green - Ø6 mm - 100 ml | 5COP006005 |
| | Green - Ø8 mm - 100 ml | 5COP008005 |
| | Red - Ø6 mm - 100 ml | 5COP006006 |
| BUNGEE CORD WITH CARABINER | 2 carabiners From 0.50 m to 2 m | 5COP008... |
| | 1 carabiner / 1 hook - 1.60 m | 5COP018160 |
| CABLE CLAMP | Ø8 mm - 50 pcs | 5ACGSEC007 |
| GALVANISED TURNBUCKLES | 1 ring / 1 hook 5 mm | 5ACGTEN011 |
| | 1 ring / 1 hook 10 mm | 5ACGTEN017 |
| | 1 hook / 1 hook 10 mm | 5ACGTEN015 |
| | 1 hook / 1 hook 8 mm | 5ACGTEN016 |
| | 1 ring / 1 hook 8 mm | 5ACGTEN014 |
| TIRANTE NET | | 5ACPTIR001 |
| PROTECTIVE TUBE | 6 cm x Ø1.4 cm - 50 pcs | 5ACPTPP001 |






WINEGROWING

- Hail Protection
- Frost protection
- Accessories
- Reference numbers




Grape Protect


GRAPE PROTECT KNITTED



Grape Protect - Green



Grape Protect - Black



Grape Protect - 2 bands

Our Grape Protect vine protection nets guarantee a harvest since they protect against climatic hazards (hail, shade, windbreaks) but also against pests (birds, game, insects). Moreover, our nets have an estimated lifespan of many years and are also fully recyclable.



VIDEO
Presentation of
Grape Protect



VIDEO
Installation
guide



VIDEO
Feedback

| Product | Mesh | Constr. | UV treat. | Color | Shade perc. | Weight | Width | Length | Finishes |
|--------------------------|-----------------------|-------------------------------|-----------|-------------------|-------------|---------|---|--------|--|
| Grape Protect | Rect. 2mm x 7mm | Knitted monofila- ments | 600 KLY | Black | 32% | 85g/sqm | 0.50 - 0.60 - 0.80 - 1m | 750m | Special vineyard buttonholes |
| | | | | Green | 25% | | 0.35 - 0.45 - 0.65 - 0.80 - 0.85 - 1 - 1.2m | | |
| | | | | Black/ Crystal | 30% | | 0.35 - 0.45 - 0.65 - 0.85m | | |
| Grape Protect 2 bands | Rect. 2mm x 7mm | Knitted monofila- ments | 600 KLY | Green/ Black | 29% | 85g/sqm | 0.60 - 0.80 - 1m | 750m | Special vineyard but- tonholes + intermediate |

MANUFACTURER'S ADVICE

The Grape Protect net offers economic advantages:

- Significant reduction in labour required for vineyard management.
- Eligible to **France AgriMer** aid
- No specific tools are required for planting and managing the vineyard.

Accessories on page 92



Our manufacturer's recommendations

Focus on the Grape Protect



Grape Protect is a net made from high-density polyethylene, with no Bayco wire. It helps increase yield. How? By protecting the vines from climate hazards, while also allowing you to reduce labour time.

Moreover, the installation system has been cleverly designed. The accessories make it easy to adjust the net's position according to the season and vine growth.



WHAT DOES IT CONSIST OF?

Grape Protect is a net supplied with all the necessary accessories for installation and repositioning. But what does it actually involve?

- ✦ A net is positioned on each side of the row. These nets help with trellising as soon as the vines start budding. They are then rolled up after the harvest until spring.
- ✦ The accessories are attached directly to the wires. Simple, double, or 'bretzel' top clips are fitted to the top wire. The lower spreaders are positioned on the bottom wire, and the stake fastenings are attached to the end-of-row posts.
- ✦ The time required varies from 30 to 60 hours per hectare, with 3 people, and depends on the density of the planting.

THE GRAPE PROTECT, A MULTI-FUNCTIONAL NET

This net offers several highly useful benefits for its users.



LABOUR SAVINGS

With this net, several tasks will be reduced or eliminated, such as tying up, leaf thinning, pre-cutting, and wood pulling.



PROTECTION AGAINST CLIMATIC HAZARDS

Grape Protect improves farm yields. It is first and foremost an excellent protection against hail, but it also protects against wind and, consequently, protects the branches from breaking.



PHYSICAL BARRIER AGAINST PESTS


Finally, using Grape Protect means choosing effective protection against large wildlife and preventing birds from eating the grapes

A NET ADAPTABLE ACCORDING TO THE SEASON

Once installed, it can remain in place all year – this is one of Grape Protect’s major strengths. Thanks to the various accessories, the installation is modular, allowing growers to adjust the net according to the season and the vine’s development. With the installation accessories, the net can be easily fitted onto the vine wires and the end-of-row posts.

ACCESSORIES ON THE TOP WIRE

The simple and double top clips are fitted to the top wire. The ‘Bretzel’ clip is an alternative to the first two clips, with the choice depending on the grower’s preference for installation.



Simple top clip



Double top clip



« Bretzel » clip

ACCESSORIES ON THE END-OF-ROW POSTS

On the end-of-row posts, a Stake Fastening should be fitted. This accessory works together with the Net Tensioner. Once attached, these two components maintain the correct tension of the net.



Stake Fastening



Net Tensioner

ACCESSORIES ON THE BOTTOM WIRE

On the bottom wires, the Lower Spreaders are fitted. Their purpose? To adjust the position and spacing of the net, adapting its shape to the vine’s growth.




Lower Spreader
For wide vines




Lower Spreader
For narrow vines


THE DIFFERENT POSITIONS OF GRAPE PROTECT




TRELLISING



SPREAD



RAISED



ROLLED UP

To calculate your requirements, use our calculator to find out how many rolls you will need to protect your vines!






Gel Protect

GEL PROTECT

SNOW WHITE ULTIMATE



Gel Protect, Snow White Ultimate

This solution has been developed in partnership with growers over several seasons. It is a perfect alternative to candles, remaining economical and easy to install, while also being ecological, reusable, and passive.

Thanks to its special knitting and Snow White Ultimate color, it reflects infrared rays to increase the temperature under the net at night.

This net is highly durable and specifically designed not to create a microclimate when in place.



VIDEO - Protective netting
against spring frost damage
to vines - Alphatex

| Product | Mesh | Constr. | UV treat. | Color | Light blocked | Weight | Width | Length | Finishes |
|---------------------------------------|-------|----------------|-----------|-------|---------------|----------|-------|--------|---|
| Gel Protect Snow White Ultimate | Rect. | Knitted strips | 600 KLY | White | 20% | 110g/sqm | 2.5m | 200m | Side reinforcements + reinforced buttonholes + central reinforcement |
| | | | | | | | 4.6m | 100m | |

MANUFACTURER'S ADVICE

The goal of this net is to create a new opportunity for growers who no longer wish to use polluting candles, frost-fighting towers, or heating wires. Gel Protect is:

- A passive protection that produces no pollution.
- A product that can be reused for many years.
- A recyclable net, as Gel Protect is made from HDPE.

Accessories on page 92



Our manufacturer's recommendations

Focus on Gel Protect



Our Gel Protect net has a clear objective: to prevent buds from freezing during spring cold spells. To achieve this, our R&D team partnered with several growers to develop a product that is effective, quick to install, and reusable for several years. After extensive testing, we succeeded in creating a net that combines all these features



GEL PROTECT, AN EXCELLENT SUBSTITUTE FOR CURRENT SOLUTIONS


At the origin of the project, we asked our grower-partners the following question: what challenges do you face in managing late frosts in the vineyard? Their answers highlighted the need for a product that was:

- ✦ A **viable substitute for existing solutions**, which are often too polluting (candles) or too costly or complex to implement (frost-fighting towers)
- ✦ **Less demanding** for workers
- ✦ **Quick to install**
- ✦ **Reusable** and recyclable

Thanks to their experience, we were able to develop an innovative net that addresses all these challenges.

GEL PROTECT, AN INNOVATIVE NET

This net is innovative in several ways



GAIN OF SEVERAL DEGREES UNDER THE NET

Thanks to its white color, 'Snow White Ultimate,' and knitted construction, the net reflects the heat emitted by the infrared rays from the soil.



REINFORCED FOR LONG-LASTING DURABILITY

Made with a knitted strip construction, the net is reinforced with polyethylene monofilaments in sensitive areas to withstand gusts of wind.



AN OPTIMISED INSTALLATION METHOD

The accessories and procedure have been carefully designed to provide a rapid response when frost is forecast.

A NET THAT DOES NOT REPLACE GOOD VINEYARD MANAGEMENT PRACTICES

Gel Protect is an effective frost protection solution, provided that good vineyard management practices are followed. Several aggravating factors promote the spread of cold in the vineyard and increase the risk of losses. In addition to using Gel Protect, we strongly recommend that you:

✦ Limit humidity in the plots

- ✦ Control grass growth in the vine row and between rows
- ✦ In the 2 to 5 days before a frost risk, avoid soil work and mowing
- ✦ Avoid using mulch to insulate the soil



✦ PAY ATTENTION TO PRUNING AND TYING TIMING

- ✦ Opt for a late, two-step pruning
- ✦ Tie and clean the canes at the last moment



GEL PROTECT, A VERSATILE PRODUCT

Gel Protect's greatest strength is its ability to adapt to all types of vines and fields. You can apply it freely in single or multiple rows, such as:

Gel Protect installed in a single row



Gel Protect installed across multiple rows



To learn more about the benefits and practical use of Gel Protect, our sales teams are available to discuss it with you.



WIRE SPOOL

PA monofilament wire spool.
Color: Black

Wire diameter

2mm



WINGED HAT

Hat for fastening the Gel Protect net to wooden stakes.
Color: Black

Diameter

10cm / 12cm

Packaging

500 pieces / 300 pieces



PROTECTION FOR METAL POSTS

Protection designed to fit over the top of iron posts. The top wire can be easily inserted into it. The nets are protected from abrasion caused by wind friction.

Material

Polypropylene

Protective surface

7 x 8 cm

Height

13 cm



«BRETZEL» CLIP

Keeps the net attached to the head rope and accommodates the rolled-up net during winter.

Diameter

3mm

Height

7cm

Width

12cm



DOUBLE TOP CLIP

Holds the net on the top wire and accommodates the rolled-up net during winter.

Diameter

3mm

Height

10cm



SIMPLE TOP CLIP



Holds the net between two intermediate posts.

Height

10cm

Width open/closed

7cm / 5cm



LOW SPREADER For large vines

Keeps the net taut on the bottom wire.

| | |
|----------|------|
| Diameter | 3mm |
| Width | 30cm |

LOW SPREADER For narrow vines


Allows for close or spaced trellising after flowering.

| | |
|----------|------|
| Diameter | 3mm |
| Width | 38cm |

STAKE FIXING

Attaches to the head stake to hold the net tensioners at the end of the row.

| | |
|----------|------|
| Diameter | 4mm |
| Width | 31cm |



NET TENSIONER Long rows special

Applies the necessary tension to the row and attaches to the end of the row. Made of stainless steel.

| | |
|----------|-------|
| Diameter | 6 mm |
| Width | 16 cm |
| Height | 24 cm |

PROTECTIVE SHEATH

Box of 250 pieces.

RIDGE COMB

Ridge combs are used to secure the netting.
Sold in packs of 200.

Reference numbers p.95



BUNGEE CORD WITH SNAP HOOKS

Bungee cord carabiner.
Used to install nets.
Bag of 100 to 250 pieces.

Diameter

8 mm

Dimensions

0.70, 1.30, 1.60, 1.70, 1.80, 2 ml



BUNGEE CORD WITH A BALL

| Products | Length | Width | Color | Reference |
|----------------------|------------|-------|---------------|-------------|
| GRAPE PROTECT | 750m | 0.35m | Green | 5SMR080006* |
| | | | Black/Crystal | 5SMR080206* |
| | | 0.45m | Green | 5SMR080005* |
| | | | Black/Crystal | 5SMR080205* |
| | | 0.50m | Black | 5SMR085052 |
| | | 0.60m | Black | 5SMR085062 |
| | | | Green/Black | 5SMR085067 |
| | | 0.65m | Vert | 5SMR080004* |
| | | | Black/Crystal | 5SMR080204* |
| | | 0.80m | Green | 5SMR085081 |
| | | | Black | 5SMR085082 |
| | | | Green/Black | 5SMR085087 |
| | | 0.85m | Green | 5SMR080000* |
| | | | Black/Crystal | 5SMR080200* |
| | | 1m | Green | 5SMR085101 |
| | | | Black | 5SMR085102 |
| Green/Black | 5SMR085107 | | | |
| | | 1.20m | Green | 5SMR085121 |
| GEL PROTECT | 100m | 4.60m | SWU** | 5SPT110046 |
| | 200m | 2.50m | SWU** | 5SPT110025 |

| Products | Features | Reference |
|--------------------------------|------------------------------------|------------|
| SPOOL OF THREAD | Ø2mm wire | 5CAX020001 |
| WINGED HAT | Ø10cm - 500 pieces | 5ACPCH010 |
| | Ø12cm - 300 pieces | 5ACPCH012 |
| POST TOP HAT | 100cm | 5ACPCH100 |
| | 127cm | 5ACPCH127 |
| «BRETZEL» CLIP | | 5ACGBRE001 |
| DOUBLE TOP CLIP | | 5ACGECA002 |
| SIMPLE TOP CLIP | | 5ACGECA001 |
| LOWER SPACER | Special narrow vineyards | 5ACGECA102 |
| LOWER SPACER | Special for wide vines | 5ACGECA101 |
| STAKE FIXING | | 5ACGCRO001 |
| BLACK SHEATH | 160 mm - 50 ml coil | 5ACPGAI050 |
| RIDGE COMB | 200 pieces | 5ACPPEI001 |
| BUNGEE CORD | Ø8mm - 100ml | 5COP008044 |
| BUNGEE CORD WITH A BALL | Ø6mm - Øball 2.8cm | 5COP006025 |
| CARABINER BUNGEE CORD | 2 carabiners From 0.50ml to 2ml | 5COP008... |
| | 1 carabiner / 1 hook - 1.60ml | 5COP018160 |
| NET TENSIONER | | 5ACGFIX001 |
| METAL STAKE PROTECTION | Universal | 5ACPPRO001 |

*Subject to availability
**Snow White Ultimate



ANIMALS

- Aviary nets
- Fish-farming nets
- Net against birds and spikes
- Snail-farming nets
- Nets for amphibians
- Cat protection
- Accessories
- DIY
- Reference numbers



AVIARY NETS

KNITTED



Knitted 13mm



Knitted 15mm



Knitted 20mm



Knitted 22mm



Knitted 25mm

Our knitted aviary nets are available in various mesh: shape, sizes and dimensions. The table below shows only part of the range. Nets can also be made-to-measure.

Knitted models are recommended for hobby breeders or for small aviaries used to raise chicks because it is less resistant than knotted cable nets.



| Product | Mesh | Constr. | UV treat. | Color | Weight | Width | Length |
|-----------------------|------|------------------|-----------|----------------|---------|-------------------------------|--------|
| 13mm knitted HDPE net | 13mm | Knitted 2 x 0.19 | 320 KLY | Green | 25g/sqm | 4m | 50m |
| | | | | | | 6m | |
| | | | | | | 8m | |
| | | | | | | 12m | |
| 15mm knitted HDPE net | 15mm | Knitted 2 x 0.30 | 320 KLY | Black | 45g/sqm | 5m | 100m |
| | | | | | | 10m | |
| | | | | | | 5m | 200m |
| | | | | | | 10m | |
| 20mm knitted HDPE net | 20mm | Knitted 2 x 0.28 | 320 KLY | Blue | 36g/sqm | 5m | 5m |
| | | | | | | 6m | 6m |
| | | | | | | 8m | 8m |
| | | | | | | 12m | 12m |
| | | | | | | 15m | 15m |
| | | | | | | 20m | 20m |
| | | | | | | 4m | 100m |
| 22mm knitted HDPE net | 22mm | Knitted 2 x 0.28 | 320 KLY | Blue | 22g/sqm | 4 - 5 - 6 - 8 - 10 - 12 - 20m | 100m |
| 25mm knitted HDPE net | 25mm | Knitted 2 x 0.19 | 320 KLY | Black or green | 11g/sqm | 2 - 4 - 8 - 12 - 16 - 20m | 100m |
| | | | | | | 12m | 200m |



AVIARY NETS & FISH FARMING

KNOTTED CABLED



Aviary netting 17mm



Aviary netting 25mm



Aviary netting 50mm

Stronger and easier to install than knitted aviary nets, our knotted cabled nets are suitable for both professional and hobby markets. They can be used in aviaries, as well as for other applications such as fish farming and various types of livestock rearing.



| Product | Mesh | Diameter | UV treat. | Color | Weight | Width | Length |
|--------------|-------|----------|-----------------|-----------------|----------|------------|------------|
| Aviary 17mm | 17mm | 1.2mm | 320 KLY | Black | 138g/sqm | 7 - 14m | 60m |
| Aviary 20mm | 20mm | 1.2mm | | | 110g/sqm | 6 - 17m | 71m |
| Aviary 25mm | 25mm | 1.2mm | | | 78g/sqm | 21m | 88m |
| Aviary 30mm | 30mm | 0.5mm | | | 63g/sqm | 8.5m | 106m |
| Aviary 35mm | 35mm | 1.2mm | | | 54g/sqm | 10 - 15m | 100m |
| Aviary 40mm | 40mm | 1.2mm | | | 45g/sqm | 11.5 - 17m | 100m |
| | | | | | | 23m | 141m |
| | | | | | | 5.6 - 8.5m | 200m |
| | | | | | | 25.5m | 205m |
| | | | | | | 34m | 203m |
| Aviary 50mm | 50mm | 1.2 mm | | | 35g/sqm | 20m | 177m |
| | | 1.5mm | | | 48g/sqm | 21m | 100 - 300m |
| Aviary 60mm | 60mm | 1.2mm | | | 27g/sqm | 12.5m | 5m |
| | | | | | | 10 - 12.5m | 10m |
| | | | 10 - 12.5 - 25m | 20m | | | |
| | | | 17 - 25m | 100m | | | |
| | | | 8.5m | 204m | | | |
| | | | 20m | 212m | | | |
| Aviary 145mm | 145mm | 2mm | 29g/sqm | Made-to-measure | Free | | |
| | | 2.5mm | 43g/sqm | Made-to-measure | Free | | |

MANUFACTURER'S ADVICE

The products shown on this page are only a selection of our bestsellers.

Our aviary range includes a wide variety of nets in all dimensions, mesh sizes, and thread thicknesses. We sell our products in standard small sizes (5x10 m, 10x20 m, etc.) or in bulk.

These products are also available made-to-measure. For larger quantities, we can manufacture aviary nets according to your specific requirements (color, mesh size, thread thickness, etc.). We can also make them with square mesh.



Our manufacturer's advice

Bird control solutions for buildings



In addition to crop protection, we can offer you a range of bird protection solutions for buildings, warehouses and other storage areas: nets and spikes. These two products complement each other and are highly versatile. Nets block access points at a low cost, while spikes prevent birds from landing on flat surfaces and gutters.



NETS AGAINST BIRDS

Bird nets are a simple and effective solution for protecting crops, as well as agricultural buildings and storage areas. They prevent birds from entering while maintaining ventilation. Key benefits:

- ✦ They effectively protect **warehouses, silos** and **barns** from bird contamination.
- ✦ They are **weather-resistant** and can be **reused** for several seasons.
- ✦ They preserve the **quality of crops and seeds** by limiting losses.




SPIKES AGAINST BIRDS

Bird spikes are durable physical barriers that prevent birds from landing on roofs, beams, gutters or agricultural structures. Easy to install, they provide long-lasting protection without harming the environment or structures.

- ✦ Ideal for securing **storage areas, warehouse entrances** and **roof structures**.
- ✦ Made from **rustproof, durable materials**, they are designed for long-term outdoor use.
- ✦ A discreet, effective solution that is **safe for birds**.

NETS AGAINST SPARROW

19 mm mesh




Our range of 19mm mesh nets against sparrow is available in several colors. It also includes fire-retardant nets classified M1. On request, we can add an overlack, which is not present on standard nets as it is unnecessary for bird-control applications. The net knots are treated in an autoclave, so they do not unravel when cut. All our nets are also available in diamond mesh and often at lower prices (with the option of selvages).

| Product | Mesh | Thread diameter | Color | Manufacturing | Weight | Width | Length |
|--|--------|---------------------|-----------|------------------------------|---------|-------------------|--|
| HDPE knotted cabled net | 19mm | 1mm | Black | Knotted cabled – Square mesh | 72g/sqm | 5m | 5 - 10 - 15 - 20 - 25 - 30m |
| | | | | | | 7.65m | 7.65 - 15.25 - 22.85 - 30.50m |
| | | | | | | 10m | 10 - 15 - 20 - 25 - 30 - 40 - 100 - 300m |
| | | | | | | 15m | 20m |
| | | | | | | 15.25m | 15.25 - 22.90 - 30.50m |
| | | | | | | 20m | 20 - 100 - 150m |
| | | | | | | 30m | 100m |
| | | | 30.50m | | | 30.50 - 61 - 100m | |
| | | | Stone | | | 5m | 5 - 10 - 15m |
| | | | | | | 7.65m | 7.65 - 15.25 - 22.85 - 30.50m |
| | | | | | | 10m | 10 - 15 - 20m |
| | | | | | | 15.25m | 15.25 - 22.90 - 30.50m |
| | | | | | | 20m | 20m |
| | | | | | | 30.50m | 30.50 - 61m |
| | | | | | | Free | Free |
| Translucent | 5m | 10 - 20m | | | | | |
| | 10m | 10 - 15 - 20 - 300m | | | | | |
| | 20m | 150m | | | | | |
| | 30.50m | 100m | | | | | |
| HDPE knotted cabled net, M1 fire-rated | 19mm | 1mm | Black/red | Knotted cabled – Square mesh | 72g/sqm | 5 - 10m | 5m |
| | | | | | | 10 - 15 - 20m | 10m |
| | | | | | | 20m | 20m |
| | | | | | | 150m | 20.20m |
| | | | | | | 100m | 30.20m |
| | | | | | | Made-to-measure | Made-to-measure |

NETS AGAINST STARLING

28mm mesh



Black



Stone



320Kly

707kg/sqm

Available in M1

Our 28 mm nets against starling are also available in several colors. On request, we can add an overlock, which is not present on standard nets as it is unnecessary for bird-control applications. The net knots are treated in an autoclave, so they do not unravel when cut. All our nets are also available in diamond mesh and often at lower prices (with the option of selvages).

| Product | Mesh | Thread diameter | Color | Manufacturing | Weight | Width | Length |
|---|----------------------|-----------------|-------------|------------------------------|---------|------------|--------------------------------|
| HDPE knotted cabled net | 28mm | 1mm | Black | Knotted cabled – Square mesh | 43g/sqm | 5m | 5m |
| | | | | | | 10m | 10 - 15 - 20 - 25 - 30 - 100m |
| | | | | | | 15m | 15 - 20 - 25m |
| | | | | | | 15.25m | 15.25 - 22.90 - 30.50m |
| | | | | | | 20m | 20 - 25 - 30 - 50 - 100 - 600m |
| | | | | | | 25m | 25 - 30m |
| | | | | | | 30m | 50 - 450m |
| | | | 30.5 m | | | 30.5 - 61m | |
| | | | Stone | | | 5m | 5m |
| | | | | | | 10m | 10 - 15 - 20 - 25 - 30 - 500m |
| | | | | | | 15m | 15 - 20 - 25m |
| | | | | | | 15.25m | 15.25 - 22.90 - 30.50 m |
| | | | | | | 20m | 20 - 25 - 30 - 50 - 600m |
| | | | | | | 25m | 25 - 30m |
| | | | | | | 30m | 450m |
| | | | Translucent | | | 30.50m | 30.50m |
| | | | | | | Free | Free |
| | | | | | | 7.65m | 7.65 - 15.25 - 22.85 - 30.50m |
| 10m | 10 - 15 - 20 - 500 m | | | | | | |
| 15m | 15 - 20m | | | | | | |
| 15.25m | 15.25 - 30.50m | | | | | | |
| 20m | 20 - 500m | | | | | | |
| HDPE knotted cabled net, M1 fire-rated* | 28mm | 1mm | Ivory | Knotted cabled – Square mesh | 43g/sqm | 5.1 m | 5.1m |
| | | | | | | 5.1m | 10.1m |

*Available on request




Black net against pigeon




Stone net against pigeon

NETS AGAINST PIGEON


50 mm mesh



Black



Stone



Translucent

Our 50 mm mesh nets against pigeon are available in several colours. These are mainly in polyethylene. The fire-retardant version is self-certified based on the 19 mm mesh, as the 50 mm mesh falls outside the regulatory scope for fire propagation. The net knots are treated in an autoclave, so they do not unravel when cut. They are also available in diamond mesh, with the option to add a selvedge.



| Product | Mesh | Thread diameter | Color | Manufacturing | Weight | Width | Length | | | | | |
|-------------------------|------|---------------------|--|------------------------------|------------------------------|--------|-------------------------------|-----------|------------------------------|---------|--------|---------------------|
| HDPE knotted cabled net | 50mm | 1mm | Stone | Knotted cabled – Square mesh | 21g/sqm | 3m | 2 - 3 - 4 - 5 - 6m | | | | | |
| | | | | | | 5m | 20m | | | | | |
| | | | | | | 10m | 500m | | | | | |
| | | | | | | Free | Free | | | | | |
| | | | Black or Stone | | | 5m | 5 - 10 - 15 - 25 - 30m | | | | | |
| | | | Black, Stone, Translucent | | | 7.65m | 7.65 - 15.25 - 22.90 - 30.50m | | | | | |
| | | | Black or Stone | | | 10m | 10 - 15 - 20 - 25 - 30m | | | | | |
| | | | Black | | | | 100m | | | | | |
| | | | Black or Stone | | | 15m | 15 - 20 - 25m | | | | | |
| | | | Black | | | 15.25m | 15.25 - 22.90 - 30.50m | | | | | |
| | | | Black or Stone | | | 20m | 20 - 25 - 30 - 50 - 600m | | | | | |
| | | | Black | | | | 100m | | | | | |
| | | | Black or Stone | | | 25m | 25 - 30m | | | | | |
| | | | Black or Stone | | | 30m | 50m | | | | | |
| | | | Black or Stone | | | | 450m | | | | | |
| | | | Black, Stone, Translucent | | | 30.50m | 30.50m | | | | | |
| | | | Black | | | | 61m | | | | | |
| | | | HDPE knotted cabled net, M1 fire-rated | | | 50mm | 1mm | Black/Red | Knotted cabled – Square mesh | 21g/sqm | 5m | 5 - 10 - 15m |
| | | | | | | | | | | | 10m | 10 - 15 - 20m |
| | | | | | | | | | | | 15m | 15 - 20 m |
| 20m | 20m | | | | | | | | | | | |
| Black | 5m | 5 - 10 - 15 - 20m | | | | | | | | | | |
| | 10m | 20 - 50 - 80 - 500m | | | | | | | | | | |
| Black | 20m | 20 - 50 - 70m | | | | | | | | | | |
| | Free | Free | | | | | | | | | | |
| Translucent | 50mm | 1mm | | Translucent | Knotted cabled – Square mesh | | | 21g/sqm | | | 5m | 5 - 10 - 15m |
| | | | | | | | | | | | 10m | 10 - 15 - 20 - 500m |
| | | | | | | | | | | | 15m | 15 - 20m |
| | | | | | | | | | | | 15.25m | 15.25 - 30.50m |
| Translucent | 50mm | 1mm | Translucent | Knotted cabled – Square mesh | 21g/sqm | 20m | 20 - 500m | | | | | |
| | | | | | | 5m | 5 - 10 - 15m | | | | | |
| | | | | | | 10m | 10 - 15 - 20m | | | | | |
| | | | | | | 15m | 15 - 20m | | | | | |

PIGEON SPIKES

Alphapic

Our Alphapic pigeon spikes range features a wide, honeycombed base (for better adhesive grip) made of UV-treated polycarbonate. The pins are made of AISI 302 stainless steel, 13 mm in diameter, in accordance with AFNOR X10CRNI18-8, ISO 527, ISO 178, and ISO 306 standards. Our 50 cm modules can be snapped by hand.

ALPHAPIC LIGHT

48 spikes




5 to 9cm



7 to 10cm



10 to 14cm



11 to 15cm

| Product | Protection width | Applications | Packaging |
|----------------|------------------|---------------------------|-------------|
| Alphapic 48/5 | 5 to 9cm | Cornice | Box of 50lm |
| Alphapic 48/7 | 7 to 10cm | Cornice – Gutter downpipe | Box of 50lm |
| Alphapic 48/10 | 10 to 14cm | Window sill – Fascia | Box of 50lm |
| Alphapic 48/15 | 11 to 15cm | Fascia < 15 cm | Box of 50lm |

2 strips of 50 cm per metre – 48 spikes per linear metre

ALPHAPIC CLASSIC

64 spikes



5 to 9cm



7 to 10cm



10 to 14cm



11 to 15cm

| Product | Protection width | Applications | Packaging |
|----------------|------------------|--|-------------|
| Alphapic 64/7 | 5 to 9cm | Gutter downpipe – Railing – Cornice | Box of 50lm |
| Alphapic 64/10 | 7 to 10cm | Fascia – Cornice – Window sill | Box of 50lm |
| Alphapic 64/15 | 10 to 14cm | Fascia < 15 cm – Cornice | Box of 50lm |
| Alphapic 64/20 | 11 to 15cm | Large cornice – Roof terrace perimeter | Box of 50lm |

2 strips of 50 cm per metre – 64 spikes per linear metre



15 to 20cm

ALPHAPIC DELUXE

80 spikes

| Product | Protection width | Applications | Packaging |
|----------------|------------------|---|-------------|
| Alphapic 80/20 | 15 to 20cm | Large cornice – Roof terrace perimeter – Seagull and gull | Box of 50lm |

2 strips of 50 cm per metre – 80 spikes per linear metre

PIGEON SPIKES

Easy spikes

Our Easy Spike spike range against pigeon features a thin, ultra-flexible base, suitable for narrow ledges. Another advantage is that packaging is reduced on certain models because the spikes can be stacked up to 10m of bars. The base is made of UV-treated polycarbonate. The pins are made of AISI 302 stainless steel with a diameter of 13 mm, in accordance with AFNOR X10CRNI18-8, ISO 527, ISO 178 and ISO 306 standards.



VIDEO
Easy Spikes
Presentation

EASY SPIKE LIGHT

48 spikes



7 to 10cm




10 to 14cm

| Product | Protection width | Applications | Packaging |
|------------------|------------------|--------------------------------|------------------------------|
| Easy spike 48/7 | 7 to 10cm | Fascia – Cornice – Window sill | Box of 50 m – Box of 10 m |
| Easy spike 48/10 | 10 to 14cm | Fascia < 15 cm – Cornice | Box of 50 m – Box of 10 m |

2 strips of 50 cm per metre – 48 spikes per linear metre – stackable for easier packaging

EASY SPIKE CLASSIC


64 spikes



7 to 10cm



10 to 14cm




15 to 20cm

| Product | Protection width | Applications | Packaging |
|------------------|------------------|--|----------------------------|
| Easy spike 64/10 | 7 to 10cm | Fascia – Cornice – Window sill | Box of 50m – Box of 10m |
| Easy spike 64/15 | 10 to 14cm | Fascia < 15 cm – Cornice | Box of 50m – Box of 10m |
| Easy spike 64/20 | 15 to 20cm | Large cornice – Roof terrace perimeter | Box of 50m |

2 strips of 50 cm per metre – 64 spikes per linear metre – the Easy Spike 64/10 is stackable

EASY SPIKE DELUXE

80 spikes



15 to 20cm

| Product | Protection width | Applications | Packaging |
|-----------------|------------------|--|------------|
| Easyspike 80/20 | 15 to 20cm | Large cornice – Roof terrace perimeter | Box of 50m |

2 strips of 50 cm per metre – 80 spikes per linear metre

Our manufacturer's advice




Pigeon spikes

The spikes consist of metal rods fixed perpendicularly to a base.

Easy to install and low-cost, the spikes should be placed across the entire area to be protected to prevent birds from finding a gap. You can have the spike bases made in the color of your choice, for a minimum order of 800 m (regardless of the spike model).

TECHNICAL DATA SHEET

Whether for Alphapic or Easy Spikes, our spikes consist of a UV-treated polycarbonate base, suitable for all surfaces, and 13 mm Ø pins made of AISI 302 stainless steel. Our pins comply with AFNOR X10CRN18-8 and ISO 527, ISO 178, ISO 306 standards.



- **Tensile strength:** 26 N/mm²
- **Elongation at break:** 250 N/mm²
- **Flexural strength:** 40 N/mm²
- **Flexural modulus of elasticity:** 1450 N/mm²
- **Ball hardness H132/30:** 40N/mm²
- **Softening temperature:** 83 °c vst/A/50
- **Thermal conductivity:** 0,12 W/m.K
- **Hot deflection temperature:** 75 °c

INSTALLATION ADVICE USING SILICONE ADHESIVE

The spikes are fixed using a neutral silicone sealant, supplied in 300 ml cartridges, capable of bonding 10 to 12 linear metres of spikes depending on the surface. This should always be done on a dry, dust-free, solvent-free surface, with application temperatures between +5 °C and +40 °C and service temperatures from -50 °C to +120 °C. If the surface cannot be cleaned, the polycarbonate base of the spike is designed for fixing with screws or nails.





Always apply a wavy bead of adhesive, at least 0.5 mm thick, along the base of the spike. Never pre-apply a long bead of adhesive exceeding one metre on the surface to be protected (cornice, fascia, etc.), as surface polymerisation may occur before the base makes contact, resulting in poor adhesion of the spike. Full curing takes 5 to 8 hours. For any application on a damp surface, a fast-curing adhesive (MS Polymer) must be used.

INSTALLATION ADVICE FOR ALPHACLIP STAINLESS STEEL

The Alphaclip Stainless Steel fits into the base of Alphapic or Easy Spike modules. Use 2 Alphaclip Stainless Steel per 50 cm spike module, i.e., 4 clips per metre. The clip is fixed directly onto the gutter by simple mechanical pressure on the hem (Ø 15 to 25 mm). Once installed, this system prevents pigeons from perching inside the gutter.

ALPHA CLIP

FOR INSTALLING PIGEON SPIKES ON GUTTERS



Alphapic et Easyspike compatible



Alphapic compatible

The Alphaclip is an Alphetex innovation that allows all our spike models to be installed very quickly, saving labour time. No adhesive, no tools, no screws are needed—simply clip the Alphaclip onto the gutter (compatible with Nantes, square, Lyon, English, and Le Havre-style gutters). Install 4 Alphaclips per linear metre. Note: the Polycarbonate Alphaclip is only suitable for the Alphapic model.

| Product | Material | Applications | Packaging |
|-------------------------|-----------------|----------------------------------|-------------------|
| Alphaclip inox | Stainless steel | Wire Ø: 2 mm | Box of 100 pieces |
| Alphaclip polycarbonate | Polycarbonate | H: 65 mm / L: 87.5 cm / W: 20 mm | Box of 100 pieces |




Reference numbers p.127-128

SNAIL FARMING NETS


For snail farming, we offer several ranges of nets to meet breeders' needs. First, our Alphavent 50 and 55 windbreak nets are ideal for protecting snails from the wind.

To shield them from the sun, we recommend the Alphaombre 55 and 60 nets in green or black. Finally, for effective bird protection, our Arbotex net range against birds is perfectly suited to your requirements.

WINDBREAK NETS - ALPHAVENT



Alphavent 50



Alphavent 55


These windbreak nets offer 50% and 55% filtration. They also combine ventilation and strength. Made from HDPE and treated with UV protection (600 KLY), they have a long lifespan.

Find all the information about these products on pages 26 and 27.

SHADE NETS - ALPHAOMBRE



Alphaombre 55




Alphaombre 60

Alphaombre 55 and 60 nets offer shading rates of 50% and 62% respectively. They are perfectly suited for installation on structures and also benefit from 600 KLY UV protection.

Find all the information about these products on pages 30 to 33.

NETS AGAINST BIRDS - ARBOTEX



Arbotex 13




Arbotex 22

Made from HDPE with mesh sizes ranging from 13 to 25 mm, these nets are highly effective at stopping birds. Our main advantage? A wide variety of sizes in stock to meet all your needs.


Find all the information about these products on pages 64 and 65.




AMPHIBIAN PROTECTION NETS



BATRA 25



BATRA 50



BATRA 55

We also offer nets specially sized for constructing barriers and tunnels for amphibians, helping to divert them away from roads.

| Product | Mesh | Constr. | UV treat. | Color | Weight | Width | Length | Finishes |
|-------------------------------|----------------------|------------------|-----------|-----------------|----------|------------|---------------------|-------------------------------------|
| BATRA 25 | Rect. 2 x 7mm | Knitted | 600KLY | Green | 85g/sqm | 0.85m | 250 - 500 - 750m | Side buttonholes |
| BATRA 50 | Rect. 2 x 4mm | Knitted | 600KLY | Green/ Black | 106g/sqm | 0.25 à 1m | 100 - 500m | Side reinforcements or raw edges |
| | | | | | | Free width | Free length | |
| BATRA 55 | Rect. | Knitted | 600KLY | Green/ Black | 150g/sqm | 1m | 100m | Side buttonholes |
| INSECTIS Against amphibian | Rect. 450µ x 850µ | Monofil woven | 600KLY | Crystal | 110g/sqm | 1m | 100m | Unfolded |

As well as the essential accessories for installing amphibian nets. You can opt for stakes alone, or choose one of our kits consisting of stakes, cable ties and a reel of wire.

| Product | Material | Weight | Diameter | Height |
|----------------------|--|--------|----------|--------|
| Stakes | Galvanised steel | 370g | 7mm | 85cm |
| Kit for 100 m of net | 1 bag of 100 cable ties – 1 spool of 100 m wire – 51 stakes | | | |
| Kit for 250 m of net | 2 s2 bags of 100 cable ties – 1 spool of 250 m wire – 126 stakes | | | |
| Kit for 500 m of net | 3 bags of 100 cable ties – 1 spool of 500 m wire – 256 stakes | | | |
| Kit for 750 m of net | 4 bags of 100 cable ties – 2 spools of wire (250 m + 500 m) – 376 stakes | | | |





Climafrost



Alphavent 30


MANUFACTURER'S ADVICE Which net for which pests?

Our nets are designed to protect against a variety of pests. Our fine meshes can safeguard crops from larger insects, while medium-sized meshes are recommended for game, birds, and rodents.

| Product |  |  |  |
|--------------|---|---|---|
| Climafrost | | ● | ● |
| Alphavent 30 | | ● | ● |

PROTECTION AGAINST LARGE INSECTS, GAME, ETC.

END OF PRODUCTION



Climafrost



Alphavent 20



Alphavent 30

Our nets can also be used to protect crops against certain pests such as rabbits, pigeons, and grasshoppers. They are therefore suitable for market gardening, providing protection against damage caused by game, birds, and large insects on seedlings and young plants.



The nets can be placed directly over the crops, on hoops, or used as vertical protection.

| Product | Mesh | Constr. | UV treat | Color | Width | Length | Finishes | Weight |
|--------------|--------------------|-----------------------------|----------|---------|----------------------------|--------|------------------------------------|---------|
| Climafrost | Triang. >1200µ | 100% knitted strips | 600 KLY | Crystal | 16m | 100m | Top and bottom reinforcements 5 cm | 38g/sqm |
| Alphavent 20 | Rect. 2,3 x 7mm | Knitted | 500 KLY | White | De 5 à 15m | 200m | Eyelets on sides | 50g/sqm |
| | | | | White | 3m | 500m | Side reinforcements | 50g/sqm |
| | | | | Green | 2.5m | | | |
| Alphavent 30 | Rect. 2 x 3mm | Knitted monofilament strips | 600 KLY | Crystal | 1.3 - 2 - 2.5 - 3 - 4 - 6m | 200m | Side reinforcements | 70g/sqm |



Gull slapper



EOLO Falcon

| Product | Material | Dimension | Usage instructions |
|--------------|---|-------------------------------|---|
| Gull slapper | Aeronautical grade carbon and fibreglass mix | 2.20 m wide | Protects up to 8 standard-size solar panels. Special attachment system for secure installation and a maximum tilt of 15%. Once installed, there is no reduction in energy output, as fewer droppings accumulate on the panels, reducing the need for frequent cleaning. |
| EOLO Falcon | Carbon handle Durable, nearly invisible wire Polyester bird | Up to 13 m high (mast + wire) | It flies with a light breeze, reaching up to 13 m high. We recommend installing 4 per hectare in orchards and 6 per hectare in cereal fields. |

Our manufacturer's advice



Which net for which animals?

To protect your animals, we offer a complete range of nets with different mesh sizes. The table below shows the mesh size corresponding to your type of livestock.

| Animal type (farming or protection) | Fine mesh 2x3 mm, 2x4 mm | Mesh 13 - 25mm | Mesh 25 - 35mm | Mesh 40 - 60mm | Mesh 60 -100mm |
|--|-----------------------------|-------------------|-------------------|-------------------|-------------------|
| Snails | ● | | | | |
| Frogs, toads | ● | ● | | | |
| Sparrows | | ● | | | |
| Quails | | ● | | | |
| Pheasant chicks | | ● | | | |
| Young partridges | | ● | ● | | |
| Adult partridges | | ● | ● | | |
| Hens | | | ● | ● | |
| Birds of prey | | | | ● | |
| Young pheasants (weight under 1.2 kg) | | | | ● | |
| Red-legged partridges | | ● | | ● | |
| Crows | | ● | | ● | |
| Pigeons | | | | ● | |
| Rabbits | | | | ● | |
| Pheasants (weight over 1.7 kg) | | | | ● | |
| Hérons | | | | ● | |
| Turkeys | | | | ● | |
| Wild boars | | | | | ● |
| Foxes | | | | | ● |
| Deers | | | | | ● |



DIY range

Special store products
For retail customers

We also offer customizable products
for stores.

These nets, spikes, and accessories are sold in
smaller sizes and quantities to meet the needs of
retail customers.



Do It Yourself
by Alphatex



NET AGAINST BIRDS

Small bird nets are packaged in
pouches, ideal for selling in shops.



BIRD SPIKE PACKS

Our bird spike packs are available in
1-metre boxes for self-assembly, or
in 10-metre boxes with glue, already
assembled.



NETS AND SPIKES FOR CATS

Primarily aimed at private customers, our
nets and spikes prevent cats from passing
through without harming them.

**ALL REFERENCES AND AVAILABLE SIZES CAN BE FOUND
ON PAGES 126 AND 127**

Alphatex



DIY – EXTENDED TO ALL OUR PRODUCTS

Choose from **A to Z**: from the product to the packaging!

Many products, whether for construction, agriculture, or landscaping, can be
customised for retail sale. For more information about our DIY solutions, request our
brochure from your sales contact.



Choisissez de A à Z : du produit jusqu'à l'emballage



| BUILDING | AGRICULTURE | ANIMALS | GREEN SPACES |
|--|---|---|--|
| <ul style="list-style-type: none"> Construction nets Scaffolding nets HDPE tarpaulins PVC tarpaulins Fibreglass fabrics Fall protection nets | <ul style="list-style-type: none"> Insect nets Windbreak nets Shade nets Landscape fabrics Climatic nets | <ul style="list-style-type: none"> Aviary nets Nets against birds Bird spikes Nets against cats Cat spikes Arbotex knitted nets | <ul style="list-style-type: none"> Privacy nets Windbreak nets Shade sails Mezzanine nets Skip nets Pond nets and tarpaulins |

References p. 135



DOUBLE-SIDED TAPE

Used for installing nets and tarpaulins on frames or fencing.
Material: braided HDPE



STAPLER / STAPLES

Bostitch SR8 stapler with P7 magazine – SR8 staples supplied in boxes of 2,500 pieces.
For attaching nets onto wire or cable, coated or uncoated.
Stapler and staples sold separately.



SELF-ADHESIVE TIES

For installing nets indoors.



COATED STEEL CABLE

Used for installing nets and tarpaulins on frames or fencing.
Material: galvanised steel and PVC.

Diameter

5 - 6 - 7 mm

Spool length

50m to 200m or cut to length

Colors

Dark green – Dark green translucent
– Black – Light green – White – Grey –
Transparent



GALVANISED STEEL CABLE

Used for installing nets and tarpaulins on frames or fencing.
Material: 7x7 galvanised steel.

Diameter

2mm

Spool length

100 - 200 m



SCREW ANCHORS

Used for installing nets and tarpaulins on frames or fencing.
Material: braided HDPE



IPN CLIP

Allows nets to be fixed to all types of IPN metal beams.

Dimensions

2 to 4 mm - 4 to 7 mm - 8 to 12 mm

Diameters

6-7 mm - 9-10 mm - 15-18 mm
19-24 mm



SILICONE ADHESIVE

Used to install spikes on all types of surfaces.

1 tube = 10-12 linear metres of spikes.

Tube: 300 ml.



HDPE TENSION WIRE

Used for installing nets and tarpaulins on frames or fencing.
Material: cabled HDPE.

Diameter

3 - 4 - 5 - 6 - 8 - 10 mm

Spool lengths

100 - 200 - 250 - 500 m


Colors

Black - Green - Stone - Green/Blue
- Dark green - Aqua green - White -
Grey - Red



SYNTHETIC WIRE

Synthetic wire on a 1,370 m spool



SLEEVES

Crimping sleeves in aluminium.

For thin cable: 0.55 mm to 0.65 mm.

For thick cable: 2, 2.5, 3.5, 4, 5 mm.


Bag of 100 pieces.



MULTI-PURPOSE PLIERS

Maximum cutting \varnothing 4 mm and crimping of sleeves

References p. 135



EYE BOLT

Eye bolt for fixing nets onto solid supports



CABLE TIE

Box of 50 pieces.
Material: galvanised steel.

Diameter

3 - 4 - 5 - 6 - 8mm



LANTERN TURNBUCKLE

For correctly tensioning your nets.

Diameter

5 - 6 - 8 - 10mm



QUICK TENSIONER

For tensioning and securing the cable. Double-channel self-locking mechanism.

Diameters

1.50 à 2.50 mm



ZIP + CHAIN + BUTTON

ZIP + CHAIN + STOP BUTTON

Sold separately.

References

REFERENCES

| Products | Length | Width | Color | Reference |
|-----------------------------|--------|------------|------------|------------|
| 13 MM KNITTED | 50m | 4m | Green | 5TML013004 |
| | | 6m | | 5TML013006 |
| | | 8m | | 5TML013008 |
| | | 12m | | 5TML013012 |
| 15 MM KNITTED | 100m | 5m | Black | 5TML015008 |
| | | 10m | | 5TML015007 |
| | 200m | 5m | | 3TML015004 |
| | | 10m | | 5TML015013 |
| 20 MM KNITTED | 100m | 4m | Blue | 5TML020101 |
| | 20m | 20m | | 5TML020120 |
| | 15m | 15m | | 5TML020115 |
| | 12m | 12m | | 5TML020112 |
| | 8m | 8m | | 5TML020108 |
| | 6m | 6m | | 5TML020106 |
| | 5m | 5m | | 6TML020105 |
| 22 MM KNITTED | 100m | 4m | Black | 3TML022004 |
| | | 5m | | 5TML022007 |
| | | 6m | | 5TML022001 |
| | | 8m | | 5TML022002 |
| | | 10m | | 5TML022010 |
| | | 12m | | 5TML022008 |
| | | 20m | | 5TML022009 |
| 25 MM KNITTED | 100m | 2m | Black | 5TML025013 |
| | | 4m | Black | 5TML025001 |
| | | | Green | 5TML025006 |
| | | 8m | Black | 5TML025002 |
| | | | Green | 5TML025007 |
| | | 12m | Black | 5TML025003 |
| | | | Green | 5TML025008 |
| | | 16m | Black | 5TML025004 |
| | Green | | 5TML025009 | |
| | 20m | Black | 5TML025005 | |
| 20m | Green | 5TML025010 | | |
| 200m | 12m | Black | 5TML025003 | |
| 17 MM KNOTTED CABLED | 60m | 7m | Black | 5CNL017002 |
| | | 14m | | 5CNL017001 |
| 20 MM KNOTTED CABLED | 71m | 6m | Black | 5CNL020000 |
| | | 17m | | 5CNL020003 |
| 25 MM KNOTTED CABLED | 88m | 21m | Black | 5CNL025000 |
| 30 MM KNOTTED CABLED | 106m | 8.50m | Black | 5CNL030030 |
| 35 MM KNOTTED CABLED | 100m | 10m | Black | 5CNL035002 |
| | | 15m | | 5CNL035004 |

| Products | Length | Width | Color | Reference |
|--|----------------|-------------|---------------|-------------|
| 40 MM KNOTTED CABLED | 100m | 11.50m | Black | 5CNL040005 |
| | | 17m | | 5CNL040007 |
| | 141m | 23m | | 5CNL040004 |
| | 200m | 5.60m | | 5CNL040002 |
| | | 8.50m | | 5CNL040006 |
| | 205m | 25.50m | | 5CNL040010 |
| | 203m | 34m | | 5CNL040011 |
| | 307m | 17m | | 5CNL040009 |
| 50 MM KNOTTED CABLED | 100m (Ø1.50mm) | 21m | Black | 5CNL050017 |
| | 177m (Ø1.20mm) | 20m | | 5CNL050014 |
| | 300m (Ø1.50mm) | 21m | | 5CNL050010 |
| 60 MM KNOTTED CABLED | 5m | 12.50m | Black | 5CNL060006 |
| | 10m | 10m | | 5CNL060003 |
| | | 12.50m | | 5CNL060007 |
| | 20m | 10m | | 5CNL060004 |
| | | 12.50m | | 5CNL060008 |
| | | 25m | | 5CNL060013 |
| | 100m | 17m | | 5CNL060010 |
| | | 25m | | 5CNL060026 |
| | 204m | 8.50m | | 5CNL060002 |
| | 212m | 20m | | 5CNL060001 |
| 400m | 6.35m | 5CNL060009 | | |
| 100 MM KNOTTED CABLED | 353m | 20m | Black | 5CNL150001 |
| 145 MM KNOTTED CABLED | Free (Ø2 mm) | Free | Black | 1CNC145006 |
| | Free (Ø2.5 mm) | Free | Black | 1CNC145014 |
| SPARROW NETS 19 MM M1 FIRE RATING | 5m | 5m | Black and red | 5CNZ1490505 |
| | | 10m | | 5CNZ1490510 |
| | 10m | 10m | | 5CNZ4191010 |
| | | 15m | | 5CNZ4191015 |
| | | 20m | | 5CNZ4191020 |
| | 20m | 20m | | 5CNZ4192020 |
| | 20.20m | 150m | | 5CNZ4192095 |
| | 30.20m | 100 m | | 5CNZ4193091 |
| Free | Free | 5CNL4199999 | | |
| SPARROW NETS 19 MM | 5m | 5m | Black | 5CNZ0190505 |
| | | | Stone | 5CNZ1190505 |
| | | 10m | Black | 5CNZ0190510 |
| | | | Stone | 5CNZ1190510 |
| | | | Translucent | 5CNZ2190505 |
| | | 15m | Black | 5CNZ0190515 |
| | | | Stone | 5CNZ1190515 |
| | | 20m | Black | 5CNZ0190520 |
| | | | Translucent | 5CNZ2190520 |
| | | 25m | Black | 5CNZ019525 |
| 30m | 5CNZ019530 | | | |

| Products | Length | Width | Color | Reference |
|-------------------------------|-------------------------------|-------------|-------------|-------------|
| SPARROW NETS 19 MM | 7.65m | 7.65m | Black | 5CNZ0190808 |
| | | | Stone | 5CNZ1190808 |
| | | 15.25m | Black | 5CNZ0190816 |
| | | | Stone | 5CNZ1190816 |
| | | 22.85m | Black | 5CNZ0190823 |
| | | | Stone | 5CNZ1190823 |
| | 30.50m | Black | 5CNZ0190831 | |
| | | Stone | 5CNZ1190831 | |
| | 10m | 10m | Black | 5CNZ0191010 |
| | | | Stone | 5CNZ1191010 |
| | | | Translucent | 5CNZ2191010 |
| | | 15m | Black | 5CNZ0191015 |
| | | | Stone | 5CNZ1191015 |
| | | | Translucent | 5CNZ2191015 |
| | | 20m | Black | 5CNZ0191020 |
| | | | Stone | 5CNZ1191020 |
| | | | Translucent | 5CNZ2191020 |
| | SPARROW NETS 19 MM | 10m | 25m | Black |
| 30m | | | 5CNZ0191030 | |
| 40m | | | 5CNZ0191040 | |
| 100m | | | 5CNZ0191099 | |
| 300m | | | 5CNZ0191093 | |
| Translucent | | | 5CNZ2191093 | |
| 15m | | 20m | Black | 5CNZ0191520 |
| 15.25m | | 15.25m | Black | 5CNZ0191516 |
| | | | Stone | 5CNZ1191516 |
| | | 22.90m | Black | 5CNZ0191523 |
| | | | Stone | 5CNZ1191523 |
| | | 30.50m | Black | 5CNZ0191531 |
| | | | Stone | 5CNZ1191531 |
| 20m | | 20m | Black | 5CNZ0192020 |
| | | | Stone | 5CNZ1192020 |
| | | 100m | Black | 5CNZ0192099 |
| | | | Translucent | 5CNZ2192095 |
| 150m | | Translucent | 5CNZ2192095 | |
| 30m | 100m | Black | 5CNZ0193091 | |
| 30.50m | 30.50m | Black | 5CNZ0193131 | |
| | | Stone | 5CNZ1193131 | |
| | 61m | Black | 5CNZ0193161 | |
| | | Stone | 5CNZ1193161 | |
| | 100m | Black | 5CNZ019008 | |
| | | Translucent | 5CNZ2193091 | |
| Made-to-measure | Made-to-measure | Stone | 5CNZ1199999 | |

| Products | Length | Width | Color | Reference | |
|--------------------------------|-------------|--------|-------------|-------------|-------------|
| STARLING NETS 28 MM | 5m | 5m | Black | 5CNZ019505 | |
| | | | Stone | 5CNZ219505 | |
| | 7.65m | 7.65m | Translucent | Black | 5CNZ219808 |
| | | | | Stone | 5CNZ219816 |
| | | | | Translucent | 5CNZ219823 |
| | | | | Black | 5CNZ219831 |
| | | | | Stone | 5CNZ219510 |
| | 10m | 10m | | 5CNZ119516 | |
| | 15.25m | 15.25m | | 5CNZ219520 | |
| | 20m | 20m | | | |
| PIGEONS NETS 50 MM | 3m | 2m | Stone | 5CNZ1500203 | |
| | | 3m | | 5CNZ1500303 | |
| | | 4m | | 5CNZ1500304 | |
| | | 5m | | 5CNZ1500305 | |
| | | 6m | | 5CNZ1500306 | |
| | 5m | 5m | Black | 5CNZ0500505 | |
| | | | Stone | 5CNZ1500505 | |
| | | | Translucent | 5CNZ2500505 | |
| | | 10m | Black | 5CNZ0500510 | |
| | | | Stone | 5CNZ1500510 | |
| | | | Translucent | 5CNZ2500510 | |
| | | 15m | Black | 5CNZ0500515 | |
| | | | Stone | 5CNZ1500515 | |
| | | | Translucent | 5CNZ2500515 | |
| | | 20m | Stone | 5CNZ1500520 | |
| | | 25m | Black | 5CNZ0500525 | |
| | | | Stone | 5CNZ1500525 | |
| | | 30m | Black | 5CNZ0500530 | |
| | | | Stone | 5CNZ1500530 | |
| | | 7.65m | 7.65m | Black | 5CNZ0500808 |
| | Stone | | | 5CNZ1500808 | |
| | Translucent | | | 5CNZ2500808 | |
| | 15.25m | | Black | 5CNZ0500819 | |
| | | | Stone | 5CNZ1500816 | |
| | | | Translucent | 5CNZ2500816 | |
| | 22.90m | | Black | 5CNZ0500823 | |
| | | | Stone | 5CNZ1500823 | |
| | | | Translucent | 5CNZ2500823 | |
| | 30.50m | | Black | 5CNZ0500831 | |
| | | | Stone | 5CNZ1500831 | |
| Translucent | | | 5CNZ2500831 | | |

| Products | Length | Width | Color | Reference | |
|----------------------------------|---|-----------------|---------------|---------------|-------------|
| PIGEONS NETS 50 MM | 25m | 25m | Black | 5CNZ0502525 | |
| | | | Stone | 5CNZ1502525 | |
| | | 30m | 30m | Black | 5CNZ0502530 |
| | | | | Stone | 5CNZ1502530 |
| | 30m | 50m | Black | 5CNZ0503050 | |
| | | 450m | Black | 5CNZ0503094 | |
| | | | Stone | 5CNZ1503094 | |
| | | 30.50m | 30.50m | Black | 5CNZ0503131 |
| | Translucent | | | 5CNZ2503131 | |
| | Stone | | | 5CNZ1503131 | |
| | 61 m | | Black | 5CNZ0503161 | |
| | Made-to-measure | Made-to-measure | Stone | 5CNZ1509999 | |
| PIGEONS NETS 50 MM M1 | 5m | 5m | Black | 5CNZ3500505 | |
| | | | Black and Red | 5CNZ4500505 | |
| | | 10m | 10m | Black | 5CNZ3500510 |
| | | | | Black and Red | 5CNZ4500510 |
| | | 15m | 15m | Black | 5CNZ3500515 |
| | | | | Black and Red | 5CNZ4500515 |
| | 20m | 20m | Black | 5CNZ3500520 | |
| | 10 m | 10m | Black and Red | 5CNZ4501010 | |
| | | 15m | Black and Red | 5CNZ4501015 | |
| | | 20m | Black | 5CNZ3501020 | |
| | | | Black and Red | 5CNZ4501020 | |
| | | 50m | Black | 5CNZ3501050 | |
| | | 80m | Black | 5CNZ3501080 | |
| | | 500m | Black | 5CNZ4501095 | |
| | 15m | 15m | Black and Red | 5CNZ4501515 | |
| | | 20m | Black and Red | 5CNZ4501520 | |
| | 20m | 20m | Black | 5CNZ3502020 | |
| | | | Black and Red | 5CNZ4502020 | |
| | | 50m | Black | 5CNZ3502050 | |
| | | 70m | Black | 5CNZ2502070 | |
| | Made-to-measure | Made-to-measure | Stone | 5CNZ350999 | |
| | PIGEONS NETS 50 MM NYLON Ø1 MM | 5m | 5m | Translucent | 5CNZ1050001 |
| | | 10m | 10m | | 5CNZ1050002 |
| | | 20m | 100m | | 5CNZ1050003 |

| Products | Length | Width | Reference |
|--|---------|-------|-------------|
| ALPHAPICS | 48/5 | 50lm | 5ACDPIC005 |
| | 48/7 | 50lm | 5ACDPIC008 |
| | 48/10 | 10lm | 5ACDPIC013 |
| | | 50lm | 5ACDPIC012 |
| | 48/15 | 50lm | 5ACDPIC016 |
| | 64/7 | 50lm | 5ACDPIC007 |
| | 64/10 | 10lm | 5ACDPIC011 |
| | | 50lm | 5ACDPIC010 |
| | 64/15 | 10lm | 5ACDPIC018 |
| | | 50lm | 5ACDPIC015 |
| | 64/20 | 10lm | 5ACDPIC021P |
| | | 50lm | 5ACDPIC020P |
| | 80/20 | 10lm | 5ACDPIC021 |
| | | 50lm | 5ACDPIC020 |
| EASY SPIKES | 48/5 | 10lm | 5ACDPIC4805 |
| | | 50lm | 5ACDPIC4806 |
| | | | 5ACDPIC4805 |
| | 48/10 | 10lm | 5ACDPIC4811 |
| | | 50lm | 5ACDPIC4810 |
| | 64/10 | 10lm | 5ACDPIC6411 |
| | | 50lm | 5ACDPIC6410 |
| | 64/15 | 10lm | 5ACDPIC6416 |
| | | 50lm | 5ACDPIC6415 |
| | 64/20 | 50lm | 5ACDPIC6420 |
| | 80/20 | 10lm | 5ACDPIC8021 |
| | | 50lm | 5ACDPIC8020 |
| 10 ML ALPHAPIC KITS + 1 TUBE OF GLUE 64 SPIKES /M | 10 m | 7 cm | 5PACCOL007 |
| | 10 m | 10 cm | 5PACCOL010 |
| | 10 m | 15 cm | 5PACCOL510 |
| | 10 m | 20 cm | 5PACCOL015 |
| ALPHAPIC DIY KITS | Pack 10 | 1lm | 5ACDCPIC111 |
| | Pack 50 | | ACDCPIC110 |
| ALPHAPIC ADHESIVE PACK | 64/20P | 10lm | 5PACCOL020P |
| | 80/20 | | 5PACCOL0820 |

| Products | Length | Width | Color | Reference |
|---|--------------------------|-------------|-------------------------|-------------------------|
| CATS NETS 40 MM | 5m | 5m | Stone + stainless steel | 5CNZ6400505 |
| | 10m | 10m | | 5CNZ6401010 |
| | 20m | 2m | | 5CNZ6400220 |
| | | 3m | | 5CNZ6400320 |
| | | 10m | | 5CNZ6401020 |
| | 30m | 3m | | 5CNZ6400330 |
| | Free | Free | | 5CNZ6409999 |
| | 5m | 5m | | Black + stainless steel |
| | 10m | 10m | 5CNZ5401010 | |
| | 20m | 2m | 5CNZ5400220 | |
| | | 3m | 5CNZ5400320 | |
| | | 10m | 5CNZ5401020 | |
| | 30m | 3m | 5CNZ5400330 | |
| | Free | Free | 5CNZ5409999 | |
| CATS SPIKES | 11m - 2 modules of 50 cm | | White | 5ACPPAC010 |
| | | | Beige | 5ACPPAC020 |
| | | | Brown | 5ACPPAC030 |
| | | | Black | 5ACPPAC040 |
| | | | Translucent | 5ACPPAC050 |
| | | | Grey | 5ACPPAC060 |
| | | | Green | 5ACPPAC070 |
| ALPHAVENT 50 (SNAIL FARMING) | 100m | 1.50m | Green/Black | 5SMR106024 |
| | | | Crystal | 5SMR106702 |
| | | 2m | Green/Black | 5SMR106043 |
| | | | Crystal | 5SMR106106 |
| | 3m | Green/Black | 5SMR106053 | |
| | | Crystal | 5SMR106107 | |
| | 250m | 2.40m | Black | 5SMR120824 |
| | | 6m | Green/Black | 5SMR106260 |
| | 500m | 0.80m | Green/Black | 6SMR106003 |
| | | | | 5SMR106029 |
| | | | | 5SMR106028 |
| | | | | 5SMR106221 |
| | | | | 5SMR106225 |
| | | | | 5SMR106054 |
| | | | | 5SMR106062 |
| | | 3.50m | White | 5SMR106061 |
| 4m | | Green/Black | 5SMR106073 | |
| | | | 5SMR106250 | |
| ALPHAVENT 55 (SNAIL FARMING) | 100m | 1m | 5SMR165002 | |
| | | 1.25m | 5SMR165003 | |
| | | 1.50m | 5SMR165004 | |
| | | 2m | 5SMR165005 | |
| | | 3m | 5SMR165007 | |
| | | 4m | 5SMR165009 | |
| | | 6m | 5SMR165011 | |

| Products | Length | Width | Color | Reference |
|--|--------|------------|------------------|------------|
| ALPHAOMBRE 55 SNAIL FARMING | 100m | 2m | Green/Black | 5SPT054002 |
| | | 4m | | 5SPT054004 |
| | | 6m | | 5SPT054006 |
| ALPHAOMBRE 75 SNAIL FARMING | 100m | 2m | Green/Black | 5SPT068002 |
| | | 3m | | 5SPT068003 |
| | | 4m | | 5SPT068004 |
| | | 6m | | 5SPT068006 |
| ALPHAVENT 50 AGAINST AMPHIBIANS | Free | Free | Green/Black | 1SMR106005 |
| INSECTIS AGAINST AMPHIBIANS | 100m | 1m | Crystal | 5SMR110010 |
| BATRA 25 | 100m | 1m | Translucide | 5WMR110010 |
| | 750m | 0.35m | Green | 5SMR080006 |
| | | | Black | 5SMR080206 |
| | | 0.45m | Green | 5SMR080005 |
| | | | Black | 5SMR080205 |
| | 0.65m | Green | 5SMR080004 | |
| Black | | 5SMR080204 | | |
| 0.85m | Green | 5SMR080000 | | |
| BATRA 50 | 500m | 0.80m | Green/Black | 5SMR106003 |
| | | 1m | | 5SMR106029 |
| BATRA 55 | 100m | 1m | Green/Black | 5SMR150114 |
| STAKES | 85cm | 7mm | Galvanised steel | 5ACGPIQ002 |

| Products | Acc. 1 | Acc. 2 | Acc. 3 | Reference |
|--------------------------------------|------------|--------------------------|--|------------|
| BATRA ACCESSORY KIT 100 M | 51 stakes | 1 bag of 100 cable ties | 1 spool of thread, 100 m | 5KITBAT100 |
| BATRA ACCESSORY KIT 250 M | 126 stakes | 2 bags of 100 cable ties | 1 spool of thread, 250 m | 5KITBAT250 |
| BATRA ACCESSORY KIT 500 M | 256 stakes | 3 bags of 100 cable ties | 1 spool of thread, 500 m | 5KITBAT500 |
| BATRA ACCESSORY KIT 750 M | 376 stakes | 4 bags of 100 cable ties | 1 spool of thread, 500 m, and 1 spool of thread, 250 m | 5KITBAT750 |

| Products | Characteristics | Reference |
|---------------------------------------|--|--------------|
| ALPHAVENT 20 AGAINST GAME | 2,5m x 500m - Green | 5SMR055010 |
| | 3m x 500m - White | 5SMR055050 |
| | 5m x 200m - White | 5SMR055173 |
| | 5,33 x 200m - White | 5SMR055175 |
| | 5,66 x 200m - White | 5SMR055176 |
| | 6 x 200m - White | 5SMR055181 |
| | 6,33 x 200m - White | 5SMR055320 |
| | 6,66 x 200m - White | 5SMR055321 |
| | 7 x 200m - White | 5SMR055322 |
| | 7,33 x 200m - White | 5SMR055323 |
| | 7,66 x 200m - White | 5SMR055324 |
| | 8 x 200m - White | 5SMR055325 |
| | 8,33 x 200m - White | 5SMR055326 |
| | 8,66 x 200m - White | 5SMR055327 |
| | 9 x 200m - White | 5SMR055328 |
| | 9,33 x 200m - White | 5SMR055329 |
| | 9,66 x 200m - White | 5SMR055330 |
| | 10 x 200m - White | 5SMR055331 |
| | 10,33 x 200m - White | 5SMR055332 |
| | 10,66 x 200m - White | 5SMR055333 |
| | 11 x 200m - White | 5SMR055334 |
| | 11,33 x 200m - White | 5SMR055335 |
| | 11,66 x 200m - White | 5SMR055336 |
| | 12 x 200m - White | 5SMR055337 |
| | 13 x 200m - White | 5SMR055340 |
| 14 x 200m - White | 5SMR055343 | |
| 15 x 200m - White | 5SMR055346 | |
| ALPHAVENT 30 AGAINST GAME | 1.3m x 300m | 5SMR070113 |
| | 2 x 200m | 5SMR0700102 |
| | 2.5 x 200m | 5SMR070125 |
| | 3 x 200m | 5SMR0700103 |
| | 4 x 200m | 5SMR070104 |
| | 6 x 200m | 5SMR070106 |
| CLIMAFROST | 12 x 100m | 5SPT1036007* |
| | 16 x 100m | 5SPT1036005* |
| DOUBLE-SIDED TAPE | Sold in translucent rolls 50 mm x 5 m | 5DHP050050 |
| STAPLER P7 | Solde individually | 5ACA008004 |
| STAPLES SR8 | Box of 2,500 pieces | 5ACG008001 |
| ALPHA CLIP STAINLESS STEEL | Box of 100 pieces | 5ACICLI012 |
| SELF-ADHESIVE FASTENERS | Translucent - 100 pcs | 5ACPATF001 |
| | White - 100 pcs | 5ACPATF002 |
| COATED STEEL CABLE | From 10 to 2,000lm Various colors | 5ASE0... |
| GALVANISED STEEL CABLE | 100lm - 2mm | 5ASG10001 |
| | 200lm - 2mm | 5ASG20001 |
| NYLON PLUG | Ø6mm - 100 pcs | 5ACPCH025 |

| Products | Characteristics | Reference |
|---------------------------------|-------------------------------------|------------|
| IPN CLIP | 2 to 4mm - Ø9-10mm | 5ACDCLI001 |
| | 2 to 4mm - Ø15-18mm | 5ACDCLI002 |
| | 4 to 7mm - Ø6-7mm | 5ACDCLI005 |
| | 8 to 12mm - Ø6-7mm | 5ACDCLI004 |
| | 8 to 12mm - Ø19-24mm | 5ACDCLI003 |
| SILICONE ADHESIVE | Box of 24 pieces | 5ACDMAS001 |
| THIN CABLE SLEEVES | 0.55 to 0.65 mm - 100 pieces | 5ACI100002 |
| SILICONE ADHESIVE | Box of 24 pieces | 5ACDMAS001 |
| THIN CABLE SLEEVES | 0.55 to 0.65 mm - 100 pieces | 5ACI100002 |
| THICK CABLE SLEEVES | 2 mm - individually | 5ACI100009 |
| | 2.50 mm - indiv. | 5ACI100008 |
| | 3.50 mm - indiv. | 5ACI100007 |
| | 4 mm - individually | 5ACI100006 |
| | 5 mm - individually | 5ACI100005 |
| MULTI-PURPOSE CLAMP | Per unit | 5ACDPIN001 |
| SCREW-IN EYELET | Ø4mm - Box of 100 pieces | 5ACGCRO042 |
| CABLE CLAMP | Ø3mm | 5ACGSEC008 |
| | Ø4/5mm | 5ACGSEC009 |
| | Ø6mm | 5ACGSEC010 |
| GALVANISED TENSIONER | 1 ring / 1 hook - 5 mm | 5ACGTEN011 |
| | 1 ring / 1 hook - 10 mm | 5ACGTEN017 |
| | 1 hook / 1 hook - 8 mm | 5ACGTEN016 |
| | 1 hook / 1 hook - 10 mm | 5ACGTEN015 |
| | 1 ring / 1 ring - 8 mm | 5ACGTEN014 |
| LANTERN TENSIONER | Galvanised steel type M8 | 5ACGTEN008 |
| QUICK TENSIONER | 1.50 to 2.50mm - Bag of 5 pieces | 5ACDTEN001 |
| ZIP - SLIDER | Black - Per unit | 5ACPZIP009 |
| ZIP - CHAIN | Black - Per metre | 5ACPZIP008 |
| ZIP - STOP BUTTON | Steel - Per unit | 5ACPZIP006 |



GREEN SPACES

- Privacy netting
- Windbreak netting
- Triangular shade netting
- Backstop netting
- Skip netting
- Landscape fabrics
- Tarpaulins
- Accessories
- Reference numbers

SPECIFIC FINISHES

FOR PRIVACY AND WINDBREAK NETS

Our privacy nets are available in a 'raw cut' finish or with **buttonholes**. In addition, our manufacturing teams can add **bands** and **eyelets** to any type of privacy screen. Discover the different finishes available for our privacy screens below.

WITHOUT BUTTONHOLES

DISCONTINUED ITEM



Raw-cut privacy screens are the most standard and economical type. **They are manufactured without reinforcements or buttonholes on the sides.**

To install them, we recommend using black round clips (for lightweight models, up to 150 g/sqm) or green clips (for heavier models, weighing more than 150 g/sqm).



WITH BUTTONHOLES



These models feature buttonholes and reinforcements on the sides. It is **easier to install and ensures that the net has a longer lifespan.**

To install them securely and quickly, you can opt for zip ties or clips.



BANDS AND EYELETS




Privacy screens with pre-made strips and eyelets are the most durable, attractive and quickest to install.

Below you will find all the strip colors available in our catalogue:




PRIVACY NETS

FROM 75 TO 90%



Alphavue 75



Alphavue 85



Alphavue 90 LG


Our range of privacy nets, offering 75% to 100% coverage, are available in standard and custom sizes, allowing us to respond quickly to our customers' requests. Alphavue nets are made from 100% HDPE strips and are UV-treated. These privacy screens can be installed on existing structures such as barriers, fences, wire mesh or posts.

Installation is simple thanks to our accessories, which you can find at the end of the catalogue.



| Product | Occultation | Constr. | UV tr. | Color | Height | Length | Weight | Finishes |
|---|-------------|-------------------|---------|-------------|-------------------|-----------------|-----------|------------------|
| Alphavue 75 | 75% | Knitted strips | 600 KLY | White | 1.5 m | 200 m | 130 g/sqm | With buttonholes |
| | | | | | 1.8 m | | | |
| | | | | | 2 m | | | |
| Alphavue 80 DISCONTINUED ITEM | 80% | Knitted strips | 600 KLY | Green | 1 m | 5 m | 95 g/sqm | With buttonholes |
| | | | | | 1.5 m | | | |
| | | | | Green/Black | 1 m | 10 m | | |
| | | | | | 1.5 m | | | |
| | | | | Brown/Black | 2 m | 5 m - 10 m | | |
| | | | | | 1 m | | | |
| | | | | | 1.5 m | | | |
| Alphavue 85 | 85% | Monofil. & strips | 600 KLY | Green | 3 m | 100 m | 145 g/sqm | With buttonholes |
| | | | | | 1.50 - 1.80 - 2 m | 200 m | | |
| | | | | | | | | |
| Alphavue 90 LG | 90% | Knitted strips | 600 KLY | Dark green | 1.5 m | 10 - 50 - 200 m | 90 g/sqm | With buttonholes |
| | | | | | 1.8 m | | | |
| | | | | | 2 m | | | |
| | | | | | 3 - 4 m | 200 m | | |

Accessories on p.150






Green/Black Alphavue 95




Black Alphavue 95


PRIVACY NETS 95%




Grey Alphavue 95




Dark grey Alphavue 95
RAL7016




Black Alphavue 95




Ivory Alphavue 95




Green/Black Alphavue 95



Orange Alphavue 95



Brown Alphavue 95



White Alphavue 95

| Product | Occultation | UV tr. | Constr. | Color | Height | Length | Weight | Finishes | | | |
|-------------|-------------|--------|----------------|-----------------|---------------------|---------------------|-----------|-------------|-------------------------------------|---------------------|---------|
| Alphavue 95 | 95% | 600KLY | Knitted strips | Grey | 1.2 m | 5 m | 185 g/sqm | Buttonholes | | | |
| | | | | | 1 - 1.5 - 1.8 - 2 m | 25 m | | | | | |
| | | | | | 1.5 - 1.8 - 2 m | 50 m | | | | | |
| | | | | Light grey | 3 - 4 m | 100 m | | | Black | 1.8 - 2 m | 10 m |
| | | | | Dark grey | 4 m | 100 m | | | | 1.2 - 1.5 m | 20 m |
| | | | | Black | 1.5 - 1.8 - 2 - 3 m | 50 m | | | | 1.5 - 1.8 - 2 - 3 m | 100 m |
| | | | | | Ivory | 4 - 5 m | | | | 100 m | 2 - 3 m |
| | | | | | | Orange | | | 1.50 m | 20 m | White |
| | | | | 50 m | Green/ Black | | | | | 1.5 - 1.8 - 2 m | |
| | | | | 2 m | | | | | 20 m | 1.5 - 1.8 - 2 m | |
| | | | | | | 50 m | | | 1 - 1.2 - 1.5 - 1.8 - 2 - 3 - 3.6 m | 50 m | |
| | | | | Green/ Black | | 2 m | | | 100 m | 2 m | 100 m |
| | | | | | | 1.5 - 1.8 - 2 - 3 m | | | 200 m | 1 m | 3 m |
| | | | | | | 1 m | | | 3 m | 1.2 - 2 m | 5 m |
| | | | | | | 1.2 - 2 m | | | 5 m | 1 - 1.2 - 1.8 - 2 m | 10 m |
| | | | | | | 1.5 m | | | 25 m | 1.5 m | 25 m |
| | | | | | | 1 - 1.2 m | | | 100 m | 1.5 - 1.8 - 2 m | 200 m |
| | | | | | | 1.5 - 1.8 - 2 m | | 200 m | Brown | 1.50 m | 200 m |
| | | | | | 2 m | 200 m | | 2 m | | 200 m | |
| | | | | 3 m | 100 m | Without buttonholes | | | | | |




Dark grey Alphavue 100



Green Alphavue 100

PRIVACY NETS

100%



Grey Alphavue 100



Dark grey Alphavue 100
RAL7016



Green/Black Alphavue 100

| Product | Occultation | UV tr. | Constr. | Color | Height | Length | Weight | Finishes |
|--------------|-------------|---------|----------------|-------------|---------------------------|------------|-----------|---|
| Alphavue 100 | 100% | 600 KLY | Knitted strips | Taupe | 1.5 m | 3 m | 300 g/sqm | With or without buttonholes (depending on colors and sizes) |
| | | | | | 1.5 m | 5 m | | |
| | | | | Grey | 1 - 1.2 - 2 m | 5 m | | |
| | | | | | 1 - 1.2 - 1.5 - 1.8 - 2 m | 10 m | | |
| | | | | | 1.2 - 1.5 - 1.8 - 2 m | 25 - 50 m | | |
| | | | | | 1.5 - 2 m | 100 m | | |
| | | | | Green/Black | 1.5 - 1.8 - 2 m | 10 m | | |
| | | | | | 1 - 1.2 - 1.5 - 1.8 - 2 m | 25 m | | |
| | | | | | 1.8 m | 50 m | | |
| | | | | | 1.2 - 1.5 - 1.8 - 2 - 3 m | 100 m | | |
| | | | | Ivory | 1.5 - 2 m | 25 - 100 m | | |
| | | | | Blue | 1.5 m | 100 m | | |

MANUFACTURER'S ADVICE

Our Alphavue 100 nets provide complete privacy. Installed around a building site, simply in a garden or on a balcony, they will protect you from the prying eyes of passers-by.

To make it easier for you to install our privacy screens, we offer a range of dedicated accessories. These accessories make it quicker and easier to attach the privacy screen. You can install the screen on wire fencing, a fence or a cable, for example.






Alphavent


WINDBREAK NETS




Alphavent 30



Alphavent 35



Alphavent 50



Alphavent 55




Alphavent 65

Our Alphavent windbreak nets are ideal for installation on fences, as building partitions, or even on tennis courts or campsites.



| Product | Windbreak | UV tr. | Constr. | Color | Weight | Width | Length | Finishes |
|--------------|-----------|---------|---------|---------------------------------|-----------|--|------------------------|--|
| Alphavent 30 | 25% | 600 KLY | Knitted | Crystal Green/Black | 70 g/sqm | 1.30 - 1.60 - 2 - 2.50 - 3 - 4 - 6 m | 100 - 200 - 300 m | Side reinforcements |
| Alphavent 35 | 35% | 600 KLY | Knitted | Crystal Black | 90 g/sqm | 3 - 4 - 5 - 6 m | 50 - 100 - 500 m | Side reinforcements and buttonholes |
| Alphavent 50 | 50% | 600 KLY | Knitted | White Crystal Green/Black Black | 106 g/sqm | 0.80 - 1 - 1.50 - 2.40 - 2.50 - 3 - 3.50 - 4 - 5 - 6 m | 50 - 100 - 250 - 500 m | Side reinforcements and buttonholes |
| Alphavent 55 | 55% | 600 KLY | Knitted | Green/Black | 165 g/sqm | 1 - 1.25 - 1.50 - 2 - 3 - 4 - 6 m | 100 m | Side reinforcements and buttonholes (+ every meters and in the middle) |
| Alphavent 65 | 65% | 600 KLY | Knitted | Black Green | 150 g/sqm | 3 - 3.60 - 4 m | 100 m | Without buttonholes |



Orange shade nets




Finish at each corner




LDPE coated beige shade net

TRIANGULAR SHADE NETS




Dark grey



Ivory



Orange



Green

Our triangular shade sails are ideal to cover outdoor spaces, terraces or even pool areas. Thanks to the metal loops sewn on each corner, installation is quick and easy. In addition, a reinforcement strip is added around the edge to increase strength. The dimensions shown below are for our standard models, but they can also be made-to-measure.




| Product | UV tr. | Constr. | Color | Weight | Size | Finishes |
|------------------------|---------|---------|-----------|-----------|-------------------|---|
| Shade net Dark grey | 600 KLY | Knitted | Dark grey | 185 g/sqm | 2.5 x 2.5 x 3.5 m | Reinforcement strip and buckle at each corner |
| | | | | | 3 x 3 x 4.2 m | |
| | | | | | 3 x 4 x 5 m | |
| Shade net Orange | 600 KLY | Knitted | Orange | 185 g/sqm | 2.5 x 2.5 x 2.5 m | Reinforcement strip and buckle at each corner |
| | | | | | 3 x 3 x 4.2 m | |
| | | | | | 3 x 4 x 5 m | |
| Shade net Ivory | 600 KLY | Knitted | Ivory | 185 g/sqm | 2.5 x 2.5 x 3.5 m | Reinforcement strip and buckle at each corner |
| | | | | | 3 x 3 x 4.2 m | |
| | | | | | 3 x 4 x 5 m | |
| Shade net Green | 600 KLY | Knitted | Green | 185 g/sqm | 2.5 x 2.5 x 3.5 m | Reinforcement strip and buckle at each corner |
| | | | | | 3 x 3 x 4.2 m | |
| | | | | | 3 x 4 x 5 m | |

MANUFACTURER'S ADVICE

We can manufacture shade nets in the shape and size of your choice. The references shown above are only our standard products. You can choose the color from these options:



Black




Dark grey



Light grey



White



Orange



Brown



Ivory



Green

WATERPROOF SHADE NET

The LDPE-coated shade net provides 85% shade.

Its design effectively blocks the sun's rays while preventing rain from passing through, offering optimal protection against the weather.



Beige



Grey

| Product | UV tr. | Constr. | Color | Weight | Size | Finishes |
|--------------------------------|---------|-----------------------|-------|-----------|-------------|---|
| Shade nets Beige lined LDPE | 900 KLY | Knitted + LDPE coated | Beige | 220 g/sqm | Free x Free | Reinforcement strip and buckle at each corner |
| | | | | | 3 m x Free | |
| Shade nets Gris lined LDPE | 900 KLY | Knitted + LDPE coated | Grey | 220 g/sqm | Free x Free | Reinforcement strip and buckle at each corner |
| | | | | | 3 m x Free | |




Backstop net

BACKSTOP NETS



Ø2mm PE




Ø2.5mm PE



Ø3mm PE



Ø3.5mm PE



Ø3 mm PPM

Backstop nets are designed to secure sports fields by preventing balls from leaving the playing area. Robust and resistant to all kind of weather, they are ideal for football, rugby, basketball... pitches, both outdoors and indoors, thanks to their UV treatment. Their protection is effective while maintaining the visibility and the play.



| Product | Material | Mesh size | Weight | UV tr. | Sport | Color | Finishes |
|-----------|----------|-----------|-----------|---------|--|---------------------|-----------|
| PE Ø2mm | HDPE | 25mm | 240 g/sqm | 320 KLY | Golf | Green | Bolt rope |
| PPM Ø3mm | PPM | 45mm | 180 g/sqm | 320 KLY | Tennis | Black | Bolt rope |
| PE Ø3.5mm | HDPE | 48mm | 230 g/sqm | 320 KLY | Tennis Baseball | Black | Bolt rope |
| PE Ø3mm | HDPE | 100mm | 75 g/sqm | 320 KLY | Handball Volley-ball Multisport field | Green | Bolt rope |
| | | 120mm | 58 g/sqm | | Football | | |
| PE Ø2.5mm | HDPE | 145mm | 43 g/sqm | 320 KLY | Football | Dark green Black | Bolt rope |

MANUFACTURER OF ALL TYPES OF SPORTS NETS

We can also manufacture a wide variety of sports nets, including ball nets, goal nets and basket nets for basketball, hockey, handball, volleyball, tennis, badminton, padel tennis and more.


These items are not listed in this catalogue, but we can accommodate all types of requests.

Please contact us for more information.





650g/sqm tarpaulin



900g/sqm tarpaulin

PVC TARPAULINS



650g/sqm grey tarpaulin



650g/sqm blue tarpaulin



650g/sqm red tarpaulin



900g/sqm green tarpaulin



900g/sqm white tarpaulin



900g/sqm yellow tarpaulin

Our 650 g/sqm and 900 g/sqm PVC tarpaulins are designed to meet the requirements of a wide variety of applications: pergola covers, event stage protection, temporary or permanent installations in green spaces, swimming pool and pond covers, etc. Made to measure, they can be adapted to any configuration. Their welded hem and eyelet finish guarantees excellent durability and quick installation. Weather and UV resistant, these tarpaulins are the ideal solution for combining protection, aesthetics and durability.



| Product | Material | Weight | UV tr. | Size | Colors | Finishes |
|-------------------------------|----------------------|-----------|---------|-----------------|--|------------------------|
| 650g/m ² tarpaulin | Polyester PVC coated | 650 g/sqm | 300 KLY | Made-to-measure | Blue, yellow, black, green, white, ivory, grey, dark grey, red, sand | Welded hem and eyelets |
| 900g/m ² tarpaulin | Polyester PVC coated | 900 g/sqm | 600 KLY | Made-to-measure | Blue, yellow, black, green, white, grey, red | Welded hem and eyelets |

BUBBLE COVER

We can also supply bubble pool covers for round or rectangular pools. These covers help to keep the water clean while naturally increasing its temperature. They also reduce water evaporation.

These covers are made to order, so feel free to contact us for any specific requirements.





Covertex 150 CD



Covertex 200

SKIP NETS



Covertex 150 CD



Covertex 200

Use skip nets for safe transports! They are very resistant thanks to: a heavy HDPE woven band, protected with a UV treatment, double machine stitch with a thick sewing thread and 14mm diameter eyelets every 50cm.



Dimensions shown below are in stock and ready to be delivered.

| Product | UV tr. | Constr. | Color | Weight | Width | Length | Finishes |
|-----------------|---------|---------|---------------------|----------------------|-----------------|--------------------------------------|--|
| Covertex 150 CD | 600 KLY | Knitted | Dark green or Black | 150 g/m ² | 3 m | 4 m | Bands and eyelets every 50cm With or without sandow |
| | | | | | 3.5 m | 5 - 5.5 - 6 6.5 - 7 - 7.5 8 m | |
| | | | Dark green | | Made-to-measure | 1.5 m - Made-to-measure | |
| Covertex 200 | 600 KLY | Knitted | Black | 200 g/m ² | 3 m | 4 m | Bands and eyelets every 50cm with or without sandow |
| | | | | | 3.5 m | 5 - 5.5 - 6 - 6.5 - 7 - 7.5 - 8 m | |
| | | | Green/ Black | | Made-to-measure | Made-to-measure | |
| | | | | | 3.5 m | 100 m | |

MANUFACTURER'S ADVICE

Our Covertex range is mainly used as skip protection for transport companies, particularly in the environmental sector (waste treatment, etc.).

However, thanks to its fine mesh and robust monofilament construction, our Covertex products can be used in a wide range of other applications, including pond protection, shredder guards, trailer nets, partitions and building dividers.






Floortis 90




Floortis 130


LANDSCAPE FABRICS



Floortis 90 ; 100 ; 130



Floortis 90 ; 130



Floortis 190 ; 100 ; 130

Our Floortis landscape fabrics are used before planting and prevent weeds from growing. They also help plants and shrubs to grow.



| Product | Occult. | UV tr. | Constr. | Color | Weight | Width | Length | Finishes |
|--------------|---------|---------|---------|-----------------------|-----------|--|--------|----------|
| Floortis 90 | 100% | 600 KLY | Woven | Green, Black | 90 g/sqm | 1.05 - 1.25 - 1.65 m | 5 m | Hot cut |
| | | | | | | 1.05 - 1.25 m | 10 m | |
| | | | | White | | 1.05 - 1.25 - 1.65 - 2.10 - 3.30 - 4.20 - 5.25 m | 100 m | |
| | | | | | | 1.25 - 1.65 - 2.10 - 5.25 m | | |
| Floortis 100 | 100% | 600 KLY | Woven | Green | 100 g/sqm | 1.05 m | 100 m | Hot cut |
| | | | | Black | | 1.25 m | 250 m | |
| | | | | | | 1.25 m | 100 m | |
| Floortis 130 | 100% | 600 KLY | Woven | Green, black ou white | 130 g/sqm | 1.25 - 1.65 - 2.10 - 3.25 - 4.20 - 5.25 m | 100 m | Hot cut |


OUR ACCESSORIES

We offer two very useful accessories for landscape fabrics users: staples and thermal perforator. The serrated steel staples with bevelled ends enable any type of mulching fabric to be installed securely and durably.

The **staples**, made of serrated steel with bevelled ends, enable quick, secure and durable installation of mulching fabric.



The **perforator** is very useful when planting. It allows you to drill holes easily and very quickly.



The proof that grass does not grow underneath!





P7 STAPLER

SR8 Bostitch stapler with P7 magazine - For the installation of nets using wires and cords with or without sleeves. B SR8 galvanised metal staple - 2,500 pieces in a package.



SR8 STAPLES

Galvanised metal staples B for SR8. Sold in box of 2,500 pieces.



SPLIT RINGS

Split rings used to attach nets to wire or cable.
Colors: Grey, Black, White, Green.

Size

21x41mm



C OR S CLASP

C or S Gancio clasp. Sold in 1,000 pieces.



PVC COATED CABLE

It is used to install nets and tarpaulins on structures or fences.
Material: galvanised steel and PVC.

Diameter

5 - 6 - 7mm

Coil length

50m to 200m

Color

Dark green - Transparent dark green
Black - Light green - White - Grey -
Transparent



GALVANISED CABLE

It is used to install nets and tarpaulins on structures or fences.
Material: 7x7 galvanised steel.

Diameter

2 mm

Coil length

100 - 200m



STAINLESS STEEL CABLE

It is used to install nets and tarpaulins on structures or fences. Material: 7x7 stainless steel.

Diameter

2 mm

Length

100 - 200 m



2-POINT CLAMP

A 2-point clamp, ideal for thick windbreak and privacy nets. 3 to 4 clamps per metre. 250 pieces in a box.



MOUNTING CLAMP

Round clamps for mounting light windbreak or privacy nets. 3 to 4 clamps per metre. 100 pieces in a box.



CORD REEL

It is used to install nets and tarpaulins on structures or fences. Material: HDPE cord

Diameter

3 - 4 - 5 - 6 - 8 - 10 mm

Coil length

100 - 200 - 250 - 500 m

Colors

Black - Brown - Green/Blue - Dark green - Green - White - Grey - Red



BRAIDED WIRE REEL

It is used to install nets and tarpaulins on structures or fences. Material: braided HDPE

Diameter

3 - 3.5 - 4 mm

Coil length

100 - 200 - 250 - 500 m

Colors

Black - Green - Green/Blue - Dark green - Aqua green - White - Grey - Red



MOUNTING SET

A mounting set for light windbreak and privacy nets. 26 pieces in a box + 4.2m of wire.

Colors: Black, White, Grey, Dark grey or Green.



ZIP TIE


To install to all kind of structures.
UV resistant. Color: Black
Sold in bags of 100 pieces

Width

4.8mm

Length

300mm



CRIMP SLEEVES

Aluminium sleeves for cables 0.55
à 0.65 mm.



STEEL ZINC SNAP

Sold in 50 pieces per box.
Size: 6 x 60mm



ALUMINIUM SNAP HOOK

Sold in 50 pieces per box.



ALL-PURPOSE PLIERS

Cutting of up to Ø4mm and
clamping of sleeves.



GALVANISED STIFFENER

Ensure that wires and cords are
tight.

Material: Galvanised steel

Diameter

2 - 3 - 4 mm

Colors

Green - White - Black



BUNGEE CORD

To install nets and tarpaulins.
Coil or made-to-measure.
Colors: White, Black.

Diameter

6 - 8 mm

Length

Coil length: 100m
Made-to-measure: Cut to length



CABLE CLAMPS

For hail and windbreak netting systems. Sold in 50 pieces per bag.
Material: Galvanised steel.

Diameter

3 - 4 - 5 - 6 - 8 mm



GALVANISED TENSIONER

A light wire with shape memory, perfect for climate shields, hail nets, aviaries...

Diameter

5 - 6 - 8 - 10 mm

Type

1 ring/1 hook - 2 rings -
2 hooks



STAPLES FOR LANDSCAPE FABRICS

Beveled and notched staples for mulching fabric.
Box of 100 pieces.

Dimension

20 x 20 x 20cm

Diameter

4mm

REFERENCE NUMBERS **GREEN SPACES**

| Products | Length | Width | Colors | Reference | | |
|-----------------------|--------------------------|--------|--------------------------|--------------------------|-------------|-------------------------|
| ALPHAVUE 75 | 200 m | 1.50 m | White | 5SPR130150 | | |
| | | 1.80 m | | 5SPR130180 | | |
| | | 2 m | | 5SPR130200 | | |
| ALPHAVUE 80 | 5 m | 1 m | Brown/Black | 5SPT095102 | | |
| | | | Green | 5SPT095202 | | |
| | | 1.50 m | Brown/Black | 5SPT095108 | | |
| | | | Green | 5SPT095208 | | |
| | | 2 m | Black/Green | 5SPT095014 | | |
| | | | Brown/Black | 5SPT095114 | | |
| | 10 m | 1 m | Black/Green | 5SPT095003 | | |
| | | | Brown/Black | 5SPT095103 | | |
| | | 1.50 m | Black/Green | 5SPT095009 | | |
| | | | Brown/Green | 5SPT095109 | | |
| | | 2 m | Black/Green | 5SPT095015 | | |
| | | | Brown/Black | 5SPT095115 | | |
| ALPHAVUE 85 | 100 m | 3 m | Green | 5SXT145020 | | |
| | 200 m | 1.50 m | | 5SXT145010 | | |
| | | 1.80 m | | 5SXT145810* | | |
| | | 2 m | | 5SXT145811* | | |
| | | | | 5SXT145015 | | |
| | | | | 5SXT145812* | | |
| 5SXT145822** | | | | | | |
| ALPHAVUE 90 LG | 10 m | 1.50 m | Dark green | 5SPT090001 | | |
| | | 1.80 m | | 5SPT090031 | | |
| | | 2 m | | 5SPT090201 | | |
| | 50 m | 1.50 m | | 5SPT090005 | | |
| | | 1.80 m | | 5SPT090035 | | |
| | | 2 m | | 5SPT090205 | | |
| | 200 m | 1.50 m | | 5SPT090020 | | |
| | | 1.80 m | | 5SPT090050 | | |
| | | 2 m | | 5SPT090220 | | |
| | | 3 m | | 5SPT090320 | | |
| | | 4 m | | 5SPT090420 | | |
| | ALPHAVUE 95 | 3 m | | 1 m | Green/Black | 5SPT130001 |
| | | 5 m | | 1,2 m | Green/Black | 5SPT130005 |
| | | | | | Grey | 5SPT185038 ¹ |
| 10 m | | 2 m | Green/Black | 5SPT130014 | | |
| | | 1 m | Green/Black | 5SPT185010 | | |
| | | | 5SPT130003 | | | |
| | | | 5SPT185012 | | | |
| | | 1,2 m | Green/Black | 5SPT130006 | | |
| | | 1,5 m | Green/Black | 5SPT185121 (bout. côtés) | | |
| | | 1,8 m | Green/Black | 5SPR185507 (bout. côtés) | | |
| | | | | 5SPT130012 | | |
| | | | | 5SPT185017 | | |
| | | | | 5SPT185114 (bout. côtés) | | |
| 2 m | | Black | 5SPR185607 (bout. côtés) | | | |
| | | | 5SPR185510 (bout. côtés) | | | |
| | | | 5SPT185018 | | | |
| | | | 5SPT185132 (bout. côtés) | | | |
| | 5SPR185610 (bout. côtés) | | | | | |

*Finish PP strip top and bottom + eyelets

**Finish PP strip top + eyelets

| Products | Length | Width | Color | Reference |
|-------------------------|--------|-------------------------|-------------------------|--------------------------------------|
| ALPHAVUE 95 | 15 m | 2 m | Green/Black | 5SPT185118 (side butt.) |
| | 20 m | 1.20 m | Black | 5SPR18569D ¹ (side butt.) |
| | | 1.50 m | Black | 5SPR18568D ¹ (side butt.) |
| | | 1.50 m | Orange | 6SPT185157 (side butt.) |
| | | 2 m | Orange | 6SPT185207 (side butt.) |
| | | 1 m | Grey | 5SPT185037 (side butt.) |
| | 25 m | 1.50 m | Green/Black | 5SPT185015 |
| | | | Green/Black | 5SPT185112 (side butt.) |
| | | | Grey | 5SPT185039 (side butt.) |
| | | 1.80 m | Green/Black | 5SPT185115 (side butt.) |
| | | | Grey | 5SPT185040 (side butt.) |
| | | 2 m | Grey | 5SPT185045 (side butt.) |
| | 50 m | 1.20 m | Green/Black | 5SPT185110 (side butt.) |
| | | | Black | 5SPT185030 (side butt.) |
| | | | Black | 5SPR18570D ¹ (side butt.) |
| | | 1.50 m | Green/Black | 5SPT185111 (side butt.) |
| | | | Black | 5SPT185031 (side butt.) |
| | | | Grey | 5SPT185041 (side butt.) |
| | | | Green/Black | 5SPT185113 (side butt.) |
| | | 1.80 m | Orange | 6SPT185154 (side butt.) |
| | | | Black | 5SPT185032 (side butt.) |
| | | | Grey | 5SPT185042 (side butt.) |
| | | 2 m | Green/Black | 5SPT185116 (side butt.) |
| | 2 m | Orange | 6SPT185204 (side butt.) | |
| | 100 m | 3 m | Brown | 6SPT190871 |
| | 200 m | 1.5 m | Brown | 6SPT190872 |
| | | 2 m | Green/Black | 5SPT185134 (side butt.) |
| | | | | 5SPT185020 ¹ |
| | | | | 5SPT185803 ¹² |
| | | | Ivory | 5SPR190120 (side butt.) |
| | | | White | 5SPR190220 (side butt.) |
| | | | | 5SPR190220 (side butt.) |
| 5SPT185220 ¹ | | | | |
| Brown | | 6SPT190870 | | |
| 3 m | | Green/Black | 5SPT185135 (side butt.) | |
| | Ivory | 5SPR190130 (side butt.) | | |

¹By order only

²Finish PE strip top and bottom + eyelets

³Finish PP strip top + eyelets

| Products | Length | Width | Color | Reference | |
|-------------------------|--------|------------|-------------|-------------------------|-------------|
| ALPHAVUE 100 | 3 m | 1.5 m | Taupe | 5SPT270270 | |
| | 5 m | 1 m | Grey | 5SPT270000 | |
| | | 1.2 m | | 5SPT270100 | |
| | | 1.5 m | Taupe | 5SPT270208 | |
| | | 2 m | Grey | 5SPT270400 | |
| | | 1 m | | 5SPT270001 | |
| | 1.2 m | 5SPT270101 | | | |
| | 10 m | 1.5 m | Black | 5SPT300011 | |
| | | 1.8 m | Grey | 5SPT270301 | |
| | | | Black | 5SPT300014 | |
| | | 2 m | Grey | 5SPT270401 | |
| | | | Black | 5SPT300016 | |
| | | 1.50 m | Green/Black | 5SPT300011 | |
| | | 2 m | | 5SPT300016 | |
| | | 25 m | 1 m | Green/Black | 5SPT300100 |
| | | | 1.20 m | Grey | 5SPT270102* |
| | | | | Green/Black | 5SPT300101 |
| | 1.50 m | | Grey | 5SPT270211 | |
| | | | Green/Black | 5SPT300002 | |
| | | | Ivory | 5SPT300401 | |
| | 1.80 m | | Grey | 5SPT270302 | |
| | | | Green/Black | 5SPT300004 | |
| | 2 m | | Grey | 5SPT270402 | |
| | | | Green/Black | 5SPT300006 | |
| | | | Ivory | 5SPT300403 | |
| | 50 m | | 1.20 m | Grey | 5SPT5270103 |
| | | 1.50 m | 5SPT270212 | | |
| | | 1.80 m | 5SPT270303 | | |
| | | 2 m | Green/Black | 5SPT300003 | |
| | | | Grey | 5SPT270403 | |
| | 100 m | 1.20 m | Green/Black | 5SPT300001 ² | |
| | | 1.50 m | Grey | 5SPT270213 | |
| | | | Blue | 5SPT300395 | |
| | | | Ivory | 5SPT300400 | |
| | | 1.80 m | Green/Black | 5SPT300430 | |
| | | | | 5SPT300440 | |
| | | | 5SPT300005 | | |
| | | 2 m | Grey | 5SPT270404 | |
| | | | Green/Black | 5SPT300007 | |
| | | | Ivory | 5SPT300402 | |
| | | 3 m | Green/Black | 5SPT300450 | |
| 5SPT300012 ² | | | | | |
| 5SPT300017 | | | | | |
| ALPHAVENT 35 | 100 m | 3 m | Black | 5SMR090060 | |
| | | 4 m | | 5SMR090061 | |
| | | 5 m | | 5SMR090062 | |
| | | 6 m | | 5SMR090021* | |

*Subject to stock availability

| Products | Length | Width | Color | Reference |
|---------------------|-------------|-------------|-------------|-------------------------------------|
| ALPHAVENT 35 | 500 m | 3 m | Crystal | 5SMR090040 |
| | | 4 m | | 5SMR090041 |
| | | 5 m | | 5SMR090036* |
| | | | | 5SMR090042* (top & bottom butt.) |
| ALPHAVENT 50 | 100 m | 1.50 m | Green/Black | 5SMR106515 |
| | | | Crystal | 5SMR106702 |
| | | 2 m | Green/Black | 5SMR106102 |
| | | | Crystal | 5SMR106703 |
| | | 3 m | Green/Black | 5SMR106334 |
| | | | Crystal | 5SMR106704 |
| | 4 m | Green/Black | 5SMR106235* | |
| | | | 5SMR106239 | |
| | 250 m | 2.40 m | Black | 5SMR106824 |
| | | 6 m | Green/Black | 5SMR106260 |
| | 500 m | 0.80 m | Green/Black | 5SMR106003 |
| | | | | 5SMR106029 |
| | | | | 5SMR106517 |
| | | | | 5SMR106221 |
| | | | | 5SMR106225 |
| | | 3 m | White | 5SMR106234 |
| | | | | 5SMR106435 |
| | | | | 5SMR106437 |
| | | | | 5SMR106436 |
| | | | | 5SMR106240 |
| 5 m | Green/Black | 5SMR106250 | | |
| | | | | |
| ALPHAVENT 55 | 100 m | 1 m | Green/Black | 5SMR165002 |
| | | 1.25 m | | 5SMR165003 |
| | | 1.50 m | | 5SMR165004 |
| | | 2 m | | 5SMR165005 |
| | | 3 m | | 5SMR165007 |
| | | 4 m | | 5SMR165009 |
| | | 6 m | | 5SMR165011 |
| | | | | |
| ALPHAVENT 65 | 100 m | 3 m | Green | 5SMT150011* |
| | | 3.60 m | | 5SMT150012* |
| | | 4 m | | 5SMT150013* |
| | | | | |

| Products | Size | Color | Reference |
|------------------------------|-------------------|-------------|------------|
| TRIANGULAR SHADE NETS | 2.5 x 2.5 x 3.5 m | Green/Black | 5SPT185132 |
| | | Dark grey | 5SPT185142 |
| | | Ivory | 5SPT185172 |
| | | Orange | 5SPT185182 |
| | 3 x 3 x 4.2 m | Green/Black | 5SPT185133 |
| | | Dark grey | 5SPT185143 |
| | | Ivory | 5SPT185173 |
| | | Orange | 5SPT185183 |
| | 3 x 4 x 5 m | Green/Black | 5SPT185134 |
| | | Dark grey | 5SPT185144 |
| | | Ivory | 5SPT185174 |
| | | Orange | 5SPT185184 |

*Subject to stock availability

| Products | Size | Color | Reference |
|----------------------------------|-------------|-------|------------|
| SHADE NET LDPE COATED | Free x Free | Beige | 5SXE220050 |
| | 3 m x Free | Beige | 5SXE220053 |
| | Free x Free | Grey | 5SXE220870 |
| | 3 m x Free | Grey | 5SXE220873 |

| Products | Size | Mesh size | Color | Reference |
|-----------------------------------|------|-----------|-------|------------|
| BACKSTOP NET PE Ø2MM | Free | 25 mm | Green | 5CNC025010 |
| | | | Black | 5CNC025011 |
| BACKSTOP NET PE Ø2.5MM | Free | 145 mm | Green | 5CNC145251 |
| | | | Black | 5CNC145252 |
| BACKSTOP NET PE Ø3MM | Free | 100 mm | Green | 5TNC100301 |
| | | 120 mm | Green | 5TNC120301 |
| BACKSTOP NET PE Ø3.5MM | Free | 48 mm | Black | 5TNC048354 |
| BACKSTOP NET PPM Ø3MM | Free | 30 mm | Black | 5RUC045304 |

| Produits | Length | Width | Color | Reference |
|--------------------------------------|-----------------|-----------------|-----------|------------|
| 650G/M² TARPAULINS | Made-to-measure | Made-to-measure | Sand | 5ETE650080 |
| | | | Yellow | 5ETE650070 |
| | | | Black | 5ETE650060 |
| | | | Dark grey | 5ETE650055 |
| | | | Grey | 5ETE650050 |
| | | | Red | 5ETE650040 |
| | | | Crystal | 5ETE650030 |
| | | | Green | 5ETE650020 |
| 900G/M² TARPAULINS | Made-to-measure | Made-to-measure | White | 5ETE650010 |
| | | | Grey | 5ETE900050 |
| | | | Red | 5ETE900040 |
| | | | Crystal | 5ETE900030 |
| | | | Green | 5ETE900020 |
| | | | White | 5ETE900010 |

| Products | Length | Width | Color | Reference | |
|------------------------|--------|-----------------------------------|-------------------------|-----------------------------------|--------------------------|
| COVERTEX 150 CD | 3.50 m | 5 m | Black | 5SMT150718 ¹³ | |
| | | | Dark green | 5SMT150818 ¹³ | |
| | | 5.50 m | Black | 5SMT150719 ¹³ | |
| | | | Dark green | 5SMT150819 ¹³ | |
| | | 6 m | Black | 5SMT150720 ¹³ | |
| | | | Dark green | 5SMT150820 ¹³ | |
| | | 6.50 m | Black | 5SMT150724 ¹³ | |
| | | | Dark green | 5SMT150824 ¹³ | |
| | | 7 m | Black | 5SMT150721 ¹³ | |
| | | | Dark green | 5SMT150821 ¹³ | |
| | | 7.50 m | Black | 5SMT150722 ¹³ | |
| | | | Dark green | 5SMT150822 ¹³ | |
| | | 8 m | Black | 5SMT150728 ¹³ | |
| | | | Dark green | 5SMT150828 ¹³ | |
| | | 4 m | 3 m | Black | 5SMT150725 ¹³ |
| | | | | Dark green | 5SMT150830 ¹³ |
| | 200 m | 1.50 m | Light green | 5SMT150024 ² | |
| | | 2 m | Dark green | 5SMT150035 ² | |
| | 220 m | 2 m | Light green | 5SMT150034 ² | |
| | Libre | Libre | Dark green | 5SMT150006 ¹ (fini) | |
| 1.50 m | | 5SMT150007 ¹ (fini) | | | |
| COVERTEX 200 | 3 m | 4 m | Black | 5SMT200825 | |
| | | 200 m | | 5SMT200727 | |
| | 3.50 m | 5 m | | 5SMT200718 ¹³ | |
| | | 5.50 m | | 5SMT200818 ¹ | |
| | | 6 m | | 5SMT200823 | |
| | | 6.50 m | | 5SMT200720 ¹³ | |
| | | 7 m | | 5SMT200820 | |
| | | 7.50 m | | 5SMT200824 | |
| | | 8 m | | 5SMT200721 ¹³ | |
| | | 8 m | | 5SMT200821 | |
| | | 8 m | | 5SMT200822 | |
| | | 8 m | | 5SMT200728 ³ | |
| | 100 m | Black/Green | | 5SMT200723 ³ | |
| | | Black | | 5SMT200724 ³ | |
| | Libre | Libre | | Black | 5SMT200725 ¹ |
| Black | | | 5SMT200999 ¹ | | |

¹By order only
²Without buttonholes
³Without Bungee cord

| Products | Length | Width | Color | Reference |
|---------------------|------------|-------------|-------|----------------|
| FLOORTIS 90 | 100 m | 1.05 m | Green | 5WPR090105 |
| | | | Black | 5WPR091105 |
| | | 1.25 m | Green | 5WPR090125 |
| | | | Black | 5WPR091125 |
| | | | White | 5WPR092125 |
| | | 1.65 m | Green | 5WPR090165 |
| | | | White | 5WPR092165 |
| | | 2.10 m | Green | 5WPR090210 |
| | | | Black | 5WPR091210 |
| | | | White | 5WPR092210 |
| | | 3.30 m | Green | 5WPR090330 |
| | | | Black | 5WPR091330 |
| | | 4.20 m | Green | 5WPR090420 |
| | | | Black | 5WPR091420 |
| | | 5.25 m | Green | 5WPR090525 |
| Black | 5WPR091525 | | | |
| White | 5WPR092525 | | | |
| FLOORTIS 100 | 5 m | 1.05 m | Green | 5WPR100105_05* |
| | | 1.25 m | | 5WPR100125_05* |
| | 10 m | 1.05 m | Green | 5WPR100105_10* |
| | | 1.25 m | | 5WPR100125_10* |
| | | Black | | 5WPR101125_10* |
| | 100 m | 1.05 m | Green | 5WPR100105* |
| | | | | 5WPR100106* |
| | | 5WPR100125* | | |
| | | 1.25 m | Black | 5WPR100126* |
| | | | | 5WPR101125* |
| 5WPR101126* | | | | |
| 1.65 m | Black | 5WPR101165* | | |
| | | 5WPR101166* | | |

***Subject to stock availability**

| Products | Length | Width | Color | Reference | |
|---------------------|------------|--------|--------|----------------|----------------|
| FLOORTIS 130 | 5 m | 1.25 m | Green | 5WPR130125_05* | |
| | | | Black | 5WPR131125_05* | |
| | | | White | 5WPR132125_05* | |
| | | 1.65 m | Black | 5WPR131165_05* | |
| | | | White | 5WPR132165_05* | |
| | | | 2.10 m | Green | 5WPR130210_05* |
| | | Black | | 5WPR131210_05* | |
| | | White | | 5WPR132210_05* | |
| | | 3.25 m | Black | 5WPR131325_05* | |
| | | | 1.25 m | Green | 5WPR130125_10* |
| | | | | Black | 5WPR131125_10* |
| | | White | | 5WPR132125_10* | |
| | 10 m | 1.65 m | Green | 5WPR130165_10* | |
| | | | Black | 5WPR131165_10* | |
| | | | White | 5WPR132165_10* | |
| | | 2.10 m | Green | 5WPR130210_10* | |
| | | | Black | 5WPR131210_10* | |
| | | | White | 5WPR132210_10* | |
| | | 3.25 m | Black | 5WPR131325_10 | |
| | | 100 m | 1.25 m | Green | 5WPR130125* |
| | | | | | 5WPR130126 |
| | Black | | | 5WPR131125 | |
| | | | | 5WPR131126 | |
| | White | | | 5WPR132125* | |
| | | | | 5WPR132126 | |
| | 1.65 m | | Green | 5WPR130165 | |
| | | | | 5WPR130165_05* | |
| | | | | 5WPR130166 | |
| | | | Black | 5WPR131165 | |
| | | | | 5WPR131166 | |
| | | | | White | 5WPR132165 |
| | 5WPR132166 | | | | |
| | 2.10 m | | Green | 5WPR130210 | |
| | | | | 5WPR130211* | |
| | | | Black | 5WPR131210 | |
| | | | | 5WPR131211 | |
| | | | White | 5WPR132210 | |
| | | | | 5WPR132211 | |
| | 3.25 m | | Black | 5WPR131325 | |
| | | | | 5WPR131326 | |

| Products | Characteristics | Reference |
|----------------------------|---|--------------|
| STAPLER P7 | Sold per unit | 5ACA008004 |
| STAPLES SR8 | Box of 2,500 pieces | 5ACG008001 |
| | | 5ACG008002 |
| PLASTIC SPLIT RINGS | White Bags of 1,000 pcs | 5ASPANO001 |
| | Black Bags of 1,000 pcs | 5ASPANO003 |
| | Green Bags of 1,000 pcs | 5ASPANO005 |
| | Grey Bags of 1,000 pcs | 5ASPANO008 |
| C CLASP | Bags of 100 pieces | 5ACPAGC001 |
| S CLASP | Bags of 100 pieces | 5ACPAGS001 |
| PVC COATED CABLE | From 10 to 2,000m Many colors | 5ASE0... |
| GALVANISED CABLE | 100 m - 2 mm | 5ASG10001 |
| | 200 m - 2 mm | 5ASG20001 |
| STAINLESS CABLE | 100 m - 2 mm | 5ASI10001 |
| 2-POINT CLAMP | Box of 250 pieces | 5ACPCLI002 |
| MOUNTING CLAMPS | Bags of 100 pieces | 5ACPCLI001 |
| CORD REEL | | |
| BRAIDED WIRE REEL | | |
| MOUNTING SET | Black - Green - Dark grey - Light grey | 5ACPKF010... |
| ZIP TIE | | 5ACPCOL... |
| CRIMP SLEEVES | White Bags of 100 pieces | 5ACPK0005 |
| ALUMINIUM SNAP HOOK | | 5ACIMOU008 |
| ZINC SNAP HOOK | | 5ACAMOU003 |
| ALL-PURPOSE PLIERS | Sold per unit | 5ACDPIN001 |
| STIFFENER | Green - Black - White 2 mm - 3 mm - 4 mm | 5ACERAL... |

| Products | Characteristics | Référence |
|-----------------------------|-----------------------------|------------|
| BUNGEE CORDS | White - Ø5 mm 100 m | 5COP005001 |
| | White - Ø6 mm 100 m | 5COP006001 |
| | White - Ø8 mm 100 m | 5COP008001 |
| | White - Ø9 mm 100 m | 5COP009001 |
| | Black - Ø6 mm - 100 m | 5COP006003 |
| | Black - Ø8 mm - 100 m | 5COP006003 |
| | Black - Ø6 mm - 100 m | 5COP008004 |
| | Black - Ø8 mm - 100 m | 5COP008005 |
| | Red - Ø6 mm 100 m | 5COP006006 |
| CABLE CLAMPS | Ø8 mm - 50 pcs | 5ACGSEC007 |
| GALVANISED TENSIONER | 1 ring / 1 hook 5 mm | 5ACGTEN011 |
| | 1 ring / 1 hook 10 mm | 5ACGTEN017 |
| | 1 crochet / 1 hook 10 mm | 5ACGTEN015 |
| | 1 hook / 1 hook 8 mm | 5ACGTEN016 |
| | 1 ring / 1 ring 8 mm | 5ACGTEN014 |

Article I

SCOPE

The present General Terms and Conditions of sale apply to all sales concluded by Alphatex with professional buyers, regardless of the clauses that may appear on the customers' documents, in particular their general terms and conditions of sale, with regard to the following products :

- Netting in HDPE, PA, PES, PP - Tarpaulins in HDPE, PVC, PES, etc. - Installation accessories - Digital printing work - Fire-resistant shrinking films and accessories - Absestos products - Pikes - Shutters - Combs - Closures and installation accessories - Custom-made nets.

Article II

PRODUCTS

In theory, the products delivered comply with the descriptions in the catalogues and comply with the samples sent. However, the supplier reserves the right to modify or discontinue the product, whether for safety reasons, manufacturing practices or improvements to the product, or changes in the related standards in force. In the event of a pending order for a product that has been modified in this way, the supplier's only obligation is to deliver the product ordered, replacing it with the newly manufactured product or failing that a higher-quality product. For our custom-made nets, our dimensions are always calculated between two rows of knots, knot center to knot center, dry net and under a normal tension. Manufacturing tolerance + or - 5%.

Article III

ORDER ACCEPTANCE AND PRICES

Orders taken by the supplier's employees or any other duly authorised person at the company, are only definitive following receipt of a purchase order as per the quote, a copy of which must be dated and signed by a person authorised by the Purchaser and sent to the Supplier. The products are provided at the rates indicated in the attached pricing schedule, or as the case may be, in the business proposal addressed to the customer.

These prices are firm and cannot be revised during their period of validity, which is 30 days, without the Supplier's express authorisation.

For any order under 150€ excl. Tax, an administrative service will be charged 29€ excl. Tax.

Article IV

PAYMENT TERMS

The price may be paid in cash with a 1.5% discount on receipt of the invoice, excluding special conditions, by bill of exchange accepted within 30 days from the date of invoice or by transfer.

Bills of exchange must be sent within 8 days. In the event of non-compliance with this deadline, the Supplier shall be entitled to demand immediate payment of all invoices due,

including those that are not yet payable and suspend all pending or delivery phase orders, without prejudice to our rights to damages, where appropriate. Any invoices not paid in compliance with the preceding contractual conditions or individually agreed conditions, shall automatically accrue interest and surcharges at a rate 10 points higher than the Bdf's bank rate, with no further procedures nor prior formal notice.

This clause may not in any way be prejudicial to the payability of the debt. Moreover, any delay in payment shall automatically result, at the Purchaser's expense, in compensation, by way of a penalty clause, equal to 15% of the unpaid invoice, which will be recovered by the Supplier's legal department in compliance with articles 1152 and 1126 of the French Civil Code. The cost of returning unpaid goods shall be paid by the drawee.

Article V

DISCOUNTS, REBATES and REDUCTIONS

In the event of quantitative rebates or reductions; the Purchaser may benefit from discounts, rebates or reductions, in return for participating in a Marketing or Sales campaign on behalf of the Supplier.

Article VI

DELIVERY AND SHIPPING FEES DELIVERY

LIVRAISON

The delivery date provided is for information purposes and is an estimate.

This date is not a fixed deadline and the Supplier cannot be held liable towards the Purchaser in the event of late delivery not exceeding one week. The products may be delivered to any other place specified by the Purchaser, subject to one week's notice and a minimum deadline of 72 hours, entirely at the Purchaser's expense. In the event of delivery to another place specified by the Purchaser, they shall provide the Supplier with precise information about the persons authorised (and under the Purchaser's responsibility) to receive the ordered products.

If the Purchaser makes special requests with regard to the specific packaging (including metal racks which must be returned and are the inalienable property of the Supplier) or transportation conditions for the goods ordered, which are accepted in writing by the Supplier, the related costs shall be subject to specific additional invoicing. The Purchaser must check the appearance of the products on delivery. Unless explicit reservations are made by the Purchaser on delivery, the goods delivered by the Supplier will be considered compliant with the order in quantity and quality.

The related transfer of risks of loss and deterioration to the Purchaser, shall occur as the goods leave the Seller's warehouse.

It is the Purchaser's responsibility to check the condition of the packages delivered, indicate any reservations on the transporter's delivery slip, and confirm these reservations by letter with acknowledgement of receipt within the legally prescribed 48 hours to the transporter and inform the Supplier in writing within the same deadline. No claim may be accepted if the Purchaser does not comply with these requirements. The Supplier shall promptly, and at its own expense, replace the goods delivered whose non-conformity has been proven by the Purchaser. The Purchaser must send us the complaint specifying the reservations made to the carrier and the photos of the merchandise. The claim will be admissible as soon as the Purchaser has fully fulfilled the above criteria. Failure to comply with these formalities will result in the loss of any recourse against the carrier, and in fact prevents us from taking into account any claim for compensation and/or reimbursement.

SHIPPING COSTS

Prices are established ex works. Shipping costs are additional.

Article VII

TRANSFER OF OWNERSHIP - TRANSFER OF RISKS - RETENTION OF TITLE

The transfer of ownership of the goods from the Supplier to the Purchaser, will be effective only after full payment of the price agreed, regardless of the delivery date of such products. It is nevertheless expressly stipulated that the Purchaser shall be responsible for the goods in their possession following physical delivery. If the Purchaser fails to pay all or part of the price, the Supplier retains ownership of the goods sold until full payment is received, allowing it to claim the goods in the event of non-payment.

Any deposit paid by the Purchaser will remain the property of the Supplier by way of compensation, without prejudice to any other courses of action they are legally entitled to take against the Purchaser.

Article VIII

THE SUPPLIER'S RESPONSIBILITIES - GUARANTEES

The products delivered by the Supplier are covered by a warranty period in accordance with the needs specified by the Purchaser, who stipulated the terms on confirming the purchase order. In compliance with the legal provisions, the Supplier guarantees the Purchaser against any hidden defects due to defective material, design or manufacture affecting the delivered goods rendering them unfit for use. All warranties are considered void in the event of wrongful use, negligence or lack of maintenance by the Purchaser, and for normal wear and tear of the goods or force majeure. To assert its rights, the Purchaser must, under penalty of invalidating any other relevant actions, inform the Supplier in writing of these defects within a maximum of six months of their discovery.

The Supplier shall replace or repair the guaranteed goods or parts deemed faulty. This guarantee only covers the

goods «on the ground» and in no case the labour costs related to their removal and reinstallation (excluding special agreements).

The replacement of faulty goods or parts shall not extend the warranty period fixed above. Administrative fees of 29 € excl. tax will be charged for any return of conforming goods due to an order error made by the client.

Article IX

ELECTION OF DOMICILE AND COMPETENT COURT

In the event of dispute, the Rouen Commercial Court shall be the sole competent authority. All orders automatically presume that the Purchaser has accepted the Supplier's general terms and conditions of sale, notwithstanding any contradictory stipulations in their own general terms and conditions.

ARTICLE X

APPLICABLE LAW

All clauses in the present general terms and conditions of sale, and all purchases and sales described herein, are governed by French law.

Article XI

INTELLECTUAL AND COMMERCIAL PROPERTY CLAUSE

All of the Supplier's documents are protected by patents filed with the INPI (National Institute of Industrial Property) and WIPO and by current laws on industrial and commercial property. Any full or partial reproduction by any means will be prosecuted in the relevant courts. For the diffusion of Alphatex supports, a written authorization validated by our marketing department is required.

2026 EDITION - Version n°1

Alphatex - ZAC de Saint-Jean-de-la-Neuille 869 rue Maurice Allais, 76210, Bolbec, France

Publishing director: Michael Nicolas

Image copyright: Marketing department - Fotolia - Adobe Stocks - DR - The photos contained in this catalogue are not contractually binding.

Layout: Marketing department

Alphatex™



HORTICULTURE



ARBORICULTURE



WINEGROWING



ANIMALS



GREEN SPACES

ZAC de Saint-Jean-de-la-Neuille
869 Rue Maurice Allais
76210 Bolbec, France
tél. +33 (0)2 35 56 33 56
fax. +33 (0)2 32 70 42 69
alphatex@alphatex.eu
www.alphatex.eu