


AlphatexTM

PRO-AGRO TEXTILE

WWW.ALPHATEX.EU





ZAC de Saint-Jean-de-la-Neuville
869 Rue Maurice Allais
76210 Bolbec, France
tél. +33 (0)2 35 56 33 56
fax. +33 (0)2 32 70 42 69
alphatex@alphatex.eu
www.alphatex.eu

Presentation	4
Sales force	6
Customized netting	8

HORTICULTURE / VEGETABLE GROWING.....10-59

- Pest protection
- Protection against climatic hazards
- Weed protection
- Tarpaulins

ARBORICULTURE.....60-81

- Pest protection
- Protection against climatic hazards
- Harvest netting

WINE GROWING.....82-95

- Grape Protect : protection against hail
- Gel Protect : protection against frost

ANIMALS.....100-129

- Aviary netting
- Pisciculture netting
- Anti-birds nets and spikes
- Anti-cats protection
- Heliciculture netting
- Amphibians netting
- Nets for macro-insects and game

GREEN SPACES.....130-163

- Privacy nets
- Windbreak nets
- Shade sails
- Skip nets
- Landscape fabrics
- Protective tarpaulins
- Backstop nets & others sport nets

General terms164

PRESENTATION

Alphatex, a manufacturer of nets, tarpaulins and accessories, is a leading supplier of these products in Europe. Customer support and care are the heart of our product and service offering.

Alphatex is born 25 years ago and gained a great expertise in the design, manufacture and import of these products. The company has commercial experience in the construction, pest control, shrink wraps, horticultural and arboricultural sectors.

Alphatex is a global leading company in the netting sector, specially in the French and European market thanks to its ability to adapt and develop its products ranges to serve a wide variety of purposes.

Alphatex keeps on developing its international leadership by selling its products on 4 of the 5 continents.

In 2025, Alphatex inaugurated its new premises. It is a strategic change, marking a new era of growth, proximity and efficiency. This building has been made to reflect its values and meet the challenges of tomorrow. It is :

- Equipped with two 500kWh photovoltaic power stations and ten electric charging stations, which are powered by these panels. This embodies our commitment for a clean mobility and energy production.
- Surrounded by 200 trees, beehives and shelters for amphibians, recreating a genuine living ecosystem.
- BREEAM certified with an «Excellent» rating, highlighting its energy efficiency and environmental friendliness.


To keep on going toward the right direction, our entire sales team now drives hybrid cars running on E85 fuel, which has a significantly reduced our carbon footprint.

Finally, we have also become members of the CPA (Plasticulture and Agro-Environment Committee), an organisation that promotes an ethical and responsible use of plastics in agriculture.



Alphatex™

WWW.ALPHATEX.EU



A new building combining modernity and efficiency



Member of CPA
Plasticulture and Agro-Environment
Committee



Hybrid vehicles with E85 fuel

KEY FIGURES

Company created
in 1996



Total workforce
120 people



More than
4,500 customers



6,000 References
in stock



30,000 sqm
of storage



60 millions sqm
of stock



30 millions €
of sales
turnover



35% of turnover
achieved with
international sales



OUR ASSETS

THE CONTROL OF OUR SUPPLIES

We have our own machines that work for our needs and, in parallel, we work with partner suppliers we have trained to manufacture our products according to our technical criteria.

We support their development by investing in their tools and production equipment. This is made possible by our regular presence in the factories.

A PERMANENT STOCK

We have the largest stock of nets in Europe with 3,000 tons, i.e. 60 millions sqm of finished and/or semi-finished products.



A WIDE AND COMPLETE RANGE

Each market has several types of nets, with specifics wire diameters, weights, dimensions, colors and finishes.

THE MANUFACTURING

A manufacturing service allows us to respond quickly to requests for custom-made nets.

France

The Alphatex Sales Team operates throughout France, providing individual solutions at best prices. Our male and female team members are most of all technicians who value the sense of closeness and availability. These professionals listen intently to the needs of their clients. They are distinguished by the accuracy of the technical solutions they propose, field-presence and monitoring projects until their completion.

We provide a designated account manager for each client and for each project.

- 8** area sales 
- 8** sales representatives 
- 15** customer support advisors 



YOU ARE WELCOME TO CONTACT US

Our Customer Service Department will deal with any enquiry and appoint a sales representative for a relevant sector to contact you.

sc@alphatex.eu
+33 (0)2 35 56 33 56

Opening hours
Monday to Friday
8h30 - 17h30

Find us on social networks and our blog



Alphatex™ BLOG

International



Our Sales Teams are also active internationally. With presence in over 50 countries, our sales representatives are fully aware of the specific nature of each of the markets we operate on, both in relation to cultivation, agricultural practices as well as our products' resistance to differing effects of UV light.

Our advisors are fluent in multiple languages and are available to our clients for any and all project analyses.

10 area sales 

10 sales representatives 

15 customers support advisors 

CONTACT US

Our customer service responds to your requests and will redirect you to the sales representatives in your area if necessary.

Supported languages : 

sc@alphatex.eu
+33 (0)2 35 56 33 56

Opening hours
Monday to Friday
8h30 - 17h30

Find us on social networks and our blog



Alphatex™ BLOG

Customized netting

Every field has specific needs. That's why at Alphatex, we offer custom-made nets that are perfectly suited to the needs of your business. Whether you need larger nets, or special sizes, we adjust our products to give you the best results. We guarantee robust, durable and high-quality solutions, whether you need to protect your crops from pests, wind and any kind of weather, provide shade, etc.

When you choose our custom-made nets, you benefit from 30 years of experience!

CONNECTING THROUGH OVERLOCK STITCH

This is a quick connection of micro-mesh nets made to create customised sheets (used e.g. for wind or sun protection). In the case of light products, it is necessary to apply overlock stitch on the side reinforcement. For heavy products (from 150 g up), nets can be installed outside these tapes, because the amount of the material is sufficient to ensure proper resistance. **Overlock stitch on the edges** : The purpose is to strengthen the mounting or allow better identification of edges in large nets. This is a method which we regularly apply in our large nets.



CONNECTING BY SEWING

Double flat stitch :

It can be applied in micro-mesh nets, where the quantity of material is important for ensuring good resistance.

The net is first folded over itself to be stitched with two needles, and thus created fold is then folded over and stitched again. This method is applied only on woven nets of at least 16/10 (INSECTIS 110g/sqm), which are intended for cages, endwalls, openings in structures, etc. Although time consuming, this method ensures waterproofness and durability.

NETTING WEIGHTS

Especially useful with separating or wind-protection netting, e.g. in order to allow the passage of people or vehicles. Depending on the netting used: from 200g/m to 800g/m.



LOOPS

Zip fastener, velcro, meshes, adjusted to the needs and method of use. Please, contact us for more details.

INSTALLING REINFORCEMENT TAPES

We only use heavy woven HDPE reinforcement tapes, which are subjected to UV processing in order to obtain optimal durability over time.

We apply them around the edges to ensure the resistance of metal loops or as reinforcement for zip or velcro fasteners to allow space for cable ducts, etc.



The mandatory information to provide for your orders

To ensure that your orders arrive on time and avoid them being returned to our warehouse, please provide the following information when placing your order.

For parcels weighing less than 30kg

Any parcel weighing less than 30kg will be shipped in a cardboard box using express carriers.
To facilitate delivery, please provide us with the information listed below.



- Postal address
- Name
- Telephone number
- E-mail address
- Portal code if necessary

For parcels weighing more than 30kg

Any parcel weighing more than 30 kg and up to 150 kg will be shipped on a pallet by the carrier DB Schenker.

To facilitate delivery, please provide us with the information listed below.



- Postal address
- Name
- Telephone number
- E-mail address
- If necessary, the tailgate
- Specify delivery conditions (if narrow street, dead-end street...)

Additional information

If a safety protocol must be followed when unloading the goods, please let us know so that our driver can be equipped accordingly.



HORTICULTURE / VEGETABLE GROWING

- Pest protection

- For open field crops
- For greenhouses
- Against large insects, game...

- Protections against climatic hazards

- Weed protection

- Tarpaulins

- Accessories

- Reference numbers



Biotex 450 Stop Flea beetle



Biotex 800 Stop fly




INNOVATION
AlphatexTM


«Special mechanical installation»
calandre netting, dimensions :
2.10m x 300m

FINE MESH NETS FOR OPEN FIELD CROPS

END OF PRODUCTION




Biotis 450 Stop Flea beetle



Biotex 500



Biotex 800 Stop fly

Insectis 16/10
Potato plants

Our specialist fine mesh protective netting systems for field crops are designed to stop flies, flea beetles and a lot more. These netting systems are very sturdy and can be placed directly on the crops or arches, thanks to their light weights.

We recommend using them for all garden, ornamental and fruit crops. The netting's robustness reduces the effects of wind, hail, and reduces flutter. With its excellent air permeability, the netting does not increase the risks of fungal attacks.

The HDPE hydrophobic netting does not soak through — unlike the multi-fibre PA or PP netting, which can highly increase its weight during rainfall. Insectis 16/10 is recommended for potato plants.

VIDEO
BIOTIS 450 presentationVIDEO - BIOTIS 450
Feedback

Product	Mesh	Constr.	UV Treat.	Color	Weight	Width	Length	Packaging
Biotis 450 Stop Flea beetle	Rectangular 435µ x 670µ	Woven	300 KLY	Crystal	50 g/sqm	13.2 - 15.4 - 16 m	100 m	2.2 m Rolls
						2.2 - 4.4 - 6 8.8 - 11 m	125 m	
						2.1 m	300 m	Machine pose - Unfolded
Biotex 500	Rectangular 500µ x 800µ	Knitted	500 KLY	White	48 g/sqm	2.1 m	300 m	Machine pose - Unfolded
						2.4 - 4.8 - 12 m	125 m	1.2 m Rolls
						6 - 8 m	125 m	1.5 m Rolls
						16 m	100 m	1.2 m Rolls
						2.1 m	300 m	Machine pose - Unfolded
Biotex 800 Stop fly	Rectangular 800µ x 1000µ	Knitted	300 KLY	White	40 g/sqm	4 m	100 m	2 m Rolls
						16 m	100 m	1.5 m Rolls
						6 m	125 m	1.5 m Rolls
						11 m	125 m	1.4 m Rolls
						2.4 - 4.8 - 8 - 12 m	125 m	1.2 m Rolls
						1.6 - 2 - 3.2 - 4 m	200 m	Unfolded
Insectis 16/10 For potato plants	Rectangular 450µ x 850µ	Monofilament woven	600 KLY	Crystal	110 g/sqm			

Manufacturer's advice **CEPP**

Everything you need to know about CEPP

Certificate of Saving on Plant Protection Products in France

**THE AIM OF THE CEPP
IS TO LIMIT THE USE
OF PLANT PROTEC-
TION PRODUCTS.**

CEPP stands for Certificate of Savings in Plant Protection Products. The aim of this programme is to encourage greater use of substitutes for pesticides and chemicals through the implementation of standardised measures. The level of obligation is calculated based on sales of plant protection products in previous years.

ALPHATEX PRESENTATION

Alphatex has been manufacturing nets for horticulture, market gardening and arboriculture for 30 years. As a specialist and partner to specialist distributors, we can supply you with a range of nets that will enable you to obtain certificates.

These products are : **BIOTIS 450**, **BIOTEX 500**, **CLIMATEX**, **DROSOTIS 8/6** and **ALT'CARPO**.

BIOTIS 450 is a highly effective insect net for turnip, radish, black radish and cabbage crops. It repels small insects, including the tiny Phyllotreta flea beetle, which measures 0.45mm. BIOTEX 500 is also an insect net, but it is mainly designed to repel all types of flies. CLIMATEX, on the other hand, is a climate net. Ideal for the beginning and end of the season.

DROSOTIS 8/6 crystal is an anti-moth net, as its name suggests. ALT'CARPO net has been designed to repel codling moths.

WHO IS CONCERNED ?

The entities concerned by the CEPP are persons (known as obligated parties) who sell plant protection products for agricultural purposes.

HOW TO DO IT ?

To declare the actions completed, you will need to go to your personalised space. In this space, you can simulate actions to estimate the number of certificates generated, declare the actions completed, or consult the status of the certifications obtained.

HOW CEPP WORKS ?

Agricultural distributors selling plant protection products are now required to take action to comply with the CEPP.

There are 120 such actions, which are defined as follow :

- the nature of the action
- documents justifying the action to be taken, which must be submitted
- documents to be archived and kept available for inspection by the relevant authorities
- the annual number of CEPPs
- the number of years during which the share entitles the holder to receive certificates

To report the actions you have completed, you will need to go to your personalised space. You will find several other features in your space (see How to do it ?).

But, how does it work in practice ?

FOR EXAMPLE

Here, we present a simplified example to help you understand how CEPPs work.

If you sell an average of 1,000 litres of plant protection products, this would correspond to 10 NODU.

To compensate the sale of these 10 NODUs, you will need to obtain 15% of this value in CEPP.

In other words, to comply with the new legislation, you will need to collect 1.5 CEPP (15% of 10) through standardised actions.

Alphatex products eligible for the CEPP



BIOTIS 450

Anti-insect net equivalent to 0,00008 CEPP / sqm




BIOTEX 500

Anti-insect net equivalent to 0,00008 CEPP / sqm



CLIMATEX

Climate net equivalent to 0,00008 CEPP / sqm



DROSOTIS 8/6

Anti-drosophila net equivalent to 0,00016 CEPP / sqm



ALT'CARPO

Anti-codling net equivalent to 0,0007 CEPP / m



Drosotis 8/6



Pollenatis 10/10




Insectis 16/10



Thriptis 20/10


INSECTS PROTECTION NETS FOR GREENHOUSES




Drosotis 8/6



Pollenatis 10/10



Insectis 16/10



Thriptis 20/10

Our nets are monofilament woven insect protection for crops grown inside greenhouses.

We recommend the use of these nets on all vegetable, ornamental, and fruit crops grown in greenhouses.

Our HDPE nets are water-repellent, so their weight does not vary due to water, unlike PP, PA, PLA nets, etc. In addition, a UV stabiliser has been added to the material to extend its lifespan.



Product	Mesh	Constr.	UV Treat.	Color	Width	Length	Finishes	Weight	
Drosotis 8/6	Rectangular 1180µ x 1750µ	Monofi-lament woven	600 KLY	Green/ Black	1.3 m	200 m	Top and bottom reinforcements on 4cm	90 g/sqm	
				Green/ Black or Crystal	2 - 2.5 - 3 m	200 m			
				Crystal	1.3 m	300 m	Top and bottom reinforcements 4cm + middle 3cm		
				Green/ Black or Crystal	4 m	200 m			
Pollenatis 10/10	Rectangular 850µ x 850µ	Monofi-lament woven	600 KLY	Crystal	1.6 - 2.6 - 3.2 - 4 - 5.2 m	200 m	Top and bottom reinforcements on 4cm	90 g/sqm	
Insectis 16/10	Rectangular 450µ x 850µ	Monofi-lament woven	600 KLY	Crystal	1.6 - 2 - 3.2 - 4 m	200 m	Top and bottom reinforcements on 4cm	110 g/sqm	
Thriptis 20/10	Rectangular 350µ x 850µ	Mono-filamen woven	600 KLY	Crystal	1.6 - 2.1 - 2.6 - 3.1 - 4 m	200 m	Top and bottom reinforcements on 4cm	130 g/sqm	

Accessories on page 43



Reference numbers p. 57

MANUFACTURED DOORS FOR GREENHOUSES

Product	Mesh	Constr.	UV Treat.	Color	Width	Length	Finishes
Zip door for greenhouse 20/12	Rect. 450 x 850 µ	Monofilament woven	600 KLY	Crystal	2.8 m	2.6 m	Reinforcements and double zip
Zip door for greenhouse 20/12	Rect. 450 x 850 µ	Monofilament woven	600 KLY	Crystal	1.8 m	2 m	Reinforcements and double zip
Zip door for greenhouse 20/12	Rect. 450 x 850 µ	Monofilament woven	600 KLY	Crystal	1.6 m	2 m	Reinforcements et double zip
Insectis zip door for greenhouse	Rect. 450 x 850 µ	Monofilament woven	600 KLY	Crystal	1.8 m	1.8 m	Square door



Manufacturer's advice

Which net for which insects ?




Alphatex offers you an effective and economical solution for fighting insects. Our nets are suitable for all types of crops, but each product is designed to fight different types of insects. In order to select a product that suits your needs, please see the table below.

Insect	Adult size	Onion, shallot, leek, garlic	Carrot, celery, fennel	Cabbage, turnip, radish	Tomato, Cucumber	Red berries	Fields crops	Under-cover crops and structures
Whitefly	0.5mm				●		BIOTIS 450	INSECTIS 16/10
Rapeseed flea beetle	0.65mm						BIOTIS 450	INSECTIS 16/10
Algerian brachycerus	8mm	●					BIOTEX 800	DROSOTIS 8/6
Garlic brachycerus	10mm	●					BIOTEX 800	DROSOTIS 8/6
Cabbage weevil	0.8mm			●			BIOTIS 450	THRIPTIS 20/10
Aster leafhopper	3mm		●				BIOTEX 800	DROSOTIS 8/6
Onion leaf beetle	6mm	●					BIOTEX 800	DROSOTIS 8/6
Lilioceris lilii beetle	7mm	●					BIOTEX 800	DROSOTIS 8/6
Fruit fly	3mm					●	BIOTEX 800	DROSOTIS 8/6
Carrot leaf miner	2mm		●				BIOTEX 800	DROSOTIS 8/6
Tomato leaf miner	8mm		●				BIOTEX 800	DROSOTIS 8/6
Onion fly	10mm	●			●		BIOTEX 800	DROSOTIS 8/6
Carrot fly	4mm		●				BIOTEX 800	DROSOTIS 8/6
Seedling fly	3mm	●	●	●			BIOTEX 800	DROSOTIS 8/6
Cabbage fly	6mm			●			BIOTEX 800	DROSOTIS 8/6
Harvest moth	25mm	●	●				BIOTEX 800	DROSOTIS 8/6
Cabbage moth	20mm			●			BIOTEX 800	DROSOTIS 8/6
Agrotis epsilon moth	15mm	●		●			BIOTEX 800	DROSOTIS 8/6
Blackish moth	20mm	●					BIOTEX 800	DROSOTIS 8/6
Flea beetle	0.48mm			●			BIOTIS 450	INSECTIS 16/10
Psylla	1.5mm		●				BIOTIS 450	INSECTIS 16/10
Ashen aphid	1mm			●			BIOTIS 450 / BIOTEX 500	INSECTIS 16/10
Shallot aphid	1mm	●		●			BIOTIS 450 / BIOTEX 500	INSECTIS 16/10
Carrot aphid	1mm		●				BIOTIS 450 / BIOTEX 500	INSECTIS 16/10
Tarnished bug	6mm		●				BIOTEX 800	DROSOTIS 8/6
Cabbage butterfly	25mm		●	●			BIOTEX 800	DROSOTIS 8/6
Diamondback moth	6mm			●			BIOTEX 800	DROSOTIS 8/6
Leek moth	12mm	●					BIOTEX 800	DROSOTIS 8/6
Tobacco thrips	0.3mm	●					THRIPTIS 20/10	DROSOTIS 8/6
Strawberry leaffroller	18mm				●		BIOTEX 800	DROSOTIS 8/6



ClimateX

CLIMATE NET



Climatex

Climatex is a climate net designed to recreate ideal conditions for each crop at the beginning and end of the season. Compared to frost protection fleece, Climatex :



- Provides effective protection against frost as well.
- Prevents the appearance of a warm and humid microclimate during the day, thanks to its good ventilation and hydrophobic HDPE.
- Has a longer lifespan thanks to its UV treatment.
- Is the heaviest and most tightly woven net on the market (42g/m²).

Product	Mesh	Constr.	UV Treat.	Color	Width	Length	Finishes	Weight
Climatex	Triang. >900µ	Knitted 100% strips	600 KLY	Crystal	12 - 14 - 16 - 18 - 24 - 32 m	100 m	Top and bottom reinforcements on 5cm	42 g/sqm



VIDEO - Presentation and installation tutorial

MANUFACTURER'S ADVICE

The main advantage of Climatex

With a weight of 42 g/m², Climatex is the heaviest climate protection net on the market. But what does that mean? Its greater weight makes it more resistant and gives it a longer lifespan. Moreover, it is still light enough for plants to lift the net as they grow.

Would you like to know more about it ?

So take a look now at our double-page spread dedicated to Climatex, right after this.

Accessories on page 43



Manufacturer's advice

Focus on Climatex



Our Climatex net aims to recreate the ideal conditions for your crops. It is mainly used when frost appears, in order to conserve heat below. This is an excellent product for accelerating plant growth. Climatex also prevents buds from drying out during frost. The strip deflects the wind, preventing drying out as well and wind damage.



WHAT ARE THE CHARACTERISTICS OF CLIMATEX ?

Climatex is the ideal netting for the beginning and end of the season. It helps to anticipate the onset of frost by retaining heat.

- ♦ Made from **100% HDPE**, it is reusable and recyclable.
- ♦ Its weight and quality are **above average**.

CLIMATEX, THE HEAVIEST NET ON THE MARKET

It weighs 42 g/sqm for a reason !



STRONG WINDBREAK EFFECT

Climatex is made with strips that deflect the wind, thereby limit the effect of wind buffeting.



PLANTS DO NOT GROW THROUGH THE NET

It prevents some insects from getting under the net thanks to its tight mesh, but it also allows seedlings to grow by lifting the net.



DOES NOT INCREASE THE RISK OF DISEASE

Made with HDPE, Climatex is hydrophobic and does not release moisture while drying. This means it does not increase the risk of fungal diseases.


PROTECTION AGAINST CLIMATIC HAZARDS

HOW TO PROPERLY INSTALL THE CLIMATEX?

When choosing the size of your net, remember to choose one that is slightly larger than the area you want to cover. This will give you enough slack to bury the sides and allow your plants to lift the net as they grow. It is important to follow these steps because this net is made with triangular meshes and needs to be stretched to reach the specified dimensions.

Warning : if you want to cut the net, you must stretch it beforehand, otherwise the dimensions will no longer be accurate.

For example, if you are using a 16m x 100m net:



To learn more about our ClimateX net, our sales teams are available to discuss it with you.




Alphavent 30




Alphavent 35

WINDBREAK NETTING

30% - 35%



Alphavent 30



Alphavent 35

Our windbreak nets are designed to be mounted on structures such as greenhouses, green-houses, climate sheds or on the fences of field crops.

Nets with 20-35% of wind protection are light and airy solutions, providing improved ventilation in low tunnel models. These netting systems are often used in order to prevent impacts on the side wings of greenhouses.


We can also manufacture specific products which are not found in our standard offer, with various mesh sizes, colors and weight/m². Please, contact us for more details.

Alphavent 35 is available in a fire-treated version for outdoor applications or for public utility facilities.



Product	Windbreak effect	Mesh	Constr.	UV Treat.	Color	Width	Length	Weight	Finishes	Packaging		
Alphavent 30	30%	Rectang. 2x3 mm	Knitted	600 KLY	Crystal	2 m	200 m	70 g/sqm	Lateral reinforcements	1 m Rolls		
						2.5 m				1.25 m Rolls		
						3 - 6 m				1.5 m Rolls		
						4 m				2 m Rolls		
					Green/Black or Crystal	1.3 m	300 m			1.3 m Rolls		
						1.6 m				1.6 m Rolls		
						2 m				1 m Rolls		
						3 m				1.5 m Rolls		
						4 m				2 m Rolls		
						6 m				1.5 m Rolls		
Alphavent 35	35%	Rectang. 5.5 x 5.5 mm	Knitted	600 KLY	Crystal	3 m	500 m	90 g/sqm	Lateral reinforcements and buttonholes	1.5 m Rolls		
						4 m				2 m Rolls		
						5 m				1.25 m Rolls		
					Black	3 m	100 m			1.5 m Rolls		
						4 m				2 m Rolls		
						5 m				1.25 m Rolls		
						6 m				1.5 m Rolls		

Accessories on page 43





Alphavent 50



Alphavent 55




Alphavent 65

WINDBREAK NETTING


50% - 65%



Alphavent 50



Alphavent 55



Alphavent 65


Our 50%-65% windbreak netting range stops more wind, while still ensuring a good ventilation and durability combination. These nets are highly popular among our customers. It can also be used as a climate shielding, hail barrier, physical barrier against some insects, etc.



Product	Windbreak	Mesh	Constr.	UV Treat.	Color	Width	Length	Weight	Finishes	Packaging		
Alphavent 50	50%	Rectang. 2x4 mm	Knitted	600 KLY	Crystal	1.5 - 3 m	100 m	100 g/sqm	Lateral reinforcements and buttonholes	1.5 m Rolls		
						2 m				2 m Rolls		
					White	3 m	500 m			1.5 m Rolls		
						3.5 m				1.75 m Rolls		
					Green / Black	1.5 - 3 m	100 m			1.5 m Rolls		
						2 - 4 m				2 m Rolls		
						3.5 m				1.75 m Rolls		
						6 m	250 m			1.5 m Rolls		
						0.8 m	500 m			0.8 m Rolls		
						1 m				1 m Rolls		
						1.5 - 3 m				1.5 m Rolls		
						2 - 4 m				2 m Rolls		
						2.5 - 5 m				1.25 m Rolls		
						Black	2.4 m	250 m		2.4 m Rolls		
Alphavent 55	55%	Rectang. 2x3 mm	Knitted	600 KLY	Green/ Black	1 m	100 m	165 g/sqm	Lateral reinforcements	1 m Rolls		
						1.25 m				1.25 m Rolls		
						1.5 m				1.5 m Rolls		
						2 m				2 m Rolls		
						3 m				1.5 m Rolls		
						4 m				2 m Rolls		
						6 m				1.5 m Rolls		
						3 m	100 m	150 g/sqm	Without buttonholes	1.5 m Rolls		
Alphavent 65	65%	Triang. 5.5 x 5.5 mm	Knitted	600 KLY	Dark Green	3.6 m				1.8 m Rolls		
						4 m				2 m Rolls		

Manufacturer's advice

Windbreak netting installation



GENERAL INFORMATION

The effective surface area of a windbreak net is approximately 10 times its height. This means that a 4-metre-high net will protect a 40-metre-long plot of land.

ALL THE STEPS INVOLVED IN INSTALLING A WINDBREAK NET FOR A WEATHER SHELTER ON A FENCE

As a net manufacturer, Alphatex has also acquired expertise in installation, enabling us to provide you with the best advice. Creating a weather shelter using fencing is an effective way to quickly protect yourself from the wind. To do this, you will need the following accessories :

1.	6-metre high posts, 15/17 diameter with tapered ends	6.	Protective sleeves
2.	Screw-in anchors	7.	Windbreak net
3.	Slings with a diameter of 6mm and a length of 5m	8.	DELTEX cable 4x2 mm
4.	6 mm cable clamps	9.	40 mm clamp
5.	Coil tubes		


STEP 1 : ESTABLISHMENT OF THE STRUCTURE

First, the structure must be erected using 6-metre posts. Ideally, at least 1.5 metres should be buried in the ground to be firmly anchored in the ground. The posts should be spaced two metres apart, regardless of their height.

Please note that the posts must be smooth and free of knots to prevent abrasion on the net. In addition, a knot that is too deep can weaken the post depending on where it is located, and the post may split in case of strong wind.

Next, you need to install 'chairs' at each end of the structure, or at long intervals: every 100 metres; in order to reinforce the structure. Otherwise, with the tension of the net, the posts at the ends would be under too much strain and would lean towards the centre.

This operation is carried out using a stake, slings and screw anchors, as shown in the diagram below.




PROTECTION AGAINST CLIMATIC HAZARDS

STEP 2 : INSTALLATION OF PIPES AND DUCTS

For this second step, you will need to fit a black PVC protective sleeve onto each pole, using flat-headed nails every 60 cm on both sides of the sleeve, as well as roll-up tubes at each end.

What is the protective sleeve for? The sleeve acts as a bumper to prevent the net from rubbing against the wood (mechanical protection).


Alphatex offers a roller kit that allows you to adjust the tension of the net (for nets up to two metres high). The tubes allow you to stretch nets up to two metres. In the diagram below, two must be installed at each end to obtain a 4-metre windbreak. The net roller mandrel will then be inserted into it.



STEP 3 : INSTALLATION OF THE WINDBREAK NET

This step involves installing the net on the structure. To do this, you need to :

1. Thread the DELTEX 4x2 cables through each buttonhole in the net.
2. Suspend the net from each post head using clamps installed on the post heads.
3. Tension the cables independently of the net by attaching them to the two end posts with a TIRVIT.
4. Place the net in the winding tube and apply tension by turning the tube.
5. Secure the cables with a cable tie at each intersection of the posts.





Alphaombre 20





Alphaombre 45



Alphaombre 55


20-55% SHADE NETS MADE WITH STRIPS

Alphaombre 20
Snow White UltimateAlphaombre 40
Snow White Ultimate

Alphaombre 45

Alphaombre 55
Strips

Strip shade nets can be used on structures. This kind of netting is lighter than monofilament nets. They also offer a wide range of light protection (from 20 to 85%).

Alphaombre 55
Monofilaments

Product	Shade perc.	UV Treat.	Constr.	Color	Weight	Width	Length	Finishes	Packaging
Alphaombre 20 Snow White Ultimate	18%	600 KLY	Knitted 100% strips	White	40 g/sqm	4.2 - 6.4 m	200 m	Top and bottom reinforcements 5 cm	Folded roll with Ø50 mm PVC mandrel
Alphaombre 40 Snow White Ultimate	38%	600 KLY	Knitted strips	White	104 g/sqm	2 m	100 m	Reinforcements and buttonholes on side	1 m Rolls
						4 m			2 m Rolls
						3 - 6 m			1.5 m Rolls
Alphaombre 45	46%	600 KLY	Knitted monofilaments and strips	Green/Black	85 g/sqm	2 - 3 - 4 - 6 m	100 m	Reinforcements and buttonholes on side	
Alphaombre 55	55%	600 KLY	Knitted 100% strips		54 g/sqm	2 - 4 m	100 m	Reinforcements and buttonholes on side	2 m Rolls
						6 m			1.5 m Rolls
						1 m			1 m Rolls
						1.25 m			1.25 m Rolls
						2 - 4 m			2 m Rolls
			Monofilaments	Green/Black	150 g/sqm	1.5 - 3 - 6 m	100 m	Side buttonholes	1.5 m Rolls
						3.6 m			1.80 m Rolls
						2 m	200 m		2 m Rolls

Accessories on page 43






Alphaombre 60



Alphaombre 80

60-85% SHADE NETS MADE WITH STRIPS

END OF PRODUCTION



Alphaombre 60



Alphaombre 75



Alphaombre 80



Alphaombre 85




Product	Shade perc.	UV Treat.	Constr.	Color	Weight	Width	Length	Finishes	Packaging
Alphaombre 60	62%	600 KLY	Knitted 100% strips	Green/ Black	72 g/sqm	2 m	100 m	Reinforcements and buttonholes on side	1 m Rolls
						4 m			2 m Rolls
						3 - 6 m			1.5 m Rolls
Alphaombre 75	76%	600 KLY	Knitted 100% strips	Green/ Black	54 g/sqm	2 m	100 m	Reinforcements and buttonholes on side	1 m Rolls
						4 m			2 m Rolls
						6 m			1.5 m Rolls
Alphaombre 80	80%	600 KLY	Knitted 100% strips	Green/ Black	104 g/sqm	1.5m	50 - 200 m	Reinforcements and buttonholes on side	1.5 m Rolls
						1.8 m	50 - 200 m		1.8 m Rolls
						2 m	50 - 200 m		2 m Rolls
						3 m	100 - 200 m		1.5 m Rolls
						4 m	100 m		2 m Rolls
Alphaombre 85 END OF PRODUCTION	85%	600 KLY	Knitted strips and monofilaments	Dark green	145 g/sqm	2 m	100 m	Reinforcements and buttonholes on side	1 m Rolls
						4 m			2 m Rolls
						3 - 6 m			1.5 m Rolls

UPDATE ON OUR ALPHAOMBRE RANGE

Our R&D and quality control departments have invested in new tools for measuring shade percentages, and they have studied the entire Alphaombre range in order to provide you with accurate values.

Aware of the importance of protection suited to the type of crop, we have taken these measures to give professionals the best products.

Accessories on page 43





Ombramache 40




Ombramache 60




Ombrex 55

SHADE NETS FOR LAMB'S LETTUCE PRODUCTION



TO ORDER



END OF PRODUCTION

Ombrex 55



Alphatex has designed a specific range for its customers who need to install nets (manually or mechanically) on garden hoops and tunnels. Ombramache nets are made of monofilament and have a better resistance to roll up and unroll, which increases their lifespan, compared to strip nets. Their quality/price ratio is better as well. We recommend these nets to grow lamb's lettuce and young shoots. Moreover, our monofilament or strip nets provide a high percentage of shade while maintaining effective ventilation for crops.

Product	Shade perc.	UV Treat.	Constr.	Color	Weight	Width	Length	Finishes	Packaging
Ombramache 60*	60%	320 KLY	Knitted monofilaments	Black	110 g/sqm	1.80 - 2.10 m	300 m	Side reinforcements	Folded roll with Ø50 mm PVC mandrel
Ombrex 55	55%	320 KLY	100% strips	Green/ Black	100 g/sqm	1.6 m	300 m	Side reinforcements	Folded roll with Ø50 mm PVC mandrel

*only on demand



Manufacturer's advice

Which shade net to choose ?



To choose the right shade mesh, you first need to know the characteristics that differentiate the different products in our range.

Construction: monofilament or strips

- Monofilament nets are heavier and recommended for use on outdoor structures.
- Strip nets are lighter and are recommended for indoor use, for shading in greenhouses, or directly on crops (depending on the weight of the net, which has to be lighter than 45 g/m²).

MANUFACTURER'S ADVICE

Whether for use in open fields or on structures, Alphatex offers shade nets in monofilament or strip form. Here is a quick reminder of the differences between these two types of product :


MONOFILAMENT	STRIPS
Weight	● ● ●
Ventilation	● ● ●
Mechanical strength	● ● ●
Outdoor use	● ● ●
Indoor use	● ● ●
Shading capacity	●





Color : light or dark

- White nets are particularly used in red fruit crops. Thanks to their white color, light is diffused evenly over the plantations, which improves their development and the red color of fruits.
- Green and black netting provides more shade and is used for crops that need more of it.




ALPHAOMBRE 20

18% shading




ALPHAOMBRE 40

38% shading




ALPHAOMBRE 45

46% shading



ALPHAOMBRE 55

55% shading



ALPHAOMBRE 60

62% shading



ALPHAOMBRE 75

76% shading



ALPHAOMBRE 80

80% shading




ALPHAOMBRE 85

85% shading


PROTECTION AGAINST CLIMATIC HAZARDS

All nets provide shade !

In addition to our range specifically designed for shading, all our nets can be used to protect crops from the sun. Find a list of our products and their respective shading rates here.



To find out more about installing shade netting on greenhouses, ask your sales representative **for our installation instructions.**






Floortis 100




Floortis 130

LANDSCAPE FABRICS



Floortis 90 ; 100 ; 130



Floortis 90 ; 130



Floortis 90 ; 100 ; 130

Our 100% woven polypropylene mulch fabrics are made with a UV protection for a longer lifespan. The fabric is installed on the ground before planting to prevent weeds from growing. It also helps plants and shrubs to grow. The mulch fabric is permeable to water and air and keeps the soil cool and moist.

PPM

Product	UV Treat.	Weight	Constr.	Color	Width	Length	Finishes	Packaging
Floortis 90	600 KLY	90 g/sqm	Woven	Green/ Black	1.05 - 1.25 1.65 - 2.10 3.30 - 4.20 5.25 m	100 m	Green stripes every 25 cm (lengthwise)	Folded rolls with mandrel
				White	1.25 - 1.65 - 2.10 - 5.25 m			
Floortis 100	600 KLY	100 g/sqm	Woven	Green	1.05 - 1.25 m	5 - 10 - 100 m	Folded rolls with Ø50 mm PVC mandrel	Folded rolls with Ø50 mm PVC mandrel
				Black	1.25 - 1.65 m	5 - 10 - 100 m		
Floortis 130	600 KLY	130 g/sqm	Woven	Green, Black or White	1.25 - 1.65 - 2.1 m	5 - 10 - 100 m	Folded rolls of the same width	1.65 m Rolls
				Green or Black	3.3 - 4.2 - 5.25 m	100 m		
				Black	3.25 m	5 - 10 - 100 m		

OUR ACCESSORIES

We offer two particularly useful accessories to install landscape fabrics: staples and a thermal perforator. The serrated steel staples, with bevelled ends, are easy to put into the ground and will remain in place for a long time.

The **staples**, made of serrated steel with bevelled ends, enable quick, secure and durable installation of mulching fabric.



The **thermal perforator** is very useful when planting. It allows you to drill holes easily and very quickly.



March 2024
Proof that grass does not grow underneath!




July 2024



Couvbatis 250




650g/m² PVC Tarpaulin



Couvrat 100



Couvrat 150



Couvrat 250

Tarpaulin 650 g/m²Tarpaulin 650 g/m²Tarpaulin 900 g/m²

Our catalogue includes both light HDPE and heavy PVC tarpaulins.

Lightweight tarpaulins, from the Couvratis range, are used for short-term needs. They are more economical than heavy tarpaulins.

Our 650 g/m² and 900 g/m² protective PVC tarpaulins are well-known for their adaptability, durability and resistance. They can be used to protect equipment, cover agricultural tunnels or even cover skips. They are made to measure according to your plans and specifications, with welded hems and eyelets.

HDPE

PVC



Product	Material	Weight	UV Treat.	Width*	Length*	Color	Finishes
Couvrat 100	Woven HDPE coated with PE	100 g/sqm	120 KLY	2 m	3 m	Green, Grey	Reinforced hem and eyelets every metre
				3 m	4 m		
					5 m		
					5 m		
Couvrat 150	Woven HDPE coated with PE	150 g/sqm	120 KLY	4 m	6 m	Green, Grey	Reinforced hem and eyelets every metre
					8 m		
				5 m	6 m		
					8 m		
Couvrat 250	Woven HDPE coated with PE	250 g/sqm	120 KLY	6 m	10 m	Blue, Green, Grey, White	Reinforced hem and eyelets every metre
					10 m		
				8 m	10 m		
					12 m		
Tarpaulin 650 g/m ²	PVC-coated polyester	650 g/sqm	300 KLY	Flexible	Made-to-measure	Blue, Yellow, Black, Green, White, Ivory, Grey, Red, Dark grey, Sand	Welded hems and eyelets
Tarpaulin 900 g/m ²	PVC-coated polyester	900 g/sqm	600 KLY	Flexible	Made-to-measure	Blue, Yellow, Black, Green, White, Grey, Red	Welded hems and eyelets

Manufacturer's advice

UV protection treatment




All Alphatex netting are made to ensure resistance to regular exposure to UV radiation. More information in this regard can be found on each of our product under « UV treatment ». This criteria is measured with Kilo Langlay (KLY), a unit to express the maximum level of exposure which our netting can withstand.

UV TREATMENT

The main material used in our netting is high-density polyethylene. This component has many advantageous properties, such as flexibility and mechanical resistance. However, it also comes with a flaw : polyethylene is not particularly resistant to UV light. UV radiation dries the mats, making them brittle.

That is why our manufacturing process includes additives which increase polyethylene's resistance to UV light.

The more additives we use, the higher its resistance. However, it also increases its weight and price.



Global UV exposure (in Kly)

WHAT IS KLY ?

Langley (Ly) is a unit of radiation energy per surface unit equal to one gram of calories per square centimetre. It is mainly used to measure sun radiation on the surface of the Earth.

LIFESPAN OF UV TREATMENT

In France, UV protection treatments are calculated on an annual basis of 80KLY, corresponding to exposure in the Paris region. The amount of additive we incorporate allows our nets to withstand between 300 and 800KLY.

To know how much time the UV treatment will last, you only have to devide : UV treatment / UV exposure of your country.

This allows us to estimate the lifespan of our products in seasons: a 600KLY-treated net can be reused for 5-6 seasons in France (this also depends on the length of the season, installation, friction, etc.).

Our accessories



C OR S CLASP

C or S Gancio clasp.
Sold by 1000 pieces.

Dimension
8x80mm



STAPLES FOR LANDSCAPE FABRICS

Beveled and notched staples for mulching fabric.
Box of 100 pieces.

Dimension
20 x 20 x 20 cm
Diameter
4 mm



SR8 STAPLES

SR8 galvanised metal staples, B nu.
Box of 2,500 pieces.



P7 STAPLER

Bostitch SR8 stapler with P7 magazine - Installation of wire mesh, wired or unwired.



SPLIT RING

Broken rings used to attach nets to wire or cable.
Colors : Grey, Black, White, Green.

Dimension
21x41mm



TENSION CABLED WIRE

Used for installing nets and tarpaulins on structures or fences.
Material : HDPE cable

Diameter
3 - 4 - 5 - 6 - 8 - 10 mm
Reel length
100 - 200 - 250 - 500 m
Colors

Black - Green - Stone - Green/Blue - Dark green - Aqua green - White - Grey - Red



CORD REEL

Used for installing nets and tarpaulins on structures or fences.
Material : braided HDPE

Diameter

3 - 3.5 - 4 mm

Coil length

100 - 200 - 250 - 500 m

Colors

Black - Green - Green/Blue - Dark green - Aqua green - White - Grey - Red



PVC COATED CABLE

Used for installing nets and tarpaulins on structures or fences.
Material : Galvanised steel and PVC.

Diameter


5 - 6 - 7 mm

Coil length

50 m à 200 m ou à la coupe

Colors

Dark green - Transparent dark green
- Black - Light green - White - Grey -
Transparent



STAINLESS CABLE

Used for installing nets and tarpaulins on structures or fences.
Material : 7x7 galvanised steel.

Diameter

2 mm

Coil length

100 - 200 m



STAINLESS STEEL CABLE

Used for installing nets and tarpaulins on structures and fences.

Material : 7x7 stainless steel

Diameter

2 mm

Coil length

100 - 200 m

2-POINT CLAMP

2-point bracket, ideal for thick windbreaks and privacy screens.
Bag of 250 pieces.

MOUNTING CLAMPS

Fixing clip for small
lightweight windbreaks or privacy
screens.

Bag of 150 pieces.



STAPLE

Used to secure nets and cables to wooden posts.
5kg box (≈ 354 pcs).



ROLLER KIT

Windbreak kit.
2 galvanised ring bolts, height 160 mm - thread 65 mm - inner ring diameter 45 mm - tube diameter 38 mm, thickness 2 mm - Supplied with a bolt and 2 cranks (concrete round bar)

Height
2 - 3 m



LOCKING SLEEVES

Aluminium sleeve for cables measuring 0.55 to 0.65 mm. For hail guards and windbreaks.
Bag of 100 pieces.



ALL-PURPOSE PLIERS

Maximum cutting diameter Ø4 mm and crimping of sleeves (maximum Ø2.5 mm).



GALVANISED STIFFENER

Ensures tension in wires and cables.
Material : Galvanised steel

Diameter
2 - 3 - 4 mm
Colors
Green - White - Black



BUNGEE CORD

For attaching nets.
Colors : White, Black.

Diameter
6 - 8 mm
Length
100 m



BUNGEE CORD WITH SNAP HOOKS

For attaching nets.

Diameter

8 mm

Length

0.70 - 1.30 - 1.60 - 1.70 - 1.80 - 2 m



CABLE CLAMP

For hail protection and windbreaks.

Box of 50 pieces.

Material : Galvanised steel.

Diameter

3 - 4 - 5 - 6 - 8 mm



GALVANISED TURNBUCKLE

To properly tension your nets.

Diameter

5 - 6 - 8 - 10 mm

Type

1 ring/1 hook - 2 rings -
2 hooks



RAPID BLOCKER

For tensioning and securing the cable. Double-channel self-locking mechanism.

Dimensions

1.50 to 2.50 mm

REFERENCES

Products	Length	Width	Color	Reference	
BIOTIS 450 STOP FLEA BEETLES	100 m	13.20 m	Crystal	5WMR043013	
		15.40 m		5WMR043015*	
		16 m		5WMR043016	
	125 m	2.20 m		5WMR043002	
		4.40 m		5WMR043004	
		6 m		5WMR043006	
		8.80 m		5WMR043008	
		11 m		5WMR043011	
		2.10 m		5WMR043003	
BIOTEX 500	100 m	16 m	White	5SMR049003*	
		2.40 m		5SMR049006*	
	125 m	4.80 m		5SMR049008*	
		6 m		5SMR049012*	
		8 m		5SMR049016*	
		12 m		5SMR049024*	
		2.10 m		5SMR049048*	
	300 m	4 m		5SMR036004	
		16 m		5SMR036016	
BIOTEX 800 STOP FLY		2.40 m		5SMR036024	
		4.80 m		5SMR036048	
		6 m		5SMR036006	
		8 m		5SMR036008	
		11 m		5SMR036011*	
		12 m		5SMR036012	
		2.10 m		5SMR036002*	
200 m	1.30 m	Green/Black	5WMR085102		
	2 m		5WMR085103		
	2.50 m		5WMR085003		
	DROSOTIS 8/6		3 m	Green/Black	5WMR085104
			4 m		5WMR085004
			3 m	Green/Black	5WMR085105
			4 m		5WMR085005
			4 m	Green/Black	5WMR085106
			4 m		5WMR085006
			300 m	Crystal	5WMR085002
			1.30 m		
POLLENATIS 10/10	200 m	1.60 m	Crystal	5WMR090004	
		2.60 m		5WMR090002	
		3.20 m		5WMR090001	
		4 m		5WMR090005	
		5.20 m		5WMR090003	

Products	Length	Width	Color	Reference
INSECTIS 16/10	200 m	1.60 m	Crystal	5WMR110016
		2 m		5WMR110020
		3.20 m		5WMR110032 (folded)
		4 m		5WMR110033 (machine pose)
				5WMR110040
THRIPTIS 20/10	200 m	1.60 m	Crystal	5WMR135016
		2.10 m		5WMR135021
		2.60 m		5WMR135026
		3.10 m		5WMR135031
		4 m		5WMR135040
CLIMATEX	100 m	12 m	Crystal	5SPT1045007
		14 m		5SPT1045014
		16 m		5SPT1045005
		18 m		5SPT045018
		24 m		5SPT1045024
		32 m		5SPT1045032*
	150 m	26 m		5SPT045026
		15 m		5SPT045017
	200 m	28 m		5SPT045028
		2 m		5SPT1045002
		4 m		5SPT1045006
		6 m		5SPT1045003
		6.50 m		5SPT045009
		8 m		5SPT1045004
		10.50 m		5SPT1045012
		12 m		5SPT1045008
		14 m		5SPT1045015
CLIMAFROST	100 m	12 m	Crystal	5SPT1036007*
		16 m		5SPT1036005*
ALPHAVENT 30	100 m	2 m	Green/Black	5SMR070002
		3 m		5SMR070003
		4 m		5SMR070004
		6 m		5SMR070006
	200 m	2 m	Crystal	5SMR0700102
		2.50 m		5SMR070125
		3 m		5SMR0700103
		4 m		5SMR070104
		6 m		5SMR070106
	300 m	1.30 m	Green/Black	5SMR070013
			Crystal	5SMR070113
		1.60 m	Green/Black	5SMR070016

*Subject to availability

REFERENCES

Products	Length	Width	Color	Reference
ALPHAVENT 35	100 m	3 m	Black	5SMR090060
		4 m		5SMR090061
		5 m		5SMR090062
		6 m		5SMR090021*
	500 m	3 m	Crystal	5SMR090040
		4 m		5SMR090041
		5 m		5SMR090036*
				5SMR090042* (top & bottom buttonhole)
ALPHAVENT 50	100 m	1.50 m	Green/Black	5SMR106515
		Crystal		5SMR106702
		2 m	Green/Black	5SMR106102
			Crystal	5SMR106703
		3 m	Green/Black	5SMR106334
			Crystal	5SMR106704
		3.50 m	Green/Black	5SMR106235*
		4 m		5SMR106239
	250 m	2.40 m	Black	5SMR106824
		6 m	Green/Black	5SMR106260
		0.80 m	Green/Black	5SMR106003
		1 m		5SMR106029
	500 m	1.50 m		5SMR106517
		2 m		5SMR106221
		2.50 m		5SMR106225
		3 m		5SMR106234
			White	5SMR106435
		3.50 m		5SMR106437
				5SMR106436
ALPHAVENT 55	100 m	4 m	Green/Black	5SMR106240
		5 m		5SMR106250
ALPHAVENT 65	100 m	1 m	Green/Black	5SMR165002
		1.25 m		5SMR165003
		1.50 m		5SMR165004
		2 m		5SMR165005
		3 m		5SMR165007
		4 m		5SMR165009
		6 m		5SMR165011
	100 m	3 m	Green	5SMT150011*
		3.60 m		5SMT150012*
		4 m		5SMT150013*

*Subject to availability

Products	Length	Width	Color	Reference	
COVERTEX 150 CD	4 m	3 m	Black	5SMT150725*	
			Dark green	5SMT150830*	
	5 m	3.50 m	Black	5SMT150718* (with bungee cord)	
				5SMT150719*	
			Dark green	5SMT150818*	
				5SMT150819*	
			Black	5SMT150720*	
			Dark green	5SMT150820*	
	6 m	3.50 m	Black	5SMT150724*	
			Dark green	5SMT150824*	
			Black	5SMT150721*	
			Dark green	5SMT150821*	
			Black	5SMT150722*	
			Dark green	5SMT150822*	
			Black	5SMT150728*	
			Dark green	5SMT150828*	
COVERTEX 200	4 m	3 m	Black	5SMT200825 (with bungee cord)	
				5SMT200718*	
	5 m	3.50 m		5SMT200818 (with bungee cord)	
				5SMT200823 (with bungee cord)	
				5SMT200720*	
				5SMT200820 (with bungee cord)	
				5SMT200824 (with bungee cord)	
				5SMT200721*	
	6 m	3.50 m		5SMT200821 (with bungee cord)	
				5SMT200822 (with bungee cord)	
COVERTIS	6.50 m	3 m	Black	5SMT200728*	
				5SMT200828 (with bungee cord)	
	7 m	3.50 m		5SMT200826 (with bungee cord)	
				5SMT200821	
				5SMT200822	
				5SMT200728	
ALPHAOMBRE 20 Snow White Ultimate	7.50 m	4.20 m	White	5SPT045102	
				5SPT045104	
	8 m	6.40 m			

*Subject to availability

REFERENCES

Products	Length	Width	Color	Reference
ALPHAOMBRE 40 Snow White Ultimate	100 m	2 m	White	5SPT104002
		3 m		5SPT104003
		4 m		5SPT104004
		6 m		5SPT104006
ALPHAOMBRE 45	100 m	2 m	Dark green	5SXR085002*
		3 m		5SXR085003*
		4 m		5SXR085004*
		6 m		5SXR085006*
ALPHAOMBRE 55	100 m	1 m	Green/Black	5SMR150114
		1.25 m		5SMR150115
		1.50 m		5SMR150125
		2 m		5SMR150120
		3 m		5SPT054002 (Strips)
		3.60 m		5SMR150113
		4 m		5SMR150118 (Buttonhole every meter)
		6 m		5SMR150218
		200 m		5SMR150126
		2 m		5SPT054004 (Strips)
		6 m		5SMR150127
		2 m		5SPT054006 (Strips)
		200 m		5SMR150122
ALPHAOMBRE 60	100 m	2 m	Green/Black	5SPT068002
		3 m		5SPT068003
		4 m		5SPT068004
		6 m		5SPT068006
ALPHAOMBRE 75	100 m	2 m	Green/Black	5SPT054102
		4 m		5SPT054104
		6 m		5SPT054106

*Subject to availability

Products	Length	Width	Color	Reference
ALPHAOMBRE 80	50 m	1.50 m	Green/Black	5SPT104102
		1.80 m		5SPT104104
		2 m		5SPT104106
	100 m	3 m		5SPT104108
		4 m		5SPT104110
	200 m	1.50 m		5SPT104103
		1.80 m		5SPT104105
		2 m		5SPT104107
		3 m		5SPT104109
ALPHAOMBRE 85	100 m	2 m	Dark green	5SXR145002*
		3 m		5SXR145003*
		4 m		5SXR145004*
		6 m		5SXR145006*
OMBRAMACHE 60	300 m	1.80 m	Black	5SMT110180**
		2.10 m		5SMT110106**
OMBREX 55	300 m	1.60 m	Green/Black	5SPT100160*
FLOORTIS 90	100 m	1.05 m	Green	5WPR090105
			Black	5WPR091105
		1.25 m	Green	5WPR090125
			Black	5WPR091125
		1.65 m	White	5WPR092125
			Green	5WPR090165
			White	5WPR092165
		2.10 m	Green	5WPR090210
			Black	5WPR091210
			White	5WPR092210
		3.30 m	Green	5WPR090330
			Black	5WPR091330
		4.20 m	Green	5WPR090420
			Black	5WPR091420
		5.25 m	Green	5WPR090525
			Black	5WPR091525
			White	5WPR092525
FLOORTIS 100	5 m	1.05 m	Green	5WPR100105_05*
		1.25 m		5WPR100125_05*
		Black		5WPR101125_05*
	10 m	1.05 m	Green	5WPR100105_10*
		1.25 m		5WPR100125_10*
		Black		5WPR101125_10*
	100 m	1.05 m	Green	5WPR100105*
		1.25 m		5WPR100106*
		1.65 m		5WPR100125*
		1.65 m	Black	5WPR100126*
		1.65 m		5WPR101125*
		1.65 m		5WPR101126*
		1.65 m		5WPR101165*
		1.65 m		5WPR101166*

*Subject to availability

**On request only

REFERENCES

Products	Length	Width	Color	Reference
FLOORTIS 130	5 m	1.25 m	Green	5WPR130125_05*
			Black	5WPR131125_05*
			White	5WPR132125_05*
		1.65 m	Black	5WPR131165_05*
			White	5WPR132165_05*
		2.10 m	Green	5WPR130210_05*
			Black	5WPR131210_05*
			White	5WPR132210_05*
		3.25 m	Black	5WPR131325_05*
	10 m	1.25 m	Green	5WPR130125_10*
			Black	5WPR131125_10*
			White	5WPR132125_10*
		1.65 m	Green	5WPR130165_10*
			Black	5WPR131165_10*
			White	5WPR132165_10*
		2.10 m	Green	5WPR130210_10*
			Black	5WPR131210_10*
			White	5WPR132210_10*
		3.25 m	Black	5WPR131325_10
	100 m	1.25 m	Green	5WPR130125*
				5WPR130126
			Black	5WPR131125
				5WPR131126
			White	5WPR132125*
				5WPR132126
		1.65 m	Green	5WPR130165
				5WPR130165_05*
			Black	5WPR131165
				5WPR131166
			White	5WPR132165
				5WPR132166
		2.10 m	Green	5WPR130210
				5WPR130211*
			Black	5WPR131210
				5WPR131211
			White	5WPR132210
				5WPR132211
		3.25 m	Black	5WPR131325
				5WPR131326

Products	Length	Width	Color	Reference
COUVRATIS 100	2 m	3 m	Green	5ETP100403
			White	5ETP100103
	3 m	4 m	Green	5ETP100406
			White	5ETP100106
		5 m	Green	5ETP100409
			White	5ETP100109
	4 m	5 m	Green	5ETP100415
			White	5ETP100115
		6 m	Green	5ETP100418
			White	5ETP100118
		8 m	Green	5ETP100421
			White	5ETP100121
	5 m	6 m	Green	5ETP100424
			White	5ETP100124
	6 m	8 m	Green	5ETP100430
			White	5ETP100130
		10 m	Green	5ETP100433
			White	5ETP100133
	8 m	10 m	Green	5ETP100436
			White	5ETP100136
		12 m	Green	5ETP100439
			White	5ETP100139
	10 m	12 m	Green	5ETP100445
			White	5ETP100145
COUVRATIS 150	2 m	3 m	Green	5ETP150403
			White	5ETP150103
	3 m	4 m	Green	5ETP150406
			White	5ETP150106
		5 m	Green	5ETP150409
			White	5ETP150109
		6 m	Green	5ETP150412
			White	5ETP150112
	4 m	5 m	Green	5ETP150415
			White	5ETP150115
		6 m	Green	5ETP150418
			White	5ETP150118
		8 m	Green	5ETP150421
			White	5ETP150121
	5 m	6 m	Green	5ETP150424
			White	5ETP150124
		8 m	Green	5ETP150427
			White	5ETP150127
	6 m	8 m	Green	5ETP150430
			White	5ETP150130
		10 m	Green	5ETP150433
			White	5ETP150133
	8 m	10 m	Green	5ETP150436
			White	5ETP150136
		12 m	Green	5ETP150439
			White	5ETP150139
		15 m	Green	5ETP150442
			White	5ETP150142

REFERENCES

Products	Length	Width	Color	Reference
COUVRATIS 150	10 m	12 m	Green	5ETP150445
			White	5ETP150145
		15 m	Green	5ETP150445
			White	5ETP150148
	4 m	6 m	White	5ETP250118
			Blue	5ETP250218
			Grey	5ETP250318
			Green	5ETP250418
		8 m	White	5ETP250130
			Blue	5ETP250230
			Grey	5ETP250330
			Green	5ETP250430
COUVRATIS 250	6 m	10 m	White	5ETP250133
			Blue	5ETP250233
			Grey	5ETP250333
			Green	5ETP250433
		12 m	White	5ETP250136
			Blue	5ETP250236
			Grey	5ETP250336
			Green	5ETP250436
	8 m	10 m	White	5ETP250139
			Blue	5ETP250239
			Grey	5ETP250339
			Green	5ETP250439
		12 m	White	5ETP250145
			Blue	5ETP250245
			Grey	5ETP250345
			Green	5ETP250445
	10 m	12 m	White	5ETP250148
			Blue	5ETP250248
			Grey	5ETP250348
			Green	5ETP250448
		15 m	White	5ETP250151
			Blue	5ETP250251
			Grey	5ETP250351
			Green	5ETP250451
	12 m	15 m	White	5ETP250154
			Blue	5ETP250254
			Grey	5ETP250354
			Green	5ETP250454
		20 m	White	5ETP250157
			Blue	5ETP250257
			Grey	5ETP250357
			Green	5ETP250457

Products	Length	Width	Color	Reference
650 G/M² TARPAULIN	Made-to-measure	Made-to-measure	Sand	5SETE650080
			Yellow	5SETE650070
			Black	5SETE650060
			Dark grey	5SETE650055
			Grey	5SETE650050
			Red	5SETE650040
			Crystal	5SETE650030
			Green	5SETE650020
			White	5SETE650010
900 G/M² TARPAULIN	Made-to-measure	Made-to-measure	Grey	5SETE900050
			Red	5SETE900040
			Crystal	5SETE900030
			Green	5SETE900020
			White	5SETE900010

Products	Characteristics	Reference
P7 BOSTITCH STAPLER	Sold individually	5ACA008004
SR8 STAPLE	Box of 2,500 pieces	5ACG008001
		5ACG008002
MULCH FABRIC STAPLES	Dimensions: 20 x 20 x 20cm Bag of 100 pieces	5ACG042020
STAPLE C	Bag of 100 pieces	5ACPAGC001
STAPLE S	Box of 100 pieces	5ACPAGS001
SPLIT RING	White Bag of 1,000 pcs	5ASPANO001
	Black Bag of 1,000 pcs	5ASPANO003
	Green Bag of 1,000 pcs	5ASPANO005
	Grey Bag of 100 pcs	5ASPANO008
PVC COATED STEEL CABLE	Black - 10 m	5ASE010001
	Black - 20 m	5ASE020001
	Black - 30 m	5ASE030001
	Black - 40 m	5ASE040001
	Black - 50 m	5ASE050014
	Black - 65 m	5ASE065001
	Black - 85 m	5ASE085018
	Black - 100 m	5ASE100019
	Black - 150 m	5ASE150023
	Black - 200 m	5ASE200025
	Black - 250 m	5ASE250028
	Black - 300 m	5ASE300028
	Black - 500 m	5ASE500006
	Black - 1 000 m	5ASE990005
	Transparent dark green - 80 m	5ASE080036
	Transparent dark green - 300 m	5ASE300040
	Transparent dark green - 400 m	5ASE400041

REFERENCES

Products	Characteristics	Reference
PVC COATED STEEL CABLE	Transparent dark green - 1 000 m	5ASE990043
	White - 250 m	5ASE250027
	White - 500 m	5ASE500002
	White - 1 000 m	5ASE990003
	Grey - 500 m	5ASE500011
	Transparent - 190 m	5ASE190008
	Transparent - 500 m	5ASE500007
	Transparent - 1 000 m	5ASE990006
GALVANISED STEEL CABLE	100 m - 2 mm	5ASG10001
	200 m - 2 mm	5ASG20001
STAINLESS STEEL CABLE	100 m - 2 mm	5ASI10001
2-POINT CLIP	Bag of 250 pieces	5ACPCLI002
ROUND CLIPS	Bag of 100 pieces	5ACPCLI001
HARPOON CLAMP	50 mm - Bag of 345 pieces	5ACGCRA550
HDPE TENSION CABLED WIRE		
HDPE TENSION WIRE BRAIDED		
ROLLER KIT	2 m	1KITENR002
	3 m	1KITENR003
FIXING KIT (Bag of 26 plastic pellets + 4.20 ml of thread)	Black	5ACPKF0101
	Green	5ACPKF0102
	Dark grey	5ACPKF0103
	Light grey	5ACPKF0104
SLEEVES	White - Bag of 100 pieces	5ACPK0005
TUNNEL SPROCKETS (5 m x 10 m)	H. 1.80 m x l. 1.80 m (square door)	5WMR110001
	H. 2.60 m x l. 2.80 m (double straight zip)	5WMR110006
	H. 2 m x l. 2.80 m (double straight zip)	5WMR110004
	H. 2 m x l. 1.60 m (double straight zip)	5WMR110003
MULTI-PURPOSE PLIERS	Individually	5ACDPIN001
GALVANISED WIRE TENSIONER	Green - 2 mm	5ACERAI200
	Green - 3 mm	5ACERAI300
	Green - 4 mm	5ACERAI400
	Black - 4 mm	5ACERAI420
	White - 4 mm	5ACERAI410

Products	Characteristics	Reference
BLACK BUNGEE CORD + BLACK SNAPHOOK	8 mm - 0.50 m - 250 pcs	5COP008050
	8 mm - 0.70 m - 250 pcs	5COP008070
	8 mm - 1.15 m - 250 pcs	5COP008115
	8 mm - 1.20 m - 250 pcs	5COP008120
	8 mm - 1.30 m - 150 pcs	5COP008130
	8 mm - 1.40 m - 250 pcs	5COP008140
	8 mm - 1.45 m - 250 pcs	5COP008145
	8 mm - 1.60 m - 200 pcs	5COP008161
	8 mm - 1.70 m - 125 pcs	5COP008170
	8 mm - 1.80 m - 125 pcs	5COP008180
BUNGEE CORD REEL	8 mm - 2 m - 100 pcs	5COP008200
	White - Ø5 mm - 100 m	5COP005001
	White - Ø6 mm - 100 m	5COP006001
	White - Ø8 mm - 100 m	5COP008001
	White - Ø9 mm - 100 m	5COP009001
	Black - Ø6 mm - 100 m	5COP006003
	Black - Ø8 mm - 100 m	5COP008004
	Green - Ø6 mm - 100 m	5COP006005
	Green - Ø8 mm - 100 m	5COP008005
	Red - Ø6 mm - 100 m	5COP006006
CABLE CLAMP	Ø8 mm - 50 pcs	5ACGSEC007
GALVANISED TURNBUCKLE	1 ring / 1 hook - 5 mm	5ACGTEN011
	1 ring / 1 hook - 10 mm	5ACGTEN017
	1 ring / 1 hook - 10 mm	5ACGTEN015
	1 ring / 1 hook - 8 mm	5ACGTEN016
	1 ring / 1 ring - 8 mm	5ACGTEN014
RAPID BLOCKER	Bag of 5 pieces	5ACDTEN001



Biotis 450 and Biotex 500 applied to turnip crops



Windbreak applied to a greenhouse



ARBORICULTURE

- **Pest protection**
 - Insect protection
 - Bird protection
- **Protection against climatic hazards**
- **Harvest netting**
- **Accessories**
- **Reference numbers**



Drosotis 8/6



Alt'Cupo


INSECT NETS



Drosotis 8/6



Alt'Carpo



NEW

Alt'Tordeuse

Alphatex offers a complete range of insect protection products for arboricultural needs. Our manufacturing team can produce single-plot protection nets or single-row protection nets on request.

Our nets provide effective protection against fruit flies and codling moths, as well as strawberry leaf rollers thanks to our new Alt'Tordeuse net!



Products	Mesh	UV Treat.	Constr.	Color	Weight	Width	Length	Finishes	Packaging
Drosotis 8/6	Rectang. 1180µ x 1750µ	600 KLY	Monofilament woven	Green/ Black ou Crystal	90 g/sqm	2 m	200 m	4 cm top and bottom rein- forcements	2 m Rolls
						2.5 m			2.5 m Rolls
						3 m			3 m Rolls
						1.3 m	300 m	4 cm top and bottom rein- forcements + 3 cm middle	1.3 m Rolls
						4 m	200 m		2 m rolls (crystal) ou 4 m rolls (green/ black)
						3 m	500 m	4 cm top and bottom rein- forcements	1.5 m Rolls
Alt'Carpo	Rectang. 2.2 mm x 5.5 mm	500 KLY	Monofilament woven	Crystal	67 g/sqm	4.2 m			2.1m Rolls
						5.2 m			2.6 m Rolls
						7 m			3.5 m Rolls
						7.5 - 7.7m			3.75 m Rolls
						8 m			4 m Rolls
						7.5 m	500 m	Side reinfor- cements	3.75 m Rolls
Alt'Tordeuse	Rectang. 3.38 mm x 2.16 mm	500 KLY	Monofilament woven	Crystal	67 g/sqm	8 m			4 m Rolls

MANUFACTURER'S ADVICE

Which net for which insects ?

Alphatex offers you an effective and economical solution for controlling insects. Our nets are suitable for all types of crops, but each product is designed to combat different types of insects. Consult our table to choose your product.

Insect	Adult size	Fruit tree	Suitable net
Codling moth	18 mm	●	Alt'Carpo
Leafroller	22 mm	●	Alt'Tordeuse
Drosophila	3 mm	●	Drosotis 8/6





Arbotex 13



Arbotex 15



Arbotex 20



Arbotex 22



Arbotex 25

BIRD NETS



Arbotex 13



Arbotex 15



Arbotex 20



Arbotex 22



Arbotex 25

Bird nets are effective, environmentally friendly and inexpensive way to protect crops, small fruits, late harvests, etc. from the birds damages. Our nets can also be used to protect poultry farms in aviaries.

Made from high-density knitted polyethylene with mesh sizes ranging from 13 mm to 25 mm, our nets allow sunlight and water to pass through. We offer a wide range of standard nets in small and large sizes, and the can also be made-to-measure.



Product	Mesh	Constr.	UV Treat.	Color	Weight	Width	Length
Arbotex 13	13 mm	Knitted 2x250	320 KLY	Green	25 g/sqm	4 m	50 m
						6 m	
						8 m	
						12 m	
Arbotex 15	15 mm	Knitted 2x0.30	320 KLY	Black	45 g/sqm	5 - 10 m	5 m
						10 - 20 m	10 m
						5 - 10 m	100 m
						5 - 10 m	200 m
Arbotex 20	20 mm	Knitted 2x250	320 KLY	Black	36 g/sqm	5 m	5 m
						6 m	6 m
						8 m	8 m
						12 m	12 m
						15 m	15 m
						20 m	20 m
						4 m	100 m
						3 - 5 - 10 m	5 m
Arbotex 22	22 mm	Knitted 2x028	320 KLY	Black	22 g/sqm	10 - 20 m	10 m
						4 - 5 - 6 - 8 - 10 - 12 - 20 m	100 m
Arbotex 25	25 mm	Knitted 2x250	320 KLY	Black or green	11 g/sqm	2 - 4 - 8 - 12 - 16 - 20 m	100 m
				Black		12 m	200 m




Anti-hail



Anti-hail

ANTI-HAIL

END OF PRODUCTION



Anti-hail

Our special 3x7mm mesh hail nets are the best guarantee for a secure harvest thanks to their protection against hail. Our products can be installed using various protection systems: classic drop-down, offset edges with gutter, cross system, superimposed, etc.



Product	Mesh	Constr.	UV Treat.	Color	Weight	Width	Length	Finishes	Packaging
Hail net	Rectang. 3 mm x 7 mm	Monofi- lament woven	500 KLY	Black, grey, or crystal	45 g/m ²	2.5 - 2.7 - 3 3.2 - 4.8 m	1000 m	Edge reinforce- ments	Unfolded rolls

Accessories on page 73





Alphavent 30



Alphavent 35

WINDBREAK NETS



**FIND ALL OUR
WINDBREAK NETS ON
PAGES 24 TO 29**





Recoltex 33



Recoltex 50



Recoltex 50 pants



Recoltex 64




Recoltex 95




Recoltex 95 pants


HARVEST NETS



Recoltex 33

Recoltex 50
Recoltex 50 pants

Recoltex 64

Recoltex 95
Recoltex 95 pants

Harvest nets are the most common, practical and easiest way to harvest fruit and vegetables: olives, chestnuts, walnuts and forest seeds. We offer regular harvest nets, but also in a 'trouser' shape, which makes them easy to install thanks to its opening at one end. With this feature, you will be able to slide the net around the tree trunk.

HDPE

Product	Weight	Constr.	UV Treat.	Color	Width	Length	Finishes	Packaging	
Recoltex 33	33 g/sqm	Knitted	600 KLY	Green/Black	4 m	100 m	Lateral and middle reinforcements	1 m Rolls	
					6 m			1.5 m Rolls	
Recoltex 50	50 g/sqm	Knitted	600 KLY	Green/Black	1 - 2 - 4 m	100 m	Lateral and middle reinforcements	1m Rolls	
					1.5 - 3 - 6 m			1.5 m Rolls	
					5 m			1.25 m Rolls	
Recoltex 50 pantalon	50 g/sqm	Knitted	600 KLY	Green/Black	10 m	10 m	With eyelets	Bale	
					12 m	12 m			
					6 m	6 m			
					6 - 8 m	8 m			
					3 m	100 m	Lateral and middle reinforcements	1.5 m Rolls	
Recoltex 64	64 g/sqm	Knitted	600 KLY	Black	5 m	100 m	Lateral and middle reinforcements	1.25 m Rolls	
					4 m			1 m Rolls	
Recoltex 95	100 g/sqm	Knitted	600 KLY	Green	6 m	100 m	Lateral and middle reinforcements	1.5 m Rolls	
					8 m			2 m Rolls	
					10 m				
Recoltex 95 pantalon	100 g/sqm	Knitted	600 KLY	Green	12 m	10 m	With eyelets	Bale	
					6 m	12 m			
					6 - 8 m	6 m	With eyelets		
					8 m	8 m			

Accessories on page 73



Manufacturer's advice

Harvest nets



Alphatex offers a wide range of harvesting nets. Suitable for every farm's budget, our nets are manufactured in different weights and mesh sizes. These differences do not affect the quality of the harvest, but rather the lifespan of the net and how easy it is to install.

WHAT ARE THE ADVANTAGES OF HARVEST NETTING?

The harvesting net for fruit trees, walnut trees, olive trees, and even chestnut trees is an indispensable tool for easily gathering fruit. Its advantages are as follows :

- Very easy to install (especially the trouser-shaped net)
- Significantly speeds up harvesting
- The mesh size allows small fruits to be harvested (olives, walnuts, hazelnuts, chestnuts, etc.)
- Lightweight and easy to handle
- Low maintenance
- Reinforced corners and reinforced stitching around the edges for greater strength
- Highly resistant mesh
- Can be used for several years
- Excellent value for money, this solution quickly pays for itself

TROUSER-SHAPED HARVESTING NET

Thanks to the slit running from the edge to the centre of the net, our trouser nets can be placed all around trees. This makes them easier to install and prevents any losses that might occur with a more traditional installation.

We have designed our 95 trouser harvesting net with eyelets around the edge. These eyelets allow you to thread a rope or bungee cord through to pull the edges of the net together once harvesting is complete. This option also saves time and makes the process more convenient.



ACCESSORIES

In addition to our range of nets, we also sell accessories for smooth and efficient harvesting.

Find these accessories (comb, handle, bungee cord, cable, etc. on p83).



Our accessories

Reference numbers p. 81 - 82



P7 STAPLER

Bostitch SR8 stapler with P7 magazine - Installation of wire mesh, wired or unwired.



SR8 STAPLES

SR8 galvanised metal staples, B nu. Box of 2,500 pieces.



HDPE CABLED TENSION WIRE

Used for installing nets and tarpaulins on structures or fences.
Material : HDPE

Diameter	3 - 4 - 5 - 6 - 8 - 10 mm
Reel length	100 - 200 - 250 - 500 m
Colors	Black - Green - Stone - Green/Blue - Dark green - Aqua green - White - Grey - Red



HDPE BRAIDED TENSION WIRE

Used for installing nets and tarpaulins on structures or fences.
Material : braided HDPE

Diameter	3 - 3.5 - 4 mm
Reel length	100 - 200 - 250 - 500 m
Colors	Black - Green - Green/Blue - Dark green - Aqua green - White - Grey - Red



PVC COATED STEEL CABLE

Used for installing tarpaulin nets on structures or fences.
Material : Galvanised steel and PVC.

Diameter	5 - 6 - 7 mm
Reel length	50 m à 200 m or by weight
Colors	Dark green - Transparent dark green - Black - Light green - White - Grey - Transparent



GALVANISED STEEL CABLE

Used for installing nets and tarpaulins on structures or fences.
Material : 7x7 galvanised steel.

Diameter	2 mm
Reel length	100 - 200 m



STAINLESS STEEL CABLE

Used for installing nets and tarpaulins on structures and fences.

Material: 7x7 stainless steel

Diameter

2 mm

Reel length

100 - 200 m



COVER

Black cap used to attach Anti-hail and Alt'Carpo nets.

Diameter 10 cm or 12 cm.



ROUND CLIPS

Fixing clip for small lightweight windbreaks or privacy screens.

Bag of 150 pieces.



GALVANISED HEAD NAIL

NAIL

Galvanised head nail.

Sold in boxes of 5 kg.

Approximately 1,900 pieces.



SLING


Used for windbreaks, hail protection and Alt'Carpo.

Dimensions

Length 5 m / Loop 6.50 m

Diameter

8 mm



POST HEADER STAINLESS STEEL CLAMP

Accessory for Anti-hail

Sold in boxes of 50 pieces.



PROTECTIVE SHEATH

For Anti-hail and Alt'Carpo.
Sold in bags of 250 pieces.



ROLLER KIT

Windbreak kit.
2 high galvanised ring bolts. 160 mm - Thread 65 mm - Inner ring diameter 45 mm - Tube diameter 38 mm, thickness 2 mm - Supplied with a bolt and 2 cranks (concrete round bar)

Height

2 - 3 m



SLEEVES

Aluminium sleeve for 0.55 to 0.65 mm cable - For hail guards and windbreaks.
Sold in bags of 100 pieces.



WOODEN HANDLE

Wooden handle for olive comb.
Sold separately.
Dimensions : 40 cm.



OLIVE COMB

9-tooth plastic comb.
Colour : yellow.
Sold separately.



STEEL CARABINER

Zinc-plated steel carabiner.
Sold in boxes of 50 pieces.
Dimensions : 6 x 60 mm.



RIDGE COMB

Resistant plate for thick, heavy or exposed windbreaks and privacy screens. Ridge cap for hail protection.

(2 clips/metre). Can also be used to connect two Grape Protect nets.



ALL-PURPOSE PLIERS

Maximum cutting diameter Ø4 mm and crimping of sleeves.



2-POINT PLATE

Plate for installing hail protection nets, windbreaks or Alt'Carpo. Use 3 to 4 clips per metre. Bag of 500 pieces.



NINA PLATE

Plate for attaching hail protection nets and Alt'Carpo. Sold in bags of 250 pieces.



RIVA PLATE

Plate for attaching hail protection nets and Alt'Carpo. Sold in bags of 200 pieces.



WIRE STRAINERS

Ensures tension in wires and cables. Material : Galvanised steel

Diameter

2 - 3 mm

Colors

Green - White - Black



BUNGEE CORD

For attaching nets.

Diameter	6 - 8 mm
Reel length	100 m
Colors	White - Black



BUNGEE CORD WITH SNAP HOOKS

For attaching nets or tensioning the Gel Protect net.

Diameter	8 mm
Reel length	0.70 - 1.30 - 1.60 - 1.70 - 1.80 - 2 m



CABLE CLAMP

For hail protection and windbreaks.
Sold in boxes of 50 pieces.
Material : Galvanised steel.

Diameter	3 - 4/5 - 6 - 8 mm
----------	--------------------



GALVANISED TURNBUCKLES

Tendeur galvanisé.

Diameter	5 - 6 - 8 - 10 mm
Type	1 anneau/1 crochet - 2 anneaux - 2 crochets



TIRANTE NET

Accessory for folding nets.
Sold in bags of 250 pieces.



PROTECTIVE TUBE

For Anti-hail and Alt'Carpo.
Sold in bags of 50 pieces.

References

ARBORICULTURE

Products	Length	Width	Color	Reference
DROSOTIS 8/6	200 m	2 m	Green/Black	5WMR085103
			Crystal	5WMR085003
		2.50 m	Green/Black	5WMR085104
			Crystal	5WMR085004
		3 m	Green/Black	5WMR085105
			Crystal	5WMR085005
	300 m	4 m	Green/Black	5WMR085106
			Crystal	5WMR085006
		1.30 m	Green/Black	5WMR085102
			Crystal	5WMR085002
ALT'CARPO	500 m	3 m	Crystal	5WMR062203
		4.20 m		5WMR062204
		5.20 m		5WMR062205
		7 m		5WMR062206
		7.50 m		5WMR062207
		7.70 m		5WMR062209
		8 m		5WMR062208
		7.50 m		5WMR067310
ALT'TORDEUSE	500 m	8 m	Crystal	5WMR067312
		4 m		5TML013004
ARBOTEX 13	50 m	6 m	Green	5TML013006
		8 m		5TML013008
		12 m		5TML013012
		5 m		5TML015001
ARBOTEX 15	10 m	5 m	Black	5TML015002
		10 m		5TML015005
		20 m		5TML015006
	100 m	5 m		5TML015008
		10 m		5TML015007
	200 m	5 m		5TML015003*
		10 m		5TML015013
ARBOTEX 20	5m	5m	Blue	5TML020105
	6m	6m		5TML020106
	8m	8m		5TML020108
	12m	12m		5TML020112
	15m	15m		5TML020115
	20m	20m		5TML020120
	100m	4m		5TML020101
ARBOTEX 22	3m	5m	Black	5TML022035
	5m			5TML022013
	10m			5TML022006
	20m	10m		5TML022004
	100m	4m		5TML022005
		5m		5TML022003
		6m		5TML022007
		8m		5TML022001
		10m		5TML022002
		12m		5TML022010
		20m		5TML022008
		5TML022009		

*Subject to availability

Products	Length	Width	Color	Reference
ARBOTEX 25	100m	2m	Black	5TML025013
			Green	5TML025011
		4m	Black	5TML025001
			Green	5TML025006
		8m	Black	5TML025002
			Green	5TML025007
		12m	Black	5TML025003
			Green	5TML025008
		16m	Black	5TML025004
			Green	5TML025009
ANTI-HAIL	1000m	20m	Black	5TML025005
			Green	5TML025010
		200m	12m	Black
		2.50m	Black	5WMR042002*
				5WMR045002*
			Crystal	5WMR042202*
				5WMR045202*
		2.70m	Grey	5WMR042102*
				5WMR045102*
				5WMR042109*
				5WMR042103*
RECOLTEX 33	100m	3m	Crystal	5WMR045103*
				5WMR042203*
			Black	5WMR045203*
				5WMR045003*
		4.80m	3.20m	5WMR042204*
				5WMR045204*
			Black	5WMR042106*
				5WMR042206*
RECOLTEX 50	100m	4m	Green/Black	5SMR033004
		6m		5SMR033006
		1m	Green/Black	5SMR050004
		1.50m		5SMR050005
		2m		5SMR050006
		3m		5SMR050007
		4m		5SMR050001
		5m		5SMR050002
RECOLTEX 50 PANT	100m	6m	Green/Black	5SMR050003
		6m		5SMR050606
		6m		5SMR050608
		8m		5SMR050808
		10m		5SMR050101
RECOLTEX 64	100m	10m	3m	5SMR050122
		12m		Black
		6m		5SMR064030
		6m	5m	Green/Black
		8m		5SMR064230
		10m		Black
		12m		5SMR064050
		12m	5m	Green/Black
		12m		5SMR064250

*Subject to availability

Products	Length	Width	Color	Reference
RECOLTEX 95	100m	4m	Green	5SMR095001
		6m		5SMR095003
		8m		5SMR095008
RECOLTEX 95 PANT	6m	6m	Green	5SMR095606
		6m		5SMR095618
	8m	8m		5SMR095808
		10m		5SMR095101
	12m	12m		5SMR095122
ALPHAVENT 20 - 65	See references in the 'Horticulture' section, p. 48-49.			

Products	Characteristics	Reference
P7 STAPLER	Sold individually	5ACA008004
SR8 STAPLE	Boite de 2 500 pièces	5ACG008001
HDPE CABLED TENSION WIRE		
HDPE BRAIDED TENSION WIRE		
PVC COATED STEEL CABLE	From 10 to 2,000 ml Different colors available	5ASE0...
GALVANISED STEEL CABLE	100 m - Ø2 mm	5ASG10001
	200 m - Ø2 mm	5ASG20001
STAINLESS STEEL CABLE	100 m - Ø2 mm	5ASI10001
COVER	100 cm	5ACPCH100
	127 cm	5ACPCH127
ROUND CLIPS	Bag of 100 pieces	5ACPCLI001
GALVANISED HEAD NAIL		5ACGPOI001
SLING		5ACGELI500
POST HEADER STAINLESS STEEL CLAMP		5ACIETR001
PROTECTIVE SHEATH	160 mm - 50 m reel	5ACPGAI050
ROLLER KIT	2 m	1KITENR002
	3 m	1KITENR003
SLEEVE	Bag of 100 pieces	1ACP0005
WOODEN HANDLE		5ACD040001
OLIVE COMB		5ACP009001
ZINC-PLATED SNAP HOOK		5ACAMOU003
ROLLS COMB	200 pieces	5ACPPEI001
ALL-PURPOSE PLIERS	Sold individually	5ACDPIN001
2-POINT PLATE	Box of 500 pieces	
NINA PLATE		5ACPPRI001
RIVA PLATE		5ACPRIV001
WIRE STRAINERS	Green - 2 mm	5ACERAI200
	Green - 3 mm	5ACERAI300
	Green - 4 mm	5ACERAI400
	Black - 4 mm	5ACERAI420
	White - 4 mm	5ACERAI410

*Subject to availability

**Finished product with side reinforcements and buttonholes

Products	Characteristics	Reference
BUNGEE CORD	White - Ø5 mm - 100 ml	5COP005001
	White - Ø6 mm - 100 ml	5COP006001
	White - Ø8 mm - 100 ml	5COP008001
	White - Ø9 mm - 100 ml	5COP009001
	Black - Ø6 mm - 100 ml	5COP006003
	Black - Ø8 mm - 100 ml	5COP008004
	Green - Ø6 mm - 100 ml	5COP006005
	Green - Ø8 mm - 100 ml	5COP008005
	Red - Ø6 mm - 100 ml	5COP006006
BUNGEE CORD WITH CARABINER	2 carabiners From 0.50 m to 2 m	5COP008...
	1 carabiner / 1 hook - 1.60 m	5COP018160
CABLE CLAMP	Ø8 mm - 50 pcs	5ACGSEC007
GALVANISED TURNBUCKLES	1 ring / 1 hook 5 mm	5ACGTEN011
	1 ring / 1 hook 10 mm	5ACGTEN017
	1 hook / 1 hook 10 mm	5ACGTEN015
	1 hook / 1 hook 8 mm	5ACGTEN016
	1 ring / 1 hook 8 mm	5ACGTEN014
TIRANTE NET		5ACPTIR001
PROTECTIVE TUBE	6 cm x Ø1.4 cm - 50 pcs	5ACPTPP001





WINEGROWING

- Hail Protection
- Frost protection
- Accessories
- Reference numbers


WINEGROWING




Grape Protect

GRAPE PROTECT

KNITTED



Grape Protect - Green



Grape Protect - Black



Grape Protect - 2 bands

Our Grape Protect vine protection nets guarantee a harvest since they protect against climatic hazards (hail, shade, windbreaks) but also against pests (birds, game, insects). Moreover, our nets have an estimated lifespan of many years and are also fully recyclable.



VIDEO
Presentation of
Grape Protect



VIDEO
Installation
guide



VIDEO
Feedback


Product	Mesh	Constr.	UV treat.	Color	Shade perc.	Weight	Width	Length	Finishes
Grape Protect	Rect. 2mm x 7mm	Knitted monofilam- ents	600 KLY	Black	32%	85g/sqm	0.50 - 0.60 - 0.80 - 1m	750m	Special vineyard buttonholes
				Green	25%		0.35 - 0.45 - 0.65 - 0.80 - 0.85 - 1 - 1.2m		
				Black/ Crystal	30%		0.35 - 0.45 - 0.65 - 0.85m		
Grape Protect 2 bands	Rect. 2mm x 7mm	Knitted monofilam- ents	600 KLY	Green/ Black	29%	85g/sqm	0.60 - 0.80 - 1m	750m	Special vineyard but- tonholes + intermediate

MANUFACTURER'S ADVICE

The Grape Protect net offers economic advantages:

- Significant reduction in labour required for vineyard management.
- Eligible to **France AgriMer** aid
- No specific tools are required for planting and managing the vineyard.

Accessories on page 92



Our manufacturer's recommendations

Focus on the Grape Protect



Grape Protect is a net made from high-density polyethylene, with no Bayco wire. It helps increase yield. How? By protecting the vines from climate hazards, while also allowing you to reduce labour time.

Moreover, the installation system has been cleverly designed. The accessories make it easy to adjust the net's position according to the season and vine growth.



WHAT DOES IT CONSIST OF?

Grape Protect is a net supplied with all the necessary accessories for installation and repositioning. But what does it actually involve?

- A net is positioned on each side of the row. These nets help with trellising as soon as the vines start budding. They are then rolled up after the harvest until spring.
- The accessories are attached directly to the wires. Simple, double, or 'bretzel' top clips are fitted to the top wire. The lower spreaders are positioned on the bottom wire, and the stake fastenings are attached to the end-of-row posts.
- The time required varies from 30 to 60 hours per hectare, with 3 people, and depends on the density of the planting.


THE GRAPE PROTECT, A MULTI-FUNCTIONAL NET

This net offers several highly useful benefits for its users.



LABOUR SAVINGS

With this net, several tasks will be reduced or eliminated, such as tying up, leaf thinning, pre-cutting, and wood pulling.



PROTECTION AGAINST CLIMATIC HAZARDS

Grape Protect improves farm yields. It is first and foremost an excellent protection against hail, but it also protects against wind and, consequently, protects the branches from breaking.



PHYSICAL BARRIER AGAINST PESTS

Finally, using Grape Protect means choosing effective protection against large wildlife and preventing birds from eating the grapes.

A NET ADAPTABLE ACCORDING TO THE SEASON

Once installed, it can remain in place all year – this is one of Grape Protect's major strengths. Thanks to the various accessories, the installation is modular, allowing growers to adjust the net according to the season and the vine's development. With the installation accessories, the net can be easily fitted onto the vine wires and the end-of-row posts.




ACCESSORIES ON THE TOP WIRE

The simple and double top clips are fitted to the top wire. The 'Bretzel' clip is an alternative to the first two clips, with the choice depending on the grower's preference for installation.



ACCESSORIES ON THE BOTTOM WIRE

On the bottom wires, the Lower Spreaders are fitted. Their purpose? To adjust the position and spacing of the net, adapting its shape to the vine's growth.




ACCESSORIES ON THE END-OF-ROW POSTS

On the end-of-row posts, a Stake Fastening should be fitted. This accessory works together with the Net Tensioner. Once attached, these two components maintain the correct tension of the net.



THE DIFFERENT POSITIONS OF GRAPE PROTECT



To calculate your requirements, use our calculator to find out how many rolls you will need to protect your vines!






Gel Protect

GEL PROTECT

SNOW WHILTE ULTIMATE



Gel Protect, Snow Whilte Ultimate

This solution has been developed in partnership with growers over several seasons. It is a perfect alternative to candles, remaining economical and easy to install, while also being ecological, reusable, and passive.

Thanks to its special knitting and Snow White Ultimate color, it reflects infrared rays to increase the temperature under the net at night.

This net is highly durable and specifically designed not to create a microclimate when in place.



VIDEO - Protective netting
against spring frost damage
to vines - Alphatex

Product	Mesh	Constr.	UV treat.	Color	Light blocked	Weight	Width	Length	Finishes
Gel Protect Snow White Ultimate	Rect.	Knitted strips	600 KLY	White	20%	110g/sqm	2.5m	200m	Side reinforcements + reinforced buttonholes + central reinforcement
							4.6m	100m	

MANUFACTURER'S ADVICE

The goal of this net is to create a new opportunity for growers who no longer wish to use polluting candles, frost-fighting towers, or heating wires. Gel Protect is:

- A passive protection that produces no pollution.
- A product that can be reused for many years.
- A recyclable net, as Gel Protect is made from HDPE.

Accessories on page 92



Our manufacturer's recommendations

Focus on Gel Protect



Our Gel Protect net has a clear objective: to prevent buds from freezing during spring cold spells.

To achieve this, our R&D team partnered with several growers to develop a product that is effective, quick to install, and reusable for several years.

After extensive testing, we succeeded in creating a net that combines all these features



GEL PROTECT, AN EXCELLENT SUBSTITUTE FOR CURRENT SOLUTIONS

At the origin of the project, we asked our grower-partners the following question: what challenges do you face in managing late frosts in the vineyard? Their answers highlighted the need for a product that was:

- ◆ A **viable substitute for existing solutions**, which are often too polluting (candles) or too costly or complex to implement (frost-fighting towers)
- ◆ **Less demanding** for workers
- ◆ **Quick to install**
- ◆ **Reusable** and recyclable

Thanks to their experience, we were able to develop an innovative net that addresses all these challenges.

GEL PROTECT, AN INNOVATIVE NET

This net is innovative in several ways



GAIN OF SEVERAL DEGREES UNDER THE NET

Thanks to its white color, 'Snow White Ultimate,' and knitted construction, the net reflects the heat emitted by the infrared rays from the soil.



REINFORCED FOR LONG-LASTING DURABILITY

Made with a knitted strip construction, the net is reinforced with polyethylene monofilaments in sensitive areas to withstand gusts of wind.



AN OPTIMISED INSTALLATION METHOD

The accessories and procedure have been carefully designed to provide a rapid response when frost is forecast.

A NET THAT DOES NOT REPLACE GOOD VINEYARD MANAGEMENT PRACTICES

Gel Protect is an effective frost protection solution, provided that good vineyard management practices are followed. Several aggravating factors promote the spread of cold in the vineyard and increase the risk of losses. In addition to using Gel Protect, we strongly recommend that you:

❖ Limit humidity in the plots

- ❖ Control grass growth in the vine row and between rows
- ❖ In the 2 to 5 days before a frost risk, avoid soil work and mowing
- ❖ Avoid using mulch to insulate the soil


❖ PAY ATTENTION TO PRUNING AND TYING TIMING

- ❖ Opt for a late, two-step pruning
- ❖ Tie and clean the canes at the last moment


GEL PROTECT, A VERSATILE PRODUCT

Gel Protect's greatest strength is its ability to adapt to all types of vines and fields. You can apply it freely in single or multiple rows, such as:

Gel Protect installed in a single row



Gel Protect installed across multiple rows



To learn more about the benefits and practical use of Gel Protect, our sales teams are available to discuss it with you.

Our accessories

WINEGROWING



WIRE SPOOL

PA monofilament wire spool.
Color: Black

Wire diameter

2mm

Weight

10kg



WINGED HAT

Hat for fastening the Gel Protect net to wooden stakes.

Color: Black

Diameter

10cm / 12cm

Packaging

500 pieces / 300 pieces



IRON POST TOP HAT

Hat for fastening the Gel Protect net to metal stakes.

Color: Black

Dimensions

100cm / 127cm



«BRETZEL» CLIP

Keeps the net attached to the head rope and accommodates the rolled-up net during winter.

Diameter

3mm

Height

7cm

Width

12cm



DOUBLE TOP CLIP

Holds the net on the top wire and accommodates the rolled-up net during winter.

Diameter

3mm

Height

10cm



SIMPLE TOP CLIP

Holds the net between two intermediate posts.

Height

10cm

Width open/closed


7cm / 5cm



LOW SPREADER For large vines

Keeps the net taut on the bottom wire.


Diameter	3mm
Width	30cm



LOW SPREADER For narrow vines

Allows for close or spaced trellising after flowering.


Diameter	3mm
Width	38cm



STAKE FIXING

Attaches to the head stake to hold the net tensioners at the end of the row.

Diameter	4mm
Width	31cm



NET TENSIONER Long rows special

Applies the necessary tension to the row and attaches to the end of the row. Made of stainless steel.

Diameter	6 mm
Width	16 cm
Height	24 cm



PROTECTIVE SHEATH

Box of 250 pieces.



RIDGE COMB

Ridge combs are used to secure the netting.
Sold in packs of 200.

Reference numbers p.95



BUNGEE CORD WITH SNAP HOOKS

Bungee cord carabiner.

Used to install nets.

Bag of 100 to 250 pieces.

Diameter

8 mm

Dimensions

0.70, 1.30, 1.60, 1.70, 1.80, 2 ml

BUNGEE CORD WITH A BALL

References

ACCESSORIES

Products	Length	Width	Color	Reference
GRAPE PROTECT	750m	0.35m	Green	5SMR080006*
			Black/Crystal	5SMR080206*
		0.45m	Green	5SMR080005*
			Black/Crystal	5SMR080205*
		0.50m	Black	5SMR085052
		0.60m	Black	5SMR085062
			Green/Black	5SMR085067
		0.65m	Vert	5SMR080004*
			Black/Crystal	5SMR080204*
		0.80m	Green	5SMR085081
			Black	5SMR085082
			Green/Black	5SMR085087
		0.85m	Green	5SMR080000*
			Black/Crystal	5SMR080200*
		1m	Green	5SMR085101
			Black	5SMR085102
			Green/Black	5SMR085107
		1.20m	Green	5SMR085121
GEL PROTECT	100m	4.60m	SWU**	5SPT110046
	200m	2.50m	SWU**	5SPT110025

Products	Features	Reference
SPOOL OF THREAD	Ø2mm wire	5CAX020001
WINGED HAT	Ø10cm - 500 pieces	5ACPCH010
	Ø12cm - 300 pieces	5ACPCH012
POST TOP HAT	100cm	5ACPCH100
	127cm	5ACPCH127
«BRETZEL» CLIP		5ACGBRE001
DOUBLE TOP CLIP		5ACGECA002
SIMPLE TOP CLIP		5ACGECA001
LOWER SPACER	Special narrow vineyards	5ACGECA102
LOWER SPACER	Special for wide vines	5ACGECA101
STAKE FIXING		5ACGCRO001
BLACK SHEATH	160 mm - 50 ml coil	5ACPGAI050
RIDGE COMB	200 pieces	5ACPPEI001
BUNGEE CORD	Ø8mm - 100ml	5COP008044
BUNGEE CORD WITH A BALL	Ø6mm - Øball 2.8cm	5COP006025
CARABINER BUNGEE CORD	2 carabiners From 0.50ml to 2ml	5COP008...
	1 carabiner / 1 hook - 1.60ml	5COP018160
NET TENSIONER		5ACGFI001
METAL STAKE PROTECTION	Universal	5ACPPRO001

*Subject to availability

**Snow White Ultimate





ANIMALS

- **Aviary nets**
- **Fish-farming nets**
- **Net against birds and spikes**
- **Snail-farming nets**
- **Nets for amphibians**
- **Cat protection**
- **Accessories**
- **DIY**
- **Reference numbers**



AVIARY NETS

KNITTED



Knitted 13mm




Knitted 15mm



Knitted 20mm



Knitted 22mm



Knitted 25mm

Our knitted aviary nets are available in various mesh: shape, sizes and dimensions. The table below shows only part of the range. Nets can also be made-to-measure.

Knitted models are recommended for hobby breeders or for small aviaries used to raise chicks because it is less resistant than knotted cable nets.



Product	Mesh	Constr.	UV treat.	Color	Weight	Width	Length
13mm knitted HDPE net	13mm	Knitted 2 x 0.19	320 KLY	Green	25g/sqm	4m	50m
						6m	
						8m	
						12m	
						5m	100m
15mm knitted HDPE net	15mm	Knitted 2 x 0.30	320 KLY	Black	45g/sqm	10m	
						5m	200m
						10m	
						5m	
						6m	
20mm knitted HDPE net	20mm	Knitted 2 x 0.28	320 KLY	Blue	36g/sqm	8m	8m
						12m	12m
						15m	15m
						20m	20m
						4m	100m
						4 - 5 - 6 - 8 - 10 - 12 - 20m	100m
						2 - 4 - 8 - 12 - 16 - 20m	
						12m	
						11g/sqm	200m
ANIMALS	99						



AVIARY NETS & FISH FARMING

KNOTTED CABLED



Aviary netting 17mm



Aviary netting 25mm



Aviary netting 50mm

Stronger and easier to install than knitted aviary nets, our knotted cabled nets are suitable for both professional and hobby markets. They can be used in aviaries, as well as for other applications such as fish farming and various types of livestock rearing.




Product	Mesh	Diameter	UV treat.	Color	Weight	Width	Length
Aviary 17mm	17mm	1.2mm	320 KLY	Black	138g/sqm	7 - 14m	60m
Aviary 20mm	20mm	1.2mm			110g/sqm	6 - 17m	71m
Aviary 25mm	25mm	1.2mm			78g/sqm	21m	88m
Aviary 30mm	30mm	0.5mm			63g/sqm	8.5m	106m
Aviary 35mm	35mm	1.2mm			54g/sqm	10 - 15m	100m
						11.5 - 17m	100m
						23m	141m
Aviary 40mm	40mm	1.2mm			45g/sqm	5.6 - 8.5m	200m
						25.5m	205m
						34m	203m
Aviary 50mm	50mm	1.2 mm		Black	35g/sqm	17m	307m
		1.5mm				20m	177m
					48g/sqm	21m	100 - 300m
						12.5m	5m
Aviary 60mm	60mm	1.2mm				10 - 12.5m	10m
					27g/sqm	10 - 12.5 - 25m	20m
						17 - 25m	100m
						8.5m	204m
						20m	212m
Aviary 145mm	145mm	2mm			29g/sqm	Made-to-measure	Free
		2.5mm			43g/sqm	Made-to-measure	Free

MANUFACTURER'S ADVICE

The products shown on this page are only a selection of our bestsellers.

Our aviary range includes a wide variety of nets in all dimensions, mesh sizes, and thread thicknesses. We sell our products in standard small sizes (5x10 m, 10x20 m, etc.) or in bulk.

These products are also available made-to-measure. For larger quantities, we can manufacture aviary nets according to your specific requirements (color, mesh size, thread thickness, etc.). We can also make them with square mesh.



Our manufacturer's advice

Bird control solutions for buildings



In addition to crop protection, we can offer you a range of bird protection solutions for buildings, warehouses and other storage areas: nets and spikes. These two products complement each other and are highly versatile.

Nets block access points at a low cost, while spikes prevent birds from landing on flat surfaces and gutters.



NETS AGAINST BIRDS

Bird nets are a simple and effective solution for protecting crops, as well as agricultural buildings and storage areas. They prevent birds from entering while maintaining ventilation. Key benefits:

- ◆ They effectively protect **warehouses**, **silos** and **barns** from bird contamination.
- ◆ They are **weather-resistant** and can be **reused** for several seasons.
- ◆ They preserve the **quality of crops and seeds** by limiting losses.




SPIKES AGAINST BIRDS

Bird spikes are durable physical barriers that prevent birds from landing on roofs, beams, gutters or agricultural structures. Easy to install, they provide long-lasting protection without harming the environment or structures.


- ◆ Ideal for securing **storage areas**, **warehouse entrances** and **roof structures**.
- ◆ Made from **rustproof, durable materials**, they are designed for long-term outdoor use.
- ◆ A discreet, effective solution that is **safe for birds**.

NETS AGAINST SPARROW


19 mm mesh




Black



Stone



Translucent



M1 / Black/red



320Kly

1000kg/sqm

Available in M1

Our range of 19mm mesh nets against sparrow is available in several colors. It also includes fire-retardant nets classified M1. On request, we can add an overlock, which is not present on standard nets as it is unnecessary for bird-control applications. The net knots are treated in an autoclave, so they do not unravel when cut. All our nets are also available in diamond mesh and often at lower prices (with the option of selvedges).

Product	Mesh	Thread diameter	Color	Manufacturing	Weight	Width	Length		
HDPE knotted cabled net	19mm	1mm	Black	Knotted cabled – Square mesh	72g/sqm	5m	5 - 10 - 15 - 20 - 25 - 30m		
						7.65m	7.65 - 15.25 - 22.85 - 30.50m		
						10m	10 - 15 - 20 - 25 - 30 - 40 - 100 - 300m		
						15m	20m		
						15.25m	15.25 - 22.90 - 30.50m		
						20m	20 - 100 - 150m		
			Stone			30m	100m		
						30.50m	30.50 - 61 - 100m		
						5m	5 - 10 - 15m		
						7.65m	7.65 - 15.25 - 22.85 - 30.50m		
						10m	10 - 15 - 20m		
						15.25m	15.25 - 22.90 - 30.50m		
			Translucent			20m	20m		
						30.50m	30.50 - 61m		
						Free	Free		
						5m	10 - 20m		
						10m	10 - 15 - 20 - 300m		
						20m	150m		
						30.50m	100m		
HDPE knotted cabled net, M1 fire-rated	19mm	1mm	Black/red	Knotted cabled – Square mesh	72g/sqm	5 - 10m	5m		
						10 - 15 - 20m	10m		
						20m	20m		
						150m	20.20m		
						100m	30.20m		
						Made-to-measure	Made-to-measure		

NETS AGAINST STARLING

28mm mesh



Black



Stone



320Kly



707kg/sqm



Available in M1


Our 28 mm nets against starling are also available in several colors. On request, we can add an overlock, which is not present on standard nets as it is unnecessary for bird-control applications. The net knots are treated in an autoclave, so they do not unravel when cut. All our nets are also available in diamond mesh and often at lower prices (with the option of selvedges).

Product	Mesh	Thread diameter	Color	Manufacturing	Weight	Width	Length		
HDPE knotted cabled net	28mm	1mm	Black	Knotted cabled - Square mesh	43g/sqm	5m	5m		
						10m	10 - 15 - 20 - 25 - 30 - 100m		
						15m	15 - 20 - 25m		
						15.25m	15.25 - 22.90 - 30.50m		
						20m	20 - 25 - 30 - 50 - 100 - 600m		
						25m	25 - 30m		
			Stone			30m	50 - 450m		
						30.5 m	30.5 - 61m		
						5m	5m		
						10m	10 - 15 - 20 - 25 - 30 - 500m		
						15m	15 - 20 - 25m		
						15.25m	15.25 - 22.90 - 30.50 m		
			Translucent			20m	20 - 25 - 30 - 50 - 600m		
						25m	25 - 30m		
						30m	450m		
						30.50m	30.50m		
						Free	Free		
						7.65m	7.65 - 15.25 - 22.85 - 30.50m		
HDPE knotted cabled net, M1 fire-rated*	28mm	1mm	Ivory	Knotted cabled - Square mesh	43g/sqm	10m	10 - 15 - 20 - 500 m		
						15m	15 - 20m		
						15.25m	15.25 - 30.50m		
						20m	20 - 500m		
						30.50m	30.50m		
						5.1 m	5.1m		
						5.1m	10.1m		

*Available on request




Black net against pigeon




Stone net against pigeon

NETS AGAINST PIGEON


50 mm mesh



Black



Stone



Translucent

HDPE

PA

320Kly

396kg/sqm

Available in M1

Product	Mesh	Thread diameter	Color	Manufacturing	Weight	Width	Length
HDPE knotted cabled net	50mm	1mm	Stone	Knotted cabled – Square mesh	21g/sqm	3m	2 - 3 - 4 - 5 - 6m
						5m	20m
						10m	500m
						Free	Free
						5m	5 - 10 - 15 - 25 - 30m
						7.65m	7.65 - 15.25 - 22.90 - 30.50m
						10m	10 - 15 - 20 - 25 - 30m
							100m
						15m	15 - 20 - 25m
						15.25m	15.25 - 22.90 - 30.50m
						20m	20 - 25 - 30 - 50 - 600m
							100m
						25m	25 - 30m
						30m	50m
							450m
HDPE knotted cabled net, M1 fire-rated	50mm	1mm	Black/Red	Knotted cabled – Square mesh	21g/sqm	30.50m	30.50m
							61m
						5m	5 - 10 - 15m
						10m	10 - 15 - 20 - 500m
						15m	15 - 20m
						15.25m	15.25 - 30.50m
						20m	20 - 500m
						5m	5 - 10 - 15m
						10m	10 - 15 - 20m
						15m	15 - 20m
HDPE knotted cabled net, M1 fire-rated	50mm	1mm	Black	Knotted cabled – Square mesh	21g/sqm	20m	20m
						5m	5 - 10 - 15 - 20m
						10m	20 - 50 - 80 - 500m
						20m	20 - 50 - 70m
						Free	Free


PIGEON SPIKES

Alphapic

Our Alphapic pigeon spikes range features a wide, honeycombed base (for better adhesive grip) made of UV-treated polycarbonate. The pins are made of AISI 302 stainless steel, 13 mm in diameter, in accordance with AFNOR X10CRNI18-8, ISO 527, ISO 178, and ISO 306 standards. Our 50 cm modules can be snapped by hand.

ALPHAPIC LIGHT

48 spikes



5 to 9cm

7 to 10cm

10 to 14cm


11 to 15cm

Product	Protection width	Applications	Packaging
Alphapic 48/5	5 to 9cm	Cornice	Box of 50lm
Alphapic 48/7	7 to 10cm	Cornice – Gutter downpipe	Box of 50lm
Alphapic 48/10	10 to 14cm	Window sill – Fascia	Box of 50lm
Alphapic 48/15	11 to 15cm	Fascia < 15 cm	Box of 50lm

2 strips of 50 cm per metre – 48 spikes per linear metre

ALPHAPIC CLASSIC

64 spikes



5 to 9cm

7 to 10cm

10 to 14cm


11 to 15cm

Product	Protection width	Applications	Packaging
Alphapic 64/7	5 to 9cm	Gutter downpipe – Railing – Cornice	Box of 50lm
Alphapic 64/10	7 to 10cm	Fascia – Cornice – Window sill	Box of 50lm
Alphapic 64/15	10 to 14cm	Fascia < 15 cm – Cornice	Box of 50lm
Alphapic 64/20	11 to 15cm	Large cornice – Roof terrace perimeter	Box of 50lm

2 strips of 50 cm per metre – 64 spikes per linear metre

ALPHAPIC DELUXE

80 spikes



15 to 20cm


Product	Protection width	Applications	Packaging
Alphapic 80/20	15 to 20cm	Large cornice – Roof terrace perimeter – Seagull and gull	Box of 50lm

2 strips of 50 cm per metre – 80 spikes per linear metre

PIGEON SPIKES

Easy spikes

Our Easy Spike spike range against pigeon features a thin, ultra-flexible base, suitable for narrow ledges. Another advantage is that packaging is reduced on certain models because the spikes can be stacked up to 10lm of bars. The base is made of UV-treated polycarbonate. The pins are made of AISI 302 stainless steel with a diameter of 13 mm, in accordance with AFNOR X10CRNI18-8, ISO 527, ISO 178 and ISO 306 standards.




EASY SPIKE LIGHT

48 spikes



Product	Protection width	Applications	Packaging
Easy spike 48/7	7 to 10cm	Fascia – Cornice – Window sill	Box of 50 m – Box of 10 m
Easy spike 48/10	10 to 14cm	Fascia < 15 cm – Cornice	Box of 50 m – Box of 10 m

2 strips of 50 cm per metre – 48 spikes per linear metre – stackable for easier packaging




EASY SPIKE CLASSIC

64 spikes

Product	Protection width	Applications	Packaging
Easy spike 64/10	7 to 10cm	Fascia – Cornice – Window sill	Box of 50m – Box of 10m
Easy spike 64/15	10 to 14cm	Fascia < 15 cm – Cornice	Box of 50m – Box of 10m
Easy spike 64/20	15 to 20cm	Large cornice – Roof terrace perimeter	Box of 50m

2 strips of 50 cm per metre – 64 spikes per linear metre – the Easy Spike 64/10 is stackable



EASY SPIKE DELUXE

80 spikes

Product	Protection width	Applications	Packaging
Easyspike 80/20	15 to 20cm	Large cornice – Roof terrace perimeter	Box of 50m

2 strips of 50 cm per metre – 80 spikes per linear metre

Our manufacturer's advice

Pigeon spikes




The spikes consist of metal rods fixed perpendicularly to a base.

Easy to install and low-cost, the spikes should be placed across the entire area to be protected to prevent birds from finding a gap. You can have the spike bases made in the color of your choice, for a minimum order of 800 m (regardless of the spike model).

TECHNICAL DATA SHEET

Whether for Alphatic or Easy Spikes, our spikes consist of a UV-treated polycarbonate base, suitable for all surfaces, and 13 mm Ø pins made of AISI 302 stainless steel. Our pins comply with AFNOR X10CRNI18-8 and ISO 527, ISO 178, ISO 306 standards.



- **Tensile strength:** 26 N/mm²
- **Elongation at break:** 250 N/mm²
- **Flexural strength:** 40 N/mm²
- **Flexural modulus of elasticity:** 1450 N/mm²
- **Ball hardness H132/30:** 40N/mm²
- **Softening temperature:** 83 °c vst/A/50
- **Thermal conductivity:** 0,12 W/m.K
- **Hot deflection temperature:** 75 °c

INSTALLATION ADVICE USING SILICONE ADHESIVE

The spikes are fixed using a neutral silicone sealant, supplied in 300 ml cartridges, capable of bonding 10 to 12 linear metres of spikes depending on the surface. This should always be done on a dry, dust-free, solvent-free surface, with application temperatures between +5 °C and +40 °C and service temperatures from -50 °C to +120 °C. If the surface cannot be cleaned, the polycarbonate base of the spike is designed for fixing with screws or nails.




Always apply a wavy bead of adhesive, at least 0.5 mm thick, along the base of the spike. Never pre-apply a long bead of adhesive exceeding one metre on the surface to be protected (cornice, fascia, etc.), as surface polymerisation may occur before the base makes contact, resulting in poor adhesion of the spike. Full curing takes 5 to 8 hours. For any application on a damp surface, a fast-curing adhesive (MS Polymer) must be used.

INSTALLATION ADVICE FOR ALPHACLIP STAINLESS STEEL

The Alphaclip Stainless Steel fits into the base of Alphatic or Easy Spike modules. Use 2 Alphaclip Stainless Steel per 50 cm spike module, i.e., 4 clips per metre. The clip is fixed directly onto the gutter by simple mechanical pressure on the hem (Ø 15 to 25 mm). Once installed, this system prevents pigeons from perching inside the gutter.

ALPHACLIP

FOR INSTALLING PIGEON SPIKES ON GUTTERS



Alphapic et Easyspike compatible

Alphapic compatible

The Alphaclip is an Alphatex innovation that allows all our spike models to be installed very quickly, saving labour time. No adhesive, no tools, no screws are needed—simply clip the Alphaclip onto the gutter (compatible with Nantes, square, Lyon, English, and Le Havre-style gutters). Install 4 Alphaclips per linear metre. Note: the Polycarbonate Alphaclip is only suitable for the Alphapic model.

Product	Material	Applications	Packaging
Alphaclip inox	Stainless steel	Wire Ø: 2 mm	Box of 100 pieces
Alphaclip polycarbonate	Polycarbonate	H: 65 mm / L: 87.5 cm / W: 20 mm	Box of 100 pieces




Reference numbers p.127-128

SNAIL FARMING NETS


For snail farming, we offer several ranges of nets to meet breeders' needs. First, our Alphavent 50 and 55 windbreak nets are ideal for protecting snails from the wind.

To shield them from the sun, we recommend the Alphaombre 55 and 60 nets in green or black. Finally, for effective bird protection, our Arbotex net range against birds is perfectly suited to your requirements.

WINDBREAK NETS - ALPHAVENT



Alphavent 50



Alphavent 55


These windbreak nets offer 50% and 55% filtration. They also combine ventilation and strength. Made from HDPE and treated with UV protection (600 KLY), they have a long lifespan.

Find all the information about these products on pages 26 and 27.

SHADE NETS - ALPHAOMBRE



Alphaombre 55



Alphaombre 60

Alphaombre 55 and 60 nets offer shading rates of 50% and 62% respectively. They are perfectly suited for installation on structures and also benefit from 600 KLY UV protection.

Find all the information about these products on pages 30 to 33.

NETS AGAINST BIRDS - ARBOTEX



Arbotex 13




Arbotex 22

Made from HDPE with mesh sizes ranging from 13 to 25 mm, these nets are highly effective at stopping birds. Our main advantage? A wide variety of sizes in stock to meet all your needs.


Find all the information about these products on pages 60 and 61.




AMPHIBIAN PROTECTION NETS



BATRA 25



BATRA 50



BATRA 55

We also offer nets specially sized for constructing barriers and tunnels for amphibians, helping to divert them away from roads.

HDPE

Product	Mesh	Constr.	UV treat.	Color	Weight	Width	Length	Finishes
BATRA 25	Rect. 2 x 7mm	Knitted	600KLY	Green	85g/sqm	0.85m	250 - 500 - 750m	Side buttonholes
BATRA 50	Rect. 2 x 4mm	Knitted	600KLY	Green/ Black	106g/sqm	0.25 à 1m	100 - 500m	Side reinforcements or raw edges
						Free width	Free length	
BATRA 55	Rect.	Knitted	600KLY	Green/ Black	150g/sqm	1m	100m	Side buttonholes
INSECTIS Against amphibian	Rect. 450µ x 850µ	Monofil woven	600KLY	Crystal	110g/sqm	1m	100m	Unfolded

As well as the essential accessories for installing amphibian nets. You can opt for stakes alone, or choose one of our kits consisting of stakes, cable ties and a reel of wire.

Product	Material	Weight	Diameter	Height
Stakes	Galvanised steel	370g	7mm	85cm
Kit for 100 m of net	1 bag of 100 cable ties – 1 spool of 100 m wire – 51 stakes			
Kit for 250 m of net	2 s2 bags of 100 cable ties – 1 spool of 250 m wire – 126 stakes			
Kit for 500 m of net	3 bags of 100 cable ties – 1 spool of 500 m wire – 256 stakes			
Kit for 750 m of net	4 bags of 100 cable ties – 2 spools of wire (250 m + 500 m) – 376 stakes			





Climafrost



Alphavent 30


MANUFACTURER'S ADVICE Which net for which pests?

Our nets are designed to protect against a variety of pests. Our fine meshes can safeguard crops from larger insects, while medium-sized meshes are recommended for game, birds, and rodents.


Product	 	 	
Climafrost		●	●
Alphavent 30		●	●

PROTECTION AGAINST LARGE INSECTS, GAME, ETC.


END OF PRODUCTION



Climafrost



Alphavent 20



Alphavent 30

Our nets can also be used to protect crops against certain pests such as rabbits, pigeons, and grasshoppers. They are therefore suitable for market gardening, providing protection against damage caused by game, birds, and large insects on seedlings and young plants.



The nets can be placed directly over the crops, on hoops, or used as vertical protection.

Product	Mesh	Constr.	UV treat	Color	Width	Length	Finish	Weight
Climafrost	Triang. >1200µ	100% knitted strips	600 KLY	Crystal	16m	100m	Top and bottom reinforcements 5cm	38g/sqm
Alphavent 20	Rect. 2,3 x 7mm	Knitted	500 KLY	White	De 5 à 15m	200m	Eyelets on sides	50g/sqm
				White	3m	500m	Side reinforcements	50g/sqm
				Green	2.5m			
Alphavent 30	Rect. 2 x 3mm	Knitted monofilament strips	600 KLY	Crystal	1.3 - 2 - 2.5 - 3 - 4 - 6m	200m	Side reinforcements	70g/sqm



Pro Solar Bird



EOLO Falcon

Product	Material	Dimension	Usage instructions
Pro Solar Bird	Aeronautical grade carbon and fibreglass mix	2.20 m wide	Protects up to 8 standard-size solar panels. Special attachment system for secure installation and a maximum tilt of 15%. Once installed, there is no reduction in energy output, as fewer droppings accumulate on the panels, reducing the need for frequent cleaning.
EOLO Falcon	Carbon handle Durable, nearly invisible wire Polyester bird	Up to 13 m high (mast + wire)	It flies with a light breeze, reaching up to 13 m high. We recommend installing 4 per hectare in orchards and 6 per hectare in cereal fields.

Our manufacturer's advice



Which net for which animals?

To protect your animals, we offer a complete range of nets with different mesh sizes. The table below shows the mesh size corresponding to your type of livestock.

Animal type (farming or protection)	Fine mesh 2x3 mm, 2x4 mm	Mesh 13 - 25mm	Mesh 25 - 35mm	Mesh 40 - 60mm	Mesh 60 -100mm
Snails	●				
Frogs, toads	●	●			
Sparrows		●			
Quails		●			
Pheasant chicks		●			
Young partridges		●	●		
Adult partridges		●	●		
Hens			●	●	
Birds of prey					●
Young pheasants (weight under 1.2 kg)					●
Red-legged partridges	●			●	
Crows		●		●	
Pigeons				●	
Rabbits				●	
Pheasants (weight over 1.7 kg)				●	
Herons				●	
Turkeys				●	
Wild boars					●
Foxes					●
Deers					●




DIY range

Special store products
For retail customers

We also offer customizable products
for stores.

These nets, spikes, and accessories are sold in
smaller sizes and quantities to meet the needs of
retail customers.



Do It Yourself
by Alphatex




NET AGAINST BIRDS

Small bird nets are packaged in pouches, ideal for selling in shops.



BIRD SPIKE PACKS

Our bird spike packs are available in 1-metre boxes for self-assembly, or in 10-metre boxes with glue, already assembled.



NETS AND SPIKES FOR CATS

Primarily aimed at private customers, our nets and spikes prevent cats from passing through without harming them.

**ALL REFERENCES AND AVAILABLE SIZES CAN BE FOUND
ON PAGES 126 AND 127**


AlphatexTM



DIY – EXTENDED TO ALL OUR PRODUCTS

Choose from A to Z: from the product to the packaging!

Many products, whether for construction, agriculture, or landscaping, can be customised for retail sale. For more information about our DIY solutions, request our brochure from your sales contact.



BUILDING	AGRICULTURE	ANIMALS	GREEN SPACES
Construction nets Scaffolding nets HDPE tarpaulins PVC tarpaulins Fibreglass fabrics Fall protection nets	Insect nets Windbreak nets Shade nets Landscape fabrics Climatic nets	Aviary nets Nets against birds Bird spikes Nets against cats Cat spikes Arbotex knitted nets	Privacy nets Windbreak nets Shade sails Mezzanine nets Skip nets Pond nets and tarpaulins

Our accessories

ANIMALS

References p. 135



DOUBLE-SIDED TAPE

Used for installing nets and tarpaulins on frames or fencing.
Material: braided HDPE



STAPLER / STAPLES

Bostitch SR8 stapler with P7 magazine – SR8 staples supplied in boxes of 2,500 pieces.
For attaching nets onto wire or cable, coated or uncoated.
Stapler and staples sold separately.



SELF-ADHESIVE TIES

For installing nets indoors.



COATED STEEL CABLE

Used for installing nets and tarpaulins on frames or fencing.
Material: galvanised steel and PVC.



GALVANISED STEEL CABLE

Used for installing nets and tarpaulins on frames or fencing.
Material: 7x7 galvanised steel.



SCREW ANCHORS

Used for installing nets and tarpaulins on frames or fencing.
Material: braided HDPE

Diameter

5 - 6 - 7 mm

Spool length

50m to 200m or cut to length

Colors

Dark green – Dark green translucent
– Black – Light green – White – Grey –
Transparent

Diameter

2mm

Spool length

100 - 200 m



IPN CLIP

Allows nets to be fixed to all types of IPN metal beams.

Dimensions

2 to 4 mm - 4 to 7 mm - 8 to 12 mm

Diameters

6-7 mm - 9-10 mm - 15-18 mm
19-24 mm



SILICONE ADHESIVE

Used to install spikes on all types of surfaces.

1 tube = 10-12 linear metres of spikes.

Tube: 300 ml.



HDPE TENSION WIRE

Used for installing nets and tarpaulins on frames or fencing.
Material: cabled HDPE.

Diameter

3 - 4 - 5 - 6 - 8 - 10 mm

Spool lengths

100 - 200 - 250 - 500 m

Colors

Black - Green - Stone - Green/Blue
- Dark green - Aqua green - White -
Grey - Red



SYNTHETIC WIRE

Synthetic wire on a 1,370 m spool

SLEEVES

Crimping sleeves in aluminium.
For thin cable: 0.55 mm to 0.65 mm.

For thick cable: 2, 2.5, 3.5, 4, 5 mm.
Bag of 100 pieces.

Our accessories

ANIMALS

References p. 135



EYE BOLT

Eye bolt for fixing nets onto solid supports



CABLE TIE

Box of 50 pieces.
Material: galvanised steel.



LANTERN TURNBUCKLE

For correctly tensioning your nets.

Diameter

3 - 4 - 5 - 6 - 8mm

Diameter

5 - 6 - 8 - 10mm



QUICK TENSIONER

For tensioning and securing the cable. Double-channel self-locking mechanism.

Diameters

1.50 à 2.50 mm



ZIP + CHAIN + BUTTON

ZIP + CHAIN + STOP BUTTON

Sold separately.

References

REFERENCES

Products	Length	Width	Color	Reference
13 MM KNITTED	50m	4m	Green	5TML013004
		6m		5TML013006
		8m		5TML013008
		12m		5TML013012
15 MM KNITTED	100m	5m	Black	5TML015008
		10m		5TML015007
	200m	5m		3TML015004
		10m		5TML015013
20 MM KNITTED	100m	4m	Blue	5TML020101
	20m	20m		5TML020120
	15m	15m		5TML020115
	12m	12m		5TML020112
	8m	8m		5TML020108
	6m	6m		5TML020106
	5m	5m		6TML020105
22 MM KNITTED	100m	4m	Black	3TML022004
		5m		5TML022007
		6m		5TML022001
		8m		5TML022002
		10m		5TML022010
		12m		5TML022008
		20m		5TML022009
25 MM KNITTED	100m	2m	Black	5TML025013
		4m	Black	5TML025001
			Green	5TML025006
		8m	Black	5TML025002
			Green	5TML025007
		12m	Black	5TML025003
			Green	5TML025008
		16m	Black	5TML025004
			Green	5TML025009
		20m	Black	5TML025005
			Green	5TML025010
17 MM KNOTTED CABLED	60m	12m	Black	5TML025003
		7m	Black	5CNL017002
		14m		5CNL017001
20 MM KNOTTED CABLED	71m	6m	Black	5CNL020000
		17m		5CNL020003
		21m	Black	5CNL025000
25 MM KNOTTED CABLED	88m	8.50m	Black	5CNL030030
		10m	Black	5CNL035002
30 MM KNOTTED CABLED	106m	15m		5CNL035004
		10m	Black	

Products	Length	Width	Color	Reference
40 MM KNOTTED CABLED	100m	11.50m	Black	5CNL040005
		17m		5CNL040007
	141m	23m		5CNL040004
	200m	5.60m		5CNL040002
		8.50m		5CNL040006
	205m	25.50m		5CNL040010
	203m	34m		5CNL040011
	307m	17m		5CNL040009
50 MM KNOTTED CABLED	100m (Ø1.50mm)	21m	Black	5CNL050017
	177m (Ø1.20mm)	20m		5CNL050014
	300m (Ø1.50mm)	21m		5CNL050010
60 MM KNOTTED CABLED	5m	12.50m	Black	5CNL060006
	10m	10m		5CNL060003
		12.50m		5CNL060007
	20m	10m		5CNL060004
		12.50m		5CNL060008
		25m		5CNL060013
	100m	17m		5CNL060010
		25m		5CNL060026
	204m	8.50m		5CNL060002
	212m	20m		5CNL060001
	400m	6.35m		5CNL060009
100 MM KNOTTED CABLED	353m	20m	Black	5CNL150001
145 MM KNOTTED CABLED	Free (Ø2 mm)	Free	Black	1CNC145006
	Free (Ø2.5 mm)	Free	Black	1CNC145014
SPARROW NETS 19 MM M1 FIRE RATING	5m	5m	Black and red	5CNZ1490505
		10m		5CNZ1490510
	10m	10m		5CNZ4191010
		15m		5CNZ4191015
		20m		5CNZ4191020
	20.20m	20m		5CNZ4192020
	30.20m	150m		5CNZ4192095
	Free	100 m		5CNZ4193091
	Free	Free		5CNL4199999
	5m	5m	Black	5CNZ0190505
			Stone	5CNZ1190505
		10m	Black	5CNZ0190510
			Stone	5CNZ1190510
		15m	Translucent	5CNZ2190505
			Black	5CNZ0190515
			Stone	5CNZ1190515
		20m	Black	5CNZ0190520
			Translucent	5CNZ2190520
		25m	Black	5CNZ019525
		30m		5CNZ019530

Products	Length	Width	Color	Reference	
SPARROW NETS 19 MM	7.65m	7.65m	Black	5CNZ0190808	
			Stone	5CNZ1190808	
		15.25m	Black	5CNZ0190816	
			Stone	5CNZ1190816	
		22.85m	Black	5CNZ0190823	
			Stone	5CNZ1190823	
	30.50m	30.50m	Black	5CNZ0190831	
			Stone	5CNZ1190831	
		10m	Black	5CNZ0191010	
			Stone	5CNZ1191010	
			Translucent	5CNZ2191010	
	10m	15m	Black	5CNZ0191015	
			Stone	5CNZ1191015	
			Translucent	5CNZ2191015	
		20m	Black	5CNZ0191020	
			Stone	5CNZ1191020	
			Translucent	5CNZ2191020	
SPARROW NETS 19 MM	10m	25m	Black	5CNZ0191025	
				5CNZ0191030	
		30m		5CNZ0191040	
				5CNZ0191099	
		40m		5CNZ0191093	
				5CNZ2191093	
	15.25m	100m	Translucent	5CNZ0191520	
		15m		5CNZ0191516	
		20m	Black	5CNZ0191516	
			Stone	5CNZ1191523	
		22.90m	Black	5CNZ0191523	
			Stone	5CNZ1191531	
	20m	30.50m	Black	5CNZ0191531	
			Stone	5CNZ1191531	
		100m	Black	5CNZ0192020	
			Stone	5CNZ1192020	
		150m	Black	5CNZ0192099	
				5CNZ0192095	
	30m	100m	Black	5CNZ0193091	
	30.50m	20m	Black	5CNZ0193131	
			Stone	5CNZ1193131	
		61m	Black	5CNZ0193161	
			Stone	5CNZ1193161	
		100m	Black	5CNZ019008	
			Translucent	5CNZ2193091	
	Made-to-measure	Made-to-measure	Stone	5CNZ1199999	

Products	Length	Width	Color	Reference
STARLING NETS 28 MM	5m	5m	Black	5CNZ019505
			Stone	5CNZ219505
	7.65m	7.65m	Translucent	5CNZ219808
		15.25m		5CNZ219816
		22.85m		5CNZ219823
		30.50m		5CNZ219831
		10m		5CNZ219510
	15.25m	15.25m		5CNZ119516
		20m		5CNZ219520
PIGEONS NETS 50 MM	3m	2m	Stone	5CNZ1500203
		3m		5CNZ1500303
		4m		5CNZ1500304
		5m		5CNZ1500305
		6m		5CNZ1500306
	5m	5m	Black	5CNZ0500505
			Stone	5CNZ1500505
			Translucent	5CNZ2500505
		10m	Black	5CNZ0500510
			Stone	5CNZ1500510
			Translucent	5CNZ2500510
		15m	Black	5CNZ0500515
			Stone	5CNZ1500515
			Translucent	5CNZ2500515
		20m	Stone	5CNZ1500520
		25m	Black	5CNZ0500525
			Stone	5CNZ1500525
	7.65m	30m	Black	5CNZ0500530
			Stone	5CNZ1500530
		7.65m	Black	5CNZ0500808
			Stone	5CNZ1500808
			Translucent	5CNZ2500808
	15.25m	Black	5CNZ0500819	
		Stone	5CNZ1500816	
		Translucent	5CNZ2500816	
	22.90m	Black	5CNZ0500823	
		Stone	5CNZ1500823	
		Translucent	5CNZ2500823	
	30.50m	Black	5CNZ0500831	
		Stone	5CNZ1500831	
		Translucent	5CNZ2500831	

Products	Length	Width	Color	Reference
PIGEONS NETS 50 MM	25m	25m	Black	5CNZ0502525
			Stone	5CNZ1502525
		30m	Black	5CNZ0502530
			Stone	5CNZ1502530
	30m	50m	Black	5CNZ0503050
		450m	Black	5CNZ0503094
			Stone	5CNZ1503094
	30.50m	30.50m	Black	5CNZ0503131
			Translucent	5CNZ2503131
			Stone	5CNZ1503131
		61 m	Black	5CNZ0503161
	Made-to-measure	Made-to-measure	Stone	5CNZ1509999
PIGEONS NETS 50 MM M1	5m	5m	Black	5CNZ3500505
			Black and Red	5CNZ4500505
		10m	Black	5CNZ3500510
			Black and Red	5CNZ4500510
		15m	Black	5CNZ3500515
			Black and Red	5CNZ4500515
		20m	Black	5CNZ3500520
		10m	Black and Red	5CNZ4501010
	10 m	15m	Black and Red	5CNZ4501015
		20m	Black	5CNZ3501020
			Black and Red	5CNZ4501020
		50m	Black	5CNZ3501050
		80m	Black	5CNZ3501080
		500m	Black	5CNZ4501095
		15m	Black and Red	5CNZ4501515
	15m	20m	Black and Red	5CNZ4501520
		20m	Black	5CNZ3502020
			Black and Red	5CNZ4502020
		50m	Black	5CNZ3502050
		70m	Black	5CNZ2502070
PIGEONS NETS 50 MM NYLON Ø1 MM	Made-to-measure	Made-to-measure	Stone	5CNZ350999
	5m	5m	Translucent	5CNZ1050001
	10m	10m		5CNZ1050002
	20m	100m		5CNZ1050003

Products	Length	Width	Reference
ALPHAPICS	48/5	50lm	5ACDPIC005
	48/7	50lm	5ACDPIC008
	48/10	10lm	5ACDPIC013
		50lm	5ACDPIC012
	48/15	50lm	5ACDPIC016
	64/7	50lm	5ACDPIC007
	64/10	10lm	5ACDPIC011
		50lm	5ACDPIC010
	64/15	10lm	5ACDPIC018
		50lm	5ACDPIC015
	64/20	10lm	5ACDPIC021P
		50lm	5ACDPIC020P
	80/20	10lm	5ACDPIC021
		50lm	5ACDPIC020
EASY SPIKES	48/5	10lm	5ACDPIC4805
		50lm	5ACDPIC4806
			5ACDPIC4805
	48/10	10lm	5ACDPIC4811
		50lm	5ACDPIC4810
	64/10	10lm	5ACDPIC6411
		50lm	5ACDPIC6410
	64/15	10lm	5ACDPIC6416
		50lm	5ACDPIC6415
	64/20	50lm	5ACDPIC6420
PACKS ALPHAPIC 10LM + 1 TUBE OF GLUE	80/20	10lm	5ACDPIC8021
		50lm	5ACDPIC8020
	64/7		5PACCOL007
	64/10		5PACCOL010
ALPHAPIC DIY KITS	64/15		5PACCOL510
	64/20	5m	5PACCOL015
ALPHAPIC ADHESIVE PACK	Pack 10	1lm	5ACDCPIC111
	Pack 50		ACDCPIC110
	64/20P	10lm	5PACCOL020P
	80/20		5PACCOL0820

Products	Length	Width	Color	Reference
CATS NETS 40 MM	5m	5m	Stone + stainless steel	5CNZ6400505
	10m	10m		5CNZ6401010
	20m	2m		5CNZ6400220
		3m		5CNZ6400320
		10m		5CNZ6401020
	30m	3m		5CNZ6400330
	Free	Free		5CNZ6409999
	5m	5m		5CNZ5400505
	10m	10m		5CNZ5401010
	20m	2m		5CNZ5400220
		3m		5CNZ5400320
		10m		5CNZ5401020
	30m	3m		5CNZ5400330
	Free	Free		5CNZ5409999
CATS SPIKES	1lm - 2 modules of 50 cm		White	5ACPPAC010
			Beige	5ACPPAC020
			Brown	5ACPPAC030
			Black	5ACPPAC040
			Translucent	5ACPPAC050
			Grey	5ACPPAC060
			Green	5ACPPAC070
ALPHAVENT 50 (SNAIL FARMING)	100m	1.50m	Green/Black	5SMR106024
			Crystal	5SMR106702
		2m	Green/Black	5SMR106043
			Crystal	5SMR106106
		3m	Green/Black	5SMR106053
			Crystal	5SMR106107
		250m	Black	5SMR120824
			Green/Black	5SMR106260
	500m	0.80m	Green/Black	6SMR106003
		1m		5SMR106029
		1.50m		5SMR106028
		2m		5SMR106221
		2.50m		5SMR106225
		3m		5SMR106054
		3.50m		5SMR106062
		4m	White	5SMR106061
		5m		5SMR106073
				5SMR106250
ALPHAVENT 55 (SNAIL FARMING)	100m	1m	Green/Black	5SMR165002
		1.25m		5SMR165003
		1.50m		5SMR165004
		2m		5SMR165005
		3m		5SMR165007
		4m		5SMR165009
		6m		5SMR165011


Products	Length	Width	Color	Reference
ALPHAOMBRE 55 SNAIL FARMING	100m	2m	Green/Black	5SPT054002
		4m		5SPT054004
		6m		5SPT054006
ALPHAOMBRE 75 SNAIL FARMING	100m	2m	Green/Black	5SPT068002
		3m		5SPT068003
		4m		5SPT068004
		6m		5SPT068006
ALPHAVENT 50 AGAINST AMPHIBIANS	Free	Free	Green/Black	1SMR106005
INSECTIS AGAINST AMPHIBIANS	100m	1m	Crystal	5SMR110010
BATRA 25	100m	1m	Translucide	5WMR110010
		0.35m	Green	5SMR080006
			Black	5SMR080206
		0.45m	Green	5SMR080005
			Black	5SMR080205
		0.65m	Green	5SMR080004
			Black	5SMR080204
		0.85m	Green	5SMR080000
			Black	5SMR080200
			Green	5SMR080000
BATRA 50	500m	0.80m	Green/Black	5SMR106003
		1m		5SMR106029
BATRA 55	100m	1m	Green/Black	5SMR150114
STAKES	85cm	7mm	Galvanised steel	5ACGPIQ002

Products	Acc. 1	Acc. 2	Acc. 3	Reference
BATRA ACCESSORY KIT 100 M	51 stakes	1 bag of 100 cable ties	1 spool of thread, 100 m	5KITBAT100
BATRA ACCESSORY KIT 250 M	126 stakes	2 bags of 100 cable ties	1 spool of thread, 250 m	5KITBAT250
BATRA ACCESSORY KIT 500 M	256 stakes	3 bags of 100 cable ties	1 spool of thread, 500 m	5KITBAT500
BATRA ACCESSORY KIT 750 M	376 stakes	4 bags of 100 cable ties	1 spool of thread, 500 m, and 1 spool of thread, 250 m	5KITBAT750

Products	Characteristics	Reference
ALPHAVENT 20 AGAINST GAME	2,5m x 500m - Green	5SMR055010
	3m x 500m - White	5SMR055050
	5m x 200m - White	5SMR055173
	5,33 x 200m - White	5SMR055175
	5,66 x 200m - White	5SMR055176
	6 x 200m - White	5SMR055181
	6,33 x 200m - White	5SMR055320
	6,66 x 200m - White	5SMR055321
	7 x 200m - White	5SMR055322
	7,33 x 200m - White	5SMR055323
	7,66 x 200m - White	5SMR055324
	8 x 200m - White	5SMR055325
	8,33 x 200m - White	5SMR055326
	8,66 x 200m - White	5SMR055327
	9 x 200m - White	5SMR055328
	9,33 x 200m - White	5SMR055329
	9,66 x 200m - White	5SMR055330
	10 x 200m - White	5SMR055331
	10,33 x 200m - White	5SMR055332
	10,66 x 200m - White	5SMR055333
	11 x 200m - White	5SMR055334
	11,33 x 200m - White	5SMR055335
	11,66 x 200m - White	5SMR055336
	12 x 200m - White	5SMR055337
	13 x 200m - White	5SMR055340
	14 x 200m - White	5SMR055343
	15 x 200m - White	5SMR055346
ALPHAVENT 30 AGAINST GAME	1.3m x 300m	5SMR070113
	2 x 200m	5SMR0700102
	2.5 x 200m	5SMR070125
	3 x 200m	5SMR0700103
	4 x 200m	5SMR070104
	6 x 200m	5SMR070106
CLIMAFROST	12 x 100m	5SPT1036007*
	16 x 100m	5SPT1036005*
DOUBLE-SIDED TAPE	Sold in translucent rolls 50 mm x 5 m	5DHP050050
STAPLER P7	Sold individually	5ACA008004
STAPLES SR8	Box of 2,500 pieces	5ACG008001
ALPHA_CLIP STAINLESS STEEL	Box of 100 pieces	5ACICLI012
SELF-ADHESIVE FASTENERS	Translucent - 100 pcs	5ACPATF001
	White - 100 pcs	5ACPATF002
COATED STEEL CABLE	From 10 to 2,000lm Various colors	5ASE0...
GALVANISED STEEL CABLE	100lm - 2mm	5ASG10001
	200lm - 2mm	5ASG20001
NYLON PLUG	Ø6mm - 100 pcs	5ACPCH025

Products	Characteristics	Reference
IPN CLIP	2 to 4mm - Ø9-10mm	5ACDCLI001
	2 to 4mm - Ø15-18mm	5ACDCLI002
	4 to 7mm - Ø6-7mm	5ACDCLI005
	8 to 12mm - Ø6-7mm	5ACDCLI004
	8 to 12mm - Ø19-24mm	5ACDCLI003
SILICONE ADHESIVE	Box of 24 pieces	5ACDMAS001
THIN CABLE SLEEVES	0.55 to 0.65 mm - 100 pieces	5ACI100002
SILICONE ADHESIVE	Box of 24 pieces	5ACDMAS001
THIN CABLE SLEEVES	0.55 to 0.65 mm - 100 pieces	5ACI100002
THICK CABLE SLEEVES	2 mm - individually	5ACI100009
	2.50 mm - indiv.	5ACI100008
	3.50 mm - indiv.	5ACI100007
	4 mm - individually	5ACI100006
	5 mm - individually	5ACI100005
MULTI-PURPOSE CLAMP	Per unit	5ACDPIN001
SCREW-IN EYELET	Ø4mm - Box of 100 pieces	5ACGCRO042
CABLE CLAMP	Ø3mm	5ACGSEC008
	Ø4/5mm	5ACGSEC009
	Ø6mm	5ACGSEC010
	1 ring / 1 hook - 5 mm	5ACGTEN011
GALVANISED TENSIONER	1 ring / 1 hook - 10 mm	5ACGTEN017
	1 hook / 1 hook - 8 mm	5ACGTEN016
	1 hook / 1 hook - 10 mm	5ACGTEN015
	1 ring / 1 ring - 8 mm	5ACGTEN014
	Galvanised steel type M8	5ACGTEN008
LANTERN TENSIONER	1.50 to 2.50mm - Bag of 5 pieces	5ACDTEN001
QUICK TENSIONER	Black - Per unit	5ACPZIP009
ZIP - SLIDER	Black - Per metre	5ACPZIP008
ZIP - CHAIN	Steel - Per unit	5ACPZIP006
ZIP - STOP BUTTON		





GREEN SPACES

- Privacy netting
- Windbreak netting
- Triangular shade netting
- Backstop netting
- Skip netting
- Landscape fabrics
- Tarpaulins
- Accessories
- Reference numbers

SPECIFIC FINISHES

FOR PRIVACY AND WINDBREAK NETS

Our privacy nets are available in a 'raw cut' finish or with **buttonholes**. In addition, our manufacturing teams can add **bands** and **eyelets** to any type of privacy screen. Discover the different finishes available for our privacy screens below.

WITHOUT BUTTONHOLES

DISCONTINUED ITEM



Raw-cut privacy screens are the most standard and economical type. **They are manufactured without reinforcements or buttonholes on the sides.**

To install them, we recommend using black round clips (for lightweight models, up to 150 g/sqm) or green clips (for heavier models, weighing more than 150 g/sqm).




WITH BUTTONHOLES



These models feature buttonholes and reinforcements on the sides. It is **easier to install and ensures that the net has a longer lifespan.**

To install them securely and quickly, you can opt for zip ties or clips.



BANDS AND EYELETS




Privacy screens with pre-made strips and eyelets are the most durable, attractive and quickest to install.

Below you will find all the strip colors available in our catalogue:




PRIVACY NETS

FROM 75 TO 90%



Alphavue 75



Alphavue 85



Alphavue 90 LG

Our range of privacy nets, offering 75% to 100% coverage, are available in standard and custom sizes, allowing us to respond quickly to our customers' requests. Alphavue nets are made from 100% HDPE strips and are UV-treated. These privacy screens can be installed on existing structures such as barriers, fences, wire mesh or posts.

Installation is simple thanks to our accessories, which you can find at the end of the catalogue.



Product	Occultation	Constr.	UV tr.	Color	Height	Length	Weight	Finishes		
Alphavue 75	75%	Knitted strips	600 KLY	White	1.5 m	200 m	130 g/sqm	With buttonholes		
					1.8 m					
					2 m					
Alphavue 80 <small>DISCONTINUED ITEM</small>	80%	Knitted strips	600 KLY	Green	1 m	5 m	95 g/sqm	With buttonholes		
					1.5 m					
				Green/Black	1 m	10 m				
					1.5 m					
					2 m					
				Brown/Black	1 m	5 m - 10 m				
					1.5 m					
					2 m					
Alphavue 85	85%	Monofil. & strips	600 KLY	Green	3 m	100 m	145 g/sqm	With buttonholes		
					1.50 - 1.80 - 2 m	200 m				
Alphavue 90 LG	90%	Knitted strips	600 KLY	Dark green	1.5 m	10 - 50 - 200 m	90 g/sqm	With buttonholes		
					1.8 m					
					2 m					
					3 - 4 m	200 m				

Accessories on p.150






Green/Black Alphavue 95




Black Alphavue 95

PRIVACY NETS


95%




Grey Alphavue 95

Dark grey Alphavue 95
RAL7016


Black Alphavue 95




Ivory Alphavue 95




Green/Black Alphavue 95



Orange Alphavue 95



Brown Alphavue 95



White Alphavue 95

Product	Occultation	UV tr.	Constr.	Color	Height	Length	Weight	Finishes
Alphavue 95	95%	600KLY	Knitted strips	Grey	1.2 m	5 m	185 g/sqm	Buttonholes
					1 - 1.5 - 1.8 - 2 m	25 m		
					1.5 - 1.8 - 2 m	50 m		
				Light grey	3 - 4 m	100 m		
					Dark grey	100 m		
				Black	4 m	100 m		
					1.8 - 2 m	10 m		
					1.2 - 1.5 m	20 m		
					1.5 - 1.8 - 2 - 3 m	50 m		
				Ivory	1.5 - 1.8 - 2 - 3 m	100 m		
					4 - 5 m	100 m		
					2 - 3 m	200 m		
				White	1.5 - 1.8 - 2 m	200 m		
					1.5 - 1.8 - 2 m	10 m		
				Green/Black	1.5 - 1.8 - 2 m	25 m		
					1 - 1.2 - 1.5 - 1.8 - 2 - 3 - 3.6 m	50 m		
					2 m	100 m		
					1.5 - 1.8 - 2 - 3 m	200 m		
					1 m	3 m		
					1.2 - 2 m	5 m		
					1 - 1.2 - 1.8 - 2 m	10 m		
					1.5 m	25 m		
					1 - 1.2 m	100 m		
					1.5 - 1.8 - 2 m	200 m		




Dark grey Alphavue 100




Green Alphavue 100

PRIVACY NETS

100%



Grey Alphavue 100

Dark grey Alphavue 100
RAL7016

Green/Black Alphavue 100

Product	Occultation	UV tr.	Constr.	Color	Height	Length	Weight	Finishes
Alphavue 100	100%	600 KLY	Knitted strips	Taupe	1.5 m	3 m	300 g/sqm	With or without buttonholes (depending on colors and sizes)
					1.5 m	5 m		
				Grey	1 - 1.2 - 2 m	5 m		
					1 - 1.2 - 1.5 - 1.8 - 2 m	10 m		
					1.2 - 1.5 - 1.8 - 2 m	25 - 50 m		
				Green/ Black	1.5 - 2 m	100 m		
					1.5 - 1.8 - 2 m	10 m		
					1 - 1.2 - 1.5 - 1.8 - 2 m	25 m		
					1.8 m	50 m		
				Ivory	1.2 - 1.5 - 1.8 - 2 - 3 m	100 m		
				Blue	1.5 - 2 m	25 - 100 m		
					1.5 m	100 m		

MANUFACTURER'S ADVICE

Our Alphavue 100 nets provide complete privacy. Installed around a building site, simply in a garden or on a balcony, they will protect you from the prying eyes of passers-by.

To make it easier for you to install our privacy screens, we offer a range of dedicated accessories. These accessories make it quicker and easier to attach the privacy screen. You can install the screen on wire fencing, a fence or a cable, for example.






Alphavent


WINDBREAK NETS




Alphavent 30




Alphavent 35



Alphavent 50



Alphavent 55




Alphavent 65

Our Alphavent windbreak nets are ideal for installation on fences, as building partitions, or even on tennis courts or campsites.



Product	Windbreak	UV tr.	Constr.	Color	Weight	Width	Length	Finishes
Alphavent 30	25%	600 KLY	Knitted	Crystal Green/Black	70 g/sqm	1.30 - 1.60 - 2 - 2.50 - 3 - 4 - 6 m	100 - 200 - 300 m	Side reinforcements
Alphavent 35	35%	600 KLY	Knitted	Crystal Black	90 g/sqm	3 - 4 - 5 - 6 m	50 - 100 - 500 m	Side reinforcements and buttonholes
Alphavent 50	50%	600 KLY	Knitted	White Crystal Green/Black Black	106 g/sqm	0.80 - 1 - 1.50 - 2.40 - 2.50 - 3 - 3.50 - 4 - 5 - 6 m	50 - 100 - 250 - 500 m	Side reinforcements and buttonholes
Alphavent 55	55%	600 KLY	Knitted	Green/Black	165 g/sqm	1 - 1.25 - 1.50 - 2 - 3 - 4 - 6 m	100 m	Side reinforcements and buttonholes (+ every meters and in the middle)
Alphavent 65	65%	600 KLY	Knitted	Black Green	150 g/sqm	3 - 3.60 - 4 m	100 m	Without buttonholes



Orange shade nets



Finish at each corner



LDPE coated beige shade net

TRIANGULAR SHADE NETS



Dark grey



Ivory



Orange



Green

Our triangular shade sails are ideal to cover outdoor spaces, terraces or even pool areas. Thanks to the metal loops sewn on each corner, installation is quick and easy. In addition, a reinforcement strip is added around the edge to increase strength. The dimensions shown below are for our standard models, but they can also be made-to-measure.



Product	UV tr.	Constr.	Color	Weight	Size		Finishes	
					2.5 x 2.5 x 3.5 m	3 x 3 x 4.2 m		
Shade net Dark grey	600 KLY	Knitted	Dark grey	185 g/sqm	2.5 x 2.5 x 3.5 m	3 x 3 x 4.2 m	Reinforcement strip and buckle at each corner	
					3 x 4 x 5 m			
					2.5 x 2.5 x 2.5 m	3 x 3 x 4.2 m		
Shade net Orange	600 KLY	Knitted	Orange	185 g/sqm	3 x 4 x 5 m	Reinforcement strip and buckle at each corner		
					2.5 x 2.5 x 3.5 m		3 x 3 x 4.2 m	
					3 x 4 x 5 m			
Shade net Ivory	600 KLY	Knitted	Ivory	185 g/sqm	2.5 x 2.5 x 3.5 m	3 x 3 x 4.2 m	Reinforcement strip and buckle at each corner	
					3 x 4 x 5 m			
					2.5 x 2.5 x 3.5 m	3 x 3 x 4.2 m		
Shade net Green	600 KLY	Knitted	Green	185 g/sqm	3 x 4 x 5 m	Reinforcement strip and buckle at each corner		
					2.5 x 2.5 x 3.5 m		3 x 3 x 4.2 m	
					3 x 4 x 5 m			

MANUFACTURER'S ADVICE


We can manufacture shade nets in the shape and size of your choice. The references shown above are only our standard products. You can choose the color from these options:




Black




Dark grey



Light grey



White



Orange



Brown



Ivory



Green

WATERPROOF SHADE NET

The LDPE-coated shade net provides 85% shade.

Its design effectively blocks the sun's rays while preventing rain from passing through, offering optimal protection against the weather.



Beige




Grey

Product	UV tr.	Constr.	Color	Weight	Size		Finishes
					Free x Free	3 m x Free	
Shade nets Beige lined LDPE	900 KLY	Knitted + LDPE coated	Beige	220 g/sqm	Free x Free	3 m x Free	Reinforcement strip and buckle at each corner
					3 m x Free		
Shade nets Gris lined LDPE	900 KLY	Knitted + LDPE coated	Grey	220 g/sqm	Free x Free	3 m x Free	Reinforcement strip and buckle at each corner
					3 m x Free		



Backstop net

BACKSTOP NETS



Backstop nets are designed to secure sports fields by preventing balls from leaving the playing area. Robust and resistant to all kind of weather, they are ideal for football, rugby, basketball... pitches, both outdoors and indoors, thanks to their UV treatment. Their protection is effective while maintaining the visibility and the play.



Product	Material	Mesh size	Weight	UV tr.	Sport	Color	Finishes
PE Ø2mm	HDPE	25mm	240 g/sqm	320 KLY	Golf	Green	Bolt rope
PPM Ø3mm	PPM	45mm	180 g/sqm	320 KLY	Tennis	Black	Bolt rope
PE Ø3.5mm	HDPE	48mm	230 g/sqm	320 KLY	Tennis Baseball	Black	Bolt rope
PE Ø3mm	HDPE	100mm	75 g/sqm	320 KLY	Handball Volley-ball Multisport field	Green	Bolt rope
		120mm	58 g/sqm		Football		
PE Ø2.5mm	HDPE	145mm	43 g/sqm	320 KLY	Football	Dark green Black	Bolt rope

MANUFACTURER OF ALL TYPES OF SPORTS NETS

We can also manufacture a wide variety of sports nets, including ball nets, goal nets and basket nets for basketball, hockey, handball, volleyball, tennis, badminton, padel tennis and more.


These items are not listed in this catalogue, but we can accommodate all types of requests.

Please contact us for more information.





650g/sqm tarpaulin



900g/sqm tarpaulin

PVC TARPAULINS



650g/sqm grey tarpaulin



650g/sqm blue tarpaulin



650g/sqm red tarpaulin



900g/sqm green tarpaulin



900g/sqm white tarpaulin



900g/sqm yellow tarpaulin

Our 650 g/sqm and 900 g/sqm PVC tarpaulins are designed to meet the requirements of a wide variety of applications: pergola covers, event stage protection, temporary or permanent installations in green spaces, swimming pool and pond covers, etc. Made to measure, they can be adapted to any configuration. Their welded hem and eyelet finish guarantees excellent durability and quick installation. Weather and UV resistant, these tarpaulins are the ideal solution for combining protection, aesthetics and durability.



Product	Material	Weight	UV tr.	Size	Colors	Finishes
650g/m ² tarpaulin	Polyester PVC coated	650 g/sqm	300 KLY	Made-to-measure	Blue, yellow, black, green, white, ivory, grey, dark grey, red, sand	Welded hem and eyelets
900g/m ² tarpaulin	Polyester PVC coated	900 g/sqm	600 KLY	Made-to-measure	Blue, yellow, black, green, white, grey, red	Welded hem and eyelets

BUBBLE COVER

We can also supply bubble pool covers for round or rectangular pools. These covers help to keep the water clean while naturally increasing its temperature. They also reduce water evaporation.

These covers are made to order, so feel free to contact us for any specific requirements.





Covertex 150 CD



Covertex 200

SKIP NETS



Covertex 150 CD



Covertex 200

Use skip nets for safe transports! They are very resistant thanks to: a heavy HDPE woven band, protected with a UV treatment, double machine stitch with a thick sewing thread and 14mm diameter eyelets every 50cm.



Dimensions shown below are in stock and ready to be delivered.

Product	UV tr.	Constr.	Color	Weight	Width	Length	Finishes
Covertex 150 CD	600 KLY	Knitted	Dark green or Black	150 g/m ²	3 m	4 m	Bands and eyelets every 50cm With or without sandow
			Dark green		3.5 m	5 - 5.5 - 6 6.5 - 7 - 7.5 8 m	
			Made-to-measure		1.5 m - Made-to-measure		
Covertex 200	600 KLY	Knitted	Black	200 g/m ²	3 m	4 m	Bands and eyelets every 50cm with or without sandow
					3.5 m	5 - 5.5 - 6 - 6.5 - 7 - 7.5 - 8 m	
			Made-to-measure		Made-to-measure		
			Green/ Black		3.5 m	100 m	

MANUFACTURER'S ADVICE

Our Covertex range is mainly used as skip protection for transport companies, particularly in the environmental sector (waste treatment, etc.).

However, thanks to its fine mesh and robust monofilament construction, our Covertex products can be used in a wide range of other applications, including pond protection, shredder guards, trailer nets, partitions and building dividers.





Floortis 90




Floortis 130


LANDSCAPE FABRICS



Floortis 90 ; 100 ; 130



Floortis 90 ; 130



Floortis 190 ; 100 ; 130

Our Floortis landscape fabrics are used before planting and prevent weeds from growing. They also help plants and shrubs to grow.



Product	Occult.	UV tr.	Constr.	Color	Weight	Width	Length	Finishes		
Floortis 90	100%	600 KLY	Woven	Green, Black	90 g/sqm	1.05 - 1.25 - 1.65 m	5 m	Hot cut		
						1.05 - 1.25 m	10 m			
				White		1.05 - 1.25 - 1.65 - 2.10 - 3.30 - 4.20 - 5.25 m	100 m			
						1.25 - 1.65 - 2.10 - 5.25 m				
Floortis 100	100%	600 KLY	Woven	Green	100 g/sqm	1.05 m	100 m	Hot cut		
						1.25 m	250 m			
Floortis 130	100%	600 KLY	Woven	Black		1.25 m	100 m			
				Green, black ou white	130 g/sqm	1.25 - 1.65 - 2.10 - 3.25 - 4.20 - 5.25 m	100 m	Hot cut		


OUR ACCESSORIES

We offer two very useful accessories for landscape fabrics users: staples and thermal perforator. The serrated steel staples with bevelled ends enable any type of mulching fabric to be installed securely and durably.

The **staples**, made of serrated steel with bevelled ends, enable quick, secure and durable installation of mulching fabric.



The **perforator** is very useful when planting. It allows you to drill holes easily and very quickly.





P7 STAPLER

SR8 Bostitch stapler with P7 magazine - For the installation of nets using wires and cords with or without sleeves. B SR8 galvanised metal staple - 2,500 pieces in a package.



SR8 STAPLES

Galvanised metal staples B for SR8. Sold in box of 2,500 pieces.



SPLIT RINGS

Split rings used to attach nets to wire or cable.

Colors: Grey, Black, White, Green.

Size
21x41mm



C OR S CLASP

C or S Gancio clasp. Sold in 1,000 pieces.



PVC COATED CABLE

It is used to install nets and tarpaulins on structures or fences. Material: galvanised steel and PVC.

Diameter
5 - 6 - 7mm
Coil length
50m to 200m
Color

Dark green - Transparent dark green
Black - Light green - White - Grey -
Transparent



GALVANISED CABLE

It is used to install nets and tarpaulins on structures or fences. Material: 7x7 galvanised steel.

Diameter
2 mm
Coil length
100 - 200m



STAINLESS STEEL CABLE

It is used to install nets and tarpaulins on structures or fences.
Material: 7x7 stainless steel.

Diameter

2 mm

Length

100 - 200 m



2-POINT CLAMP

A 2-point clamp, ideal for thick windbreak and privacy nets. 3 to 4 clamps per metre. 250 pieces in a box.



MOUNTING CLAMP

Round clamps for mounting light windbreak or privacy nets. 3 to 4 clamps per metre. 100 pieces in a box.



CORD REEL

It is used to install nets and tarpaulins on structures or fences.
Material: HDPE cord

Diameter

3 - 4 - 5 - 6 - 8 - 10 mm

Coil length

100 - 200 - 250 - 500 m

Colors



BRAIDED WIRE REEL

It is used to install nets and tarpaulins on structures or fences.
Material: braided HDPE

Diameter

3 - 3.5 - 4 mm

Coil length

100 - 200 - 250 - 500 m

Colors

MOUNTING SET

A mounting set for light windbreak and privacy nets. 26 pieces in a box + 4.2m of wire.

Colors: Black, White, Grey, Dark grey or Green.

Black - Brown - Green/Blue - Dark green - Green - White - Grey - Red

Black - Green - Green/Blue - Dark green - Aqua green - White - Grey - Red

**ZIP TIE**

To install to all kind of structures.
UV resistant. Color: Black
Sold in bags of 100 pieces

Width

4.8mm

Length

300mm

**CRIMP SLEEVES**

Aluminium sleeves for cables 0.55 à 0.65 mm.

**STEEL ZINC SNAP**

Sold in 50 pieces per box.
Size: 6 x 60mm

**ALUMINIUM SNAP HOOK**

Sold in 50 pieces per box.

**ALL-PURPOSE PLIERS**

Cutting of up to Ø4mm and clamping of sleeves.

**GALVANISED STIFFENER**

Ensure that wires and cords are tight.

Material: Galvanised steel

Diameter

2 - 3 - 4 mm

Colors

Green - White - Black



BUNGEE CORD

To install nets and tarpaulins.
Coil or made-to-measure.
Colors: White, Black.

Diameter

6 - 8 mm

Length

Coil length: 100m
Made-to-measure: Cut to length



CABLE CLAMPS

For hail and windbreak netting systems. Sold in 50 pieces per bag.
Material: Galvanised steel.

Diameter

3 - 4 - 5 - 6 - 8 mm



GALVANISED TENSIONER

A light wire with shape memory, perfect for climate shields, hail nets, aviaries...

Diameter

5 - 6 - 8 - 10 mm

Type

1 ring/1 hook - 2 rings -
2 hooks



STAPLES FOR LANDSCAPE FABRICS

Beveled and notched staples for mulching fabric.
Box of 100 pieces.

Dimension

20 x 20 x 20cm

Diamters

4mm

Products	Length	Width	Colors	Reference	
ALPHAVUE 75	200 m	1.50 m	White	5SPR130150	
		1.80 m		5SPR130180	
		2 m		5SPR130200	
ALPHAVUE 80	5 m	1 m	Brown/Black	5SPT095102	
		1.50 m	Brown/Black	5SPT095108	
		2 m	Black/Green	5SPT095014	
		2 m	Brown/Black	5SPT095114	
		1 m	Black/Green	5SPT095003	
		1.50 m	Black/Green	5SPT095009	
ALPHAVUE 85	10 m	2 m	Brown/Green	5SPT095109	
		2 m	Black/Green	5SPT095015	
		2 m	Brown/Black	5SPT095115	
	200 m	3 m	Green	5SXT145020	
		1.50 m		5SXT145010	
		1.80 m		5SXT145810*	
		2 m		5SXT145811*	
ALPHAVUE 90 LG	10 m	1.50 m	Dark green	5SXT145015	
		1.80 m		5SXT145812*	
		2 m		5SXT145822**	
	50 m	1.50 m		5SPT090001	
		1.80 m		5SPT090031	
		2 m		5SPT090201	
	200 m	1.50 m		5SPT090005	
		1.80 m		5SPT090035	
		2 m		5SPT090205	
		1.50 m		5SPT090020	
		1.80 m		5SPT090050	
ALPHAVUE 95		2 m		5SPT090220	
		3 m		5SPT090320	
		4 m		5SPT090420	
3 m	1 m	Green/Black	5SPT130001		
	1,2 m	Green/Black	5SPT130005		
	2 m	Grey	5SPT185038 ¹		
	2 m	Green/Black	5SPT130014		
10 m	1 m	Green/Black	5SPT185010		
	1,2 m	Green/Black	5SPT130003		
	1,5 m	Green/Black	5SPT185012		
	1,8 m	Green/Black	5SPT130006		
	1,5 m	Green/Black	5SPT185121 (bout. côtés)		
	1,8 m	Green/Black	5SPR185507 (bout. côtés)		
	1,8 m		5SPT130012		
	1,8 m		5SPT185017		
	2 m	Black	5SPT185114 (bout. côtés)		
	2 m	Green/Black	5SPR185510 (bout. côtés)		
	2 m	Black	5SPT185018		
	2 m	Green/Black	5SPT185132 (bout. côtés)		
	2 m	Black	5SPR185610 (bout. côtés)		

Products	Length	Width	Color	Reference
ALPHAVUE 95	15 m	2 m	Green/Black	5SPT185118 (side butt.)
		1.20 m	Black	5SPR18569D ¹ (side butt.)
		1.50 m	Black	5SPR18568D ¹ (side butt.)
		1 m	Grey	5SPT185037 (side butt.)
	25 m	1.50 m	Green/Black	5SPT185015
			Green/Black	5SPT185112 (side butt.)
		Grey	5SPT185039 (side butt.)	
	50 m	1.80 m	Green/Black	5SPT185115 (side butt.)
			Grey	5SPT185040 (side butt.)
		2 m	Grey	5SPT185045 (side butt.)
			Green/Black	5SPT185133 (side butt.)
	200 m	1 m	Green/Black	5SPT185110 (side butt.)
		1.20 m	Black	5SPT185030 (side butt.)
				5SPR18570D ¹ (side butt.)
			Green/Black	5SPT185111 (side butt.)
		1.50 m	Black	5SPT185031 (side butt.)
			Grey	5SPT185041 (side butt.)
			Green/Black	5SPT185113 (side butt.)
		1.80 m	Black	5SPT185032 (side butt.)
			Grey	5SPT185042 (side butt.)
			Green/Black	5SPT185116 (side butt.)
ALPHAVUE 100	3 m	2 m	Green/Black	5SPT185134 (side butt.)
				5SPT185020 ¹
				5SPT185803 ¹²
			Ivory	5SPR190120 (side butt.)
			White	5SPR190220 (side butt.)
				5SPR190220 (side butt.)
			Green/Black	5SPT185220 ¹
		3 m		5SPT185135 (side butt.)
		Ivory	5SPR190130 (side butt.)	
	5 m	1,5 m	Taupe	5SPT270270
		1 m	Grey	5SPT270000
		1,2 m		5SPT270100
		1,5 m	Taupe	5SPT270208
		2 m	Grey	5SPT270400
		1 m		5SPT270001
		1,2 m		5SPT270101
		1,5 m		5SPT270210
		Black	5SPT300011	
	10 m	1,8 m	Grey	5SPT270301
			Black	5SPT300014
		2 m	Grey	5SPT270401
			Black	5SPT300016

¹By order only²Finish PE strip top and bottom + eyelets³Finish PP strip top + eyelets

Products	Length	Width	Color	Reference
ALPHAVUE 100	10 m	1.50 m	Green/Black	5SPT300011
		2 m		5SPT300016
	25 m	1 m	Green/Black	5SPT300100
		1.20 m	Grey	5SPT270102*
			Green/Black	5SPT300101
		1.50 m	Grey	5SPT270211
			Green/Black	5SPT300002
			Ivory	5SPT300401
		1.80 m	Grey	5SPT270302
			Green/Black	5SPT300004
	50 m	2 m	Grey	5SPT270402
			Green/Black	5SPT300006
			Ivory	5SPT300403
		1.20 m	Grey	5SPT5270103
				5SPT270212
				5SPT270303
		1.50 m	Green/Black	5SPT300003
			Grey	5SPT270403
			Green/Black	5SPT300001 ²
ALPHAVENT 35	100 m	1.50 m	Grey	5SPT270213
			Blue	5SPT300395
			Ivory	5SPT300400
		1.80 m	Green/Black	5SPT300430
			5SPT300440	5SPT300005
			Grey	5SPT270404
		2 m	Green/Black	5SPT300007
			Ivory	5SPT300402
			5SPT300450	5SPT300005
		3 m	Green/Black	5SPT300012 ²
				5SPT300017
ALPHAVENT 35	100 m	3 m	Black	5SMR090060
		4 m		5SMR090061
		5 m		5SMR090062
		6 m		5SMR090021*
	500 m	3 m	Crystal	5SMR090040
		4 m		5SMR090041
		5 m		5SMR090036*
				5SMR090042* (top & bottom butt.)

*Subject to stock availability

Products	Length	Width	Color	Reference
ALPHAVENT 50	100 m	1.50 m	Green/Black	5SMR106515
			Crystal	5SMR106702
		2 m	Green/Black	5SMR106102
			Crystal	5SMR106703
		3 m	Green/Black	5SMR106334
			Crystal	5SMR106704
		3.50 m	Green/Black	5SMR106235*
				5SMR106239
	250 m	4 m	Green/Black	5SMR106824
		2.40 m		5SMR106260
	500 m	6 m	Green/Black	5SMR106203
		0.80 m	Green/Black	5SMR106029
		1 m		5SMR106029
		1.50 m		5SMR106517
		2 m		5SMR106221
		2.50 m		5SMR106225
		3m		5SMR106234
		White	5SMR106435	
			3.50 m	5SMR106437
			4 m	5SMR106436
		5 m	Green/Black	5SMR106240
				5SMR106250
ALPHAVENT 55	100 m	1 m	Green/Black	5SMR165002
		1.25 m		5SMR165003
		1.50 m		5SMR165004
		2 m		5SMR165005
		3 m		5SMR165007
		4 m		5SMR165009
		6 m		5SMR165011
ALPHAVENT 65	100 m	3 m	Green	5SMT150011*
		3.60 m		5SMT150012*
		4 m		5SMT150013*

Products	Size	Color	Reference
TRIANGULAR SHADE NETS	2.5 x 2.5 x 3.5 m	Green/Black	5SPT185132
		Dark grey	5SPT185142
		Ivory	5SPT185172
		Orange	5SPT185182
	3 x 3 x 4.2 m	Green/Black	5SPT185133
		Dark grey	5SPT185143
		Ivory	5SPT185173
		Orange	5SPT185183
	3 x 4 x 5 m	Green/Black	5SPT185134
		Dark grey	5SPT185144
		Ivory	5SPT185174
		Orange	5SPT185184
SHADE NET LDPE COATED	Free x Free	Beige	5SXE220050
	3 m x Free	Beige	5SXE220053
	Free x Free	Grey	5SXE220870
	3 m x Free	Grey	5SXE220873

*Subject to stock availability

Products	Size	Mesh size	Color	Reference
BACKSTOP NET PE Ø2MM	Free	25 mm	Green	5CNC025010
			Black	5CNC025011
BACKSTOP NET PE Ø2.5MM	Free	145 mm	Green	5CNC145251
			Black	5CNC145252
BACKSTOP NET PE Ø3MM	Free	100 mm	Green	5TNC100301
		120 mm	Green	5TNC120301
BACKSTOP NET PE Ø3.5MM	Free	48 mm	Black	5TNC048354
BACKSTOP NET PPM Ø3MM	Free	30 mm	Black	5RUC045304

Produits	Length	Width	Color	Reference
650G/M² TARPAULINS	Made-to-measure	Made-to-measure	Sand	5ETE650080
			Yellow	5ETE650070
			Black	5ETE650060
			Dark grey	5ETE650055
			Grey	5ETE650050
			Red	5ETE650040
			Crystal	5ETE650030
			Green	5ETE650020
900G/M² TARPAULINS	Made-to-measure	Made-to-measure	White	5ETE650010
			Grey	5ETE900050
			Red	5ETE900040
			Crystal	5ETE900030
			Green	5ETE900020
			White	5ETE900010

Products	Length	Width	Color	Reference	
COVERTEX 150 CD	3.50 m	5 m	Black	5SMT150718 ¹³	
			Dark green	5SMT150818 ¹³	
		5.50 m	Black	5SMT150719 ¹³	
			Dark green	5SMT150819 ¹³	
		6 m	Black	5SMT150720 ¹³	
			Dark green	5SMT150820 ¹³	
		6.50 m	Black	5SMT150724 ¹³	
			Dark green	5SMT150824 ¹³	
		7 m	Black	5SMT150721 ¹³	
			Dark green	5SMT150821 ¹³	
		7.50 m	Black	5SMT150722 ¹³	
			Dark green	5SMT150822 ¹³	
		8 m	Black	5SMT150728 ¹³	
			Dark green	5SMT150828 ¹³	
		4 m	Black	5SMT150725 ¹³	
				5SMT150004 ¹ (avec sandow)	
				5SMT150830 ¹³	
		200 m	Light green	5SMT150024 ²	
			Dark green	5SMT150035 ²	
		220 m	2 m	5SMT150034 ²	
		Libre	Dark green	5SMT150006 ¹ (fini)	
				5SMT150007 ¹ (fini)	
COVERTEX 200	3.50 m	3 m	Black	5SMT200825	
				5SMT200727	
		5 m		5SMT200718 ¹³	
				5SMT200818 ¹	
		5.50 m		5SMT200823	
				5SMT200720 ¹³	
		6 m		5SMT200820	
				5SMT200824	
		6.50 m		5SMT200721 ¹³	
				5SMT200821	
		7 m		5SMT200822	
				5SMT200728 ³	
		7.50 m	Black/Green	5SMT200723 ³	
				5SMT200724 ³	
				5SMT200725 ¹	
		8 m		5SMT200999 ¹	
		100 m		5SMT200724 ³	
				5SMT200725 ¹	
		Libre	Black	5SMT200999 ¹	

¹By order only²Without buttonholes³Without Bungee cord

Products	Length	Width	Color	Reference
FLOORTIS 90	100 m	1.05 m	Green	5WPR090105
			Black	5WPR091105
		1.25 m	Green	5WPR090125
			Black	5WPR091125
		1.65 m	White	5WPR092125
			Green	5WPR090165
			White	5WPR092165
		2.10 m	Green	5WPR090210
			Black	5WPR091210
			White	5WPR092210
		3.30 m	Green	5WPR090330
			Black	5WPR091330
		4.20 m	Green	5WPR090420
			Black	5WPR091420
		5.25 m	Green	5WPR090525
			Black	5WPR091525
			White	5WPR092525
FLOORTIS 100	5 m	1.05 m	Green	5WPR100105_05*
		1.25 m		5WPR100125_05*
		Black	5WPR101125_05*	
	10 m	1.05 m	Green	5WPR100105_10*
		1.25 m		5WPR100125_10*
		Black	5WPR101125_10*	
	100 m	1.05 m	Green	5WPR100105*
		1.25 m		5WPR100106*
		1.65 m		5WPR100125*
				5WPR100126*
			Black	5WPR101125*
				5WPR101126*
				5WPR101165*
				5WPR101166*

*Subject to stock availability

Products	Length	Width	Color	Reference
FLOORTIS 130	5 m	1.25 m	Green	5WPR130125_05*
			Black	5WPR131125_05*
			White	5WPR132125_05*
		1.65 m	Black	5WPR131165_05*
			White	5WPR132165_05*
		2.10 m	Green	5WPR130210_05*
			Black	5WPR131210_05*
			White	5WPR132210_05*
	10 m	3.25 m	Black	5WPR131325_05*
		1.25 m	Green	5WPR130125_10*
			Black	5WPR131125_10*
			White	5WPR132125_10*
		1.65 m	Green	5WPR130165_10*
			Black	5WPR131165_10*
			White	5WPR132165_10*
	100 m	2.10 m	Green	5WPR130210_10*
			Black	5WPR131210_10*
			White	5WPR132210_10*
			Black	5WPR131325_10
			Green	5WPR130125*
	100 m	1.25 m	Green	5WPR130126
			Black	5WPR131125
			White	5WPR132125*
			Green	5WPR130165
			Black	5WPR131165
		1.65 m	Green	5WPR130166
			Black	5WPR131166
			White	5WPR132165
			Green	5WPR130210
			Black	5WPR131210
	100 m	2.10 m	Green	5WPR130211*
			Black	5WPR131211
			White	5WPR132210
			Green	5WPR130211
			Black	5WPR131211
	3.25 m	Black	White	5WPR132211
			Black	5WPR131325
			Black	5WPR131326

Products	Characteristics	Reference
STAPLER P7	Sold per unit	5ACA008004
STAPLES SR8	Box of 2,500 pieces	5ACG008001
		5ACG008002
PLASTIC SPLIT RINGS	White Bags of 1,000 pcs	5ASPANO001
	Black Bags of 1,000 pcs	5ASPANO003
	Green Bags of 1,000 pcs	5ASPANO005
	Grey Bags of 1,000 pcs	5ASPANO008
C CLASP	Bags of 100 pieces	5ACPAGC001
S CLASP	Bags of 100 pieces	5ACPAGS001
PVC COATED CABLE	From 10 to 2,000m Many colors	5ASE0...
GALVANISED CABLE	100 m - 2 mm	5ASG10001
	200 m - 2 mm	5ASG20001
STAINLESS CABLE	100 m - 2 mm	5ASI10001
2-POINT CLAMP	Box of 250 pieces	5ACPCLI002
MOUNTING CLAMPS	Bags of 100 pieces	5ACPCLI001
CORD REEL		
BRAIDED WIRE REEL		
MOUNTING SET	Black - Green - Dark grey - Light grey	5ACPKF010...
ZIP TIE		5ACPCOL...
CRIMP SLEEVES	White Bags of 100 pieces	5ACP0005
ALUMINIUM SNAP HOOK		5ACIMOU008
ZINC SNAP HOOK		5ACAMOU003
ALL-PURPOSE PLIERS	Sold per unit	5ACDPIN001
STIFFENER	Green - Black - White 2 mm - 3 mm - 4 mm	5ACERAI...

Products	Characteristics	Référence
BUNGEE CORDS	White - Ø5 mm 100 m	5COP005001
	White - Ø6 mm 100 m	5COP006001
	White - Ø8 mm 100 m	5COP008001
	White - Ø9 mm 100 m	5COP009001
	Black - Ø6 mm - 100 m	5COP006003
	Black - Ø8 mm - 100 m	5COP006003
	Black - Ø6 mm - 100 m	5COP008004
	Black - Ø8 mm - 100 m	5COP008005
	Red - Ø6 mm 100 m	5COP006006
	Ø8 mm - 50 pcs	5ACGSEC007
GALVANISED TENSIONER	1 ring / 1 hook 5 mm	5ACGTEN011
	1 ring / 1 hook 10 mm	5ACGTEN017
	1 crochet / 1 hook 10 mm	5ACGTEN015
	1 hook / 1 hook 8 mm	5ACGTEN016
	1 ring / 1 ring 8 mm	5ACGTEN014

GENERAL TERMS

Article I

SCOPE

The present General Terms and Conditions of sale apply to all sales concluded by Alphatex with professional buyers, regardless of the clauses that may appear on the customers' documents, in particular their general terms and conditions of sale, with regard to the following products :

- Netting in HDPE, PA, PES, PP - Tarpaulins in HDPE, PVC, PES, etc.
- Installation accessories - Digital printing work - Fire-resistant shrinking films and accessories - Asbestos products
- Pikes - Shutters - Combs - Closures and installation accessories - Custom-made nets.

Article II

PRODUCTS

In theory, the products delivered comply with the descriptions in the catalogues and comply with the samples sent. However, the supplier reserves the right to modify or discontinue the product, whether for safety reasons, manufacturing practices or improvements to the product, or changes in the related standards in force. In the event of a pending order for a product that has been modified in this way, the supplier's only obligation is to deliver the product ordered, replacing it with the newly manufactured product or failing that a higher-quality product. For our custom-made nets, our dimensions are always calculated between two rows of knots, knot center to knot center, dry net and under a normal tension. Manufacturing tolerance + or - 5%.

Article III

ORDER ACCEPTANCE AND PRICES

Orders taken by the supplier's employees or any other duly authorised person at the company, are only definitive following receipt of a purchase order as per the quote, a copy of which must be dated and signed by a person authorised by the Purchaser and sent to the Supplier. The products are provided at the rates indicated in the attached pricing schedule, or as the case may be, in the business proposal addressed to the customer.

These prices are firm and cannot be revised during their period of validity, which is 30 days, without the Supplier's express authorisation.

For any order under 150€ excl. Tax, an administrative service will be charged 29€ excl. Tax.

Article IV

PAYMENT TERMS

The price may be paid in cash with a 1.5% discount on receipt of the invoice, excluding special conditions, by bill of exchange accepted within 30 days from the date of invoice or by transfer.

Bills of exchange must be sent within 8 days. In the event of non-compliance with this deadline, the Supplier shall be entitled to demand immediate payment of all invoices due,

including those that are not yet payable and suspend all pending or delivery phase orders, without prejudice to our rights to damages, where appropriate. Any invoices not paid in compliance with the preceding contractual conditions or individually agreed conditions, shall automatically accrue interest and surcharges at a rate 10 points higher than the BdF's bank rate, with no further procedures nor prior formal notice.

This clause may not in any way be prejudicial to the payability of the debt. Moreover, any delay in payment shall automatically result, at the Purchaser's expense, in compensation, by way of a penalty clause, equal to 15% of the unpaid invoice, which will be recovered by the Supplier's legal department in compliance with articles 1152 and 1126 of the French Civil Code. The cost of returning unpaid goods shall be paid by the drawee.

Article V

DISCOUNTS, REBATES and REDUCTIONS

In the event of quantitative rebates or reductions; the Purchaser may benefit from discounts, rebates or reductions, in return for participating in a Marketing or Sales campaign on behalf of the Supplier.

Article VI

DELIVERY AND SHIPPING FEES DELIVERY

LIVRAISON

The delivery date provided is for information purposes and is an estimate.

This date is not a fixed deadline and the Supplier cannot be held liable towards the Purchaser in the event of late delivery not exceeding one week. The products may be delivered to any other place specified by the Purchaser, subject to one week's notice and a minimum deadline of 72 hours, entirely at the Purchaser's expense. In the event of delivery to another place specified by the Purchaser, they shall provide the Supplier with precise information about the persons authorised (and under the Purchaser's responsibility) to receive the ordered products.

If the Purchaser makes special requests with regard to the specific packaging (including metal racks which must be returned and are the inalienable property of the Supplier) or transportation conditions for the goods ordered, which are accepted in writing by the Supplier, the related costs shall be subject to specific additional invoicing. The Purchaser must check the appearance of the products on delivery. Unless explicit reservations are made by the Purchaser on delivery, the goods delivered by the Supplier will be considered compliant with the order in quantity and quality.

The related transfer of risks of loss and deterioration to the Purchaser, shall occur as the goods leave the Seller's warehouse.

It is the Purchaser's responsibility to check the condition of the packages delivered, indicate any reservations on the transporter's delivery slip, and confirm these reservations by letter with acknowledgement of receipt within the legally prescribed 48 hours to the transporter and inform the Supplier in writing within the same deadline. No claim may be accepted if the Purchaser does not comply with these requirements. The Supplier shall promptly, and at its own expense, replace the goods delivered whose non-conformity has been proven by the Purchaser. The Purchaser must send us the complaint specifying the reservations made to the carrier and the photos of the merchandise. The claim will be admissible as soon as the Purchaser has duly fulfilled the above criteria. Failure to comply with these formalities will result in the loss of any recourse against the carrier, and in fact prevents us from taking into account any claim for compensation and/or reimbursement.

SHIPPING COSTS

Prices are established ex works. Shipping costs are additional.

Article VII

TRANSFER OF OWNERSHIP - TRANSFER OF RISKS

- RETENTION OF TITLE

The transfer of ownership of the goods from the Supplier to the Purchaser, will be effective only after full payment of the price agreed, regardless of the delivery date of such products. It is nevertheless expressly stipulated that the Purchaser shall be responsible for the goods in their possession following physical delivery. If the Purchaser fails to pay all or part of the price, the Supplier retains ownership of the goods sold until full payment is received, allowing it to claim the goods in the event of non-payment.

Any deposit paid by the Purchaser will remain the property of the Supplier by way of compensation, without prejudice to any other courses of action they are legally entitled to take against the Purchaser.

Article VIII

THE SUPPLIER'S RESPONSIBILITIES -

GUARANTEES

The products delivered by the Supplier are covered by a warranty period in accordance with the needs specified by the Purchaser, who stipulated the terms on confirming the purchase order. In compliance with the legal provisions, the Supplier guarantees the Purchaser against any hidden defects due to defective material, design or manufacture affecting the delivered goods rendering them unfit for use. All warranties are considered void in the event of wrongful use, negligence or lack of maintenance by the Purchaser, and for normal wear and tear of the goods or force majeure. To assert its rights, the Purchaser must, under penalty of invalidating any other relevant actions, inform the Supplier in writing of these defects within a maximum of six months of their discovery.

The Supplier shall replace or repair the guaranteed goods or parts deemed faulty. This guarantee only covers the

goods «on the ground» and in no case the labour costs related to their removal and reinstallation (excluding special agreements).

The replacement of faulty goods or parts shall not extend the warranty period fixed above. Administrative fees of 29 € excl. tax will be charged for any return of conforming goods due to an order error made by the client.

Article IX

ELECTION OF DOMICILE AND COMPETENT COURT

In the event of dispute, the Rouen Commercial Court shall be the sole competent authority. All orders automatically presume that the Purchaser has accepted the Supplier's general terms and conditions of sale, notwithstanding any contradictory stipulations in their own general terms and conditions.

ARTICLE X

APPLICABLE LAW

All clauses in the present general terms and conditions of sale, and all purchases and sales described herein, are governed by French law.

Article XI

INTELLECTUAL AND COMMERCIAL PROPERTY

CLAUSE

All of the Supplier's documents are protected by patents filed with the INPI (National Institute of Industrial Property) and WIPO and by current laws on industrial and commercial property. Any full or partial reproduction by any means will be prosecuted in the relevant courts. For the diffusion of Alphatex supports, a written authorization validated by our marketing department is required.

2026 EDITION - Version n°1

Alphatex - ZAC de Saint-Jean-de-la-Neuville 869 rue Maurice Allais, 76210, Bolbec, France

Publishing director: Michael Nicolas

Image copyright: Marketing department - Fotolia - Adobe Stocks - DR - The photos contained in this catalogue are not contractually binding.

Layout: Marketing department



HORTICULTURE



ARBORICULTURE



WINEGROWING



ANIMALS



GREEN SPACES

ZAC de Saint-Jean-de-la-Neuville
869 Rue Maurice Allais
76210 Bolbec, France
tél. +33 (0)2 35 56 33 56
fax. +33 (0)2 32 70 42 69
alphatex@alphatex.eu
www.alphatex.eu